Form 3160-5 (August 1999)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 200

Lease	<b>Бепа</b> і	NO.
NMS	F079	049

abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No.		
Type of Well     ☐ Oil Well    ☐ Gas Well   ☐ Oth			8. Well Name and No. SAN JUAN 28-6 UNIT 112M				
Name of Operator     BURLINGTON RESOURCES	E br-inc.com		9. API Well No. 30-039-27024-00-X1				
3401 EAST 30TH Ph: 505.32 FARMINGTON, NM 87499 Fx: 505.326					10. Field and Pool, or Exploratory BASIN DAKOTA MESAVERDE POINT LOOKOUT		
4. Location of Well (Footage, Sec., 7 Sec 9 T27N R6W NESE 1500			11. County or Parish, and State  RIO ARRIBA COUNTY, NM				
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF	NOTICE, REI	PORT, OR OTHER	DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
☐ Notice of Intent	□ Notice of Intent □ Acidize		_		on (Start/Resume)	☐ Water Shut-Off	
Subsequent Report	Alter Casing		ture Treat	Reclamat		Well Integrity	
	Classing Repair	_	Construction	Recomple		Other Drilling Operations	
☐ Final Abandonment Notice	-		ag and Abandon		orally Aballubii		
testing has been completed. Final Aldetermined that the site is ready for f 2-6-03 Drill to intermediate TI set @ 3431'. 2-7-03 Pump 10 bbl wtr, 10 b cmt w/3% calcium chloride, 0. metasilicate (878 cu.ft.). Taile Celloflake, 0.2% fluid loss (12 PT BOP & csg to 1500 psi/30 2-11-03 Drill to TD @ 7811'. 2-12-03 Circ hole clean. TOC ST&C csg, set @ 7809'. 2-13-03 Pump 10 bbl chemic pps Celloflake, 0.3% CD-32, 6	inal inspection.)  D @ 3441'. Circ hole clean  bl mud flush, 10 bbl wtr ah  25 pps Celloflake, 5 pps L  d w/90 sx Class "B" Type I  4 cu.ft.). Displace w/138 b  min, OK. Drilling ahead.  DH. TIH w/45 jts 4 1/2" 11.6  al wash, 2 bbl wtr ahead. C  5.25 pps LCM-1, 1% fluid k	n. TOOH. TIH nead. Cmtd v CM-1, 0.4% II cmt w/1% bl wtr. Circ 5 6# J-55 LT&C	H w/80 jts 7" 20# v/412 sx Class ' fluid loss, 0.4% calcium chlorid 5 bbl cmt to sui C csg, 135 jts 4 x Class "C" Prei	# J-55 ST&C of "B" Premium Losodium le, 0.25 pps rface. WOC. 1/2" 10.5# J-5 mium Lite cmt	sg, .ite 55 w/0.25	EB 2003	
14. Thereby certify that the foregoing is	true and correct.  Electronic Submission #1  For BURLINGTON RES  nmitted to AFMSS for proce	SOURCES O	&G CO LP, sent	to the Farming	ton	U.S. 2.112.5.	
Name (Printed/Typed) PEGGY C	OLE		Title REGUI	LATORY ADM	INISTRATOR		
Signature (Electronic S	Submission)		Date 02/19/2	2003			
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE US	E		
Approved By ACCEPT	ED			NE GARCIA EUM ENGINEI	ΞR	Date 02/27/2003	
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to cond	Office Farmington						
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a c statements or representations as	crime for any p to any matter w	erson knowingly an ithin its jurisdiction	nd willfully to mal n.	ke to any department or a	gency of the United	

## Additional data for EC transaction #18662 that would not fit on the form

## 32. Additional remarks, continued

w/322 sx Class "C" Premium Lite cmt w/0.25 pps Celloflake, 0.3% CD-32, 6.25 pps LCM-1, 1% fluid loss, 6% gel, 7 pps CSE (638 cu.ft.). Displaced w/122 bbl wtr. WOC. PT 4 1/2" csg to 3800 psi/15 min, OK. ND BOP. NU WH. RD. Rig released.