

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-045-32195
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Crockett 25	
8. Well Number #1-Y	
9. OGRID Number 37197	
10. Pool name or Wildcat Basin Fruitland Coal	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
West Largo Corp.

3. Address of Operator
8801 S. Yale, Suite 240 Tulsa, OK 74137-3535

4. Well Location
Unit Letter D : 980 feet from the North line and 1310 feet from the West line
Section 25 Township 29N Range 10W NMPM San Juan County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
5521' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☒
OTHER: DRILLING & COMPLETION OPNS ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/22/04: Ran cased hole Neutron/Density, CBL log. Top of cmt @ 800'. Press test 4-1/2" csg to 3600#, held steady for 15 min. Perforate csg w/ HSC gun, .36" dia holes @ 1710-13', 1719-35', 1754-56', 1761-70', 1823-38', 1845-48', 1 SPF, 48 total perfs. Acidize perfs w/ 500 gals 15% HCl & ball sealers. Max treating press 3950#. Frac'd perfs w/ 714 bbls gelled wtr + 70Q N2 foam (807,552 scf) + 217,000# 20/40 Brady sand. Avg. treating press 2,700#; Avg. rate 67 BPM; ISIP 1,000#.

4/5/04: Set 4-1/2" RBP @ 872'. Shot 3 x .36" dia squeeze perfs @ 772'. Est. circ thru squeeze holes, up annulus thru braden head. Pump 220 sx (260 cuft) Cl "B" cmt + 3% Ca Cl2, good returns to surface, circ 5 bbls (28 cuft) cmt to surface. SI braden head, displace 4-1/2" wiper plug w/ 5 bbls. PD @ 12:00 noon. Drill out cmt @ 707', retrieve 4-1/2" RBP @ 872'. Ran CBL from 844' to surface, good cmt bond throughout.

4/7/04: Ran & landed 58 jts (1862') 1.900" 2.90#/ft J-55 EUE used inspected YB tbg, landed SN @ 1862.9'

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE J.P. GARRETT TITLE PRESIDENT DATE 4/27/04

Type or print name J.P. GARRETT E-mail address: JPGARRETT@Adi.com Telephone No. (918) 492-3239

(This space for State use)

APPROVED BY Chad H TITLE DEPUTY OIL & GAS INSPECTOR, DIST. 03 DATE MAY - 3 2004

Conditions of approval, if any: