<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Form C-1 March 12, 20

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe. NM 87505

For drilling and production facilities, submit appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office Santa Fe, NM 87505

(J)

Pit or Below-Grade Tank Registration or Closure			
	covered by a "general plan"? Yes No [ below-grade tank Closure of a pit or below-grade	 etank ⊠	
	(E.C	2/	
Operator: <u>Burlington Resources Oil &amp; Gas Company LP</u> Telepho	ne: 505-326-9700 e-mail address: _jclark@br-inc.	com	
Address: 3401 E. 30th Street, Farmington, NM 87402			
Facility or well name: San Juan 30-6 Unit #64 API #: 30-039-07896 U			
County: Rio Arriba Latitude 36.83215 Longitude 107.53536 NAD	: 1927 🛮 1983 🔲 Surface Owner Federal 🖾 State [	Private India	n 🗌
<u>Pit</u>	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		_
Workover ⊠ Emergency □	Construction material:		
Lined ☐ Unlined ☒	Double-walled, with leak detection? Yes  If not,	, explain why not.	
Liner type: Synthetic Thickness _mil Clay Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)	
water elevation of ground water.)	100 feet or more	( 0 points)	0 points
	Yes	(20 mainta)	
Wellhead protection area: (Less than 200 feet from a private domestic		(20 points)	0 points
water source, or less than 1000 feet from all other water sources.)	No No	( o points)	o points
	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)	0 points
	Ranking Score (Total Points) 0 points		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:	
onsite 🛛 offsite 🗌 If offsite, name of facility (3) Atta	ch a general description of remedial action taken inclu	iding remediation s	tart date and end date.
(4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a			
diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	my knowledge and belief. I further certify that the a	above-described p D-approved plan	it or below-grade tank h
Date: May 27, 2004  Printed Name Inni Clark Regulatory Specialist Signature	( ) and ( Oak De		
Printed Name Joni Clark, Regulatory Specialist  Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve the regulations.	operator of its responsibility for compliance with any of	other federal, state,	or local laws and/or
Approval: JUN - 3 2004		2	
Printed Name/Title PUTY CNL & GAS INSFECTOR, DIST. Signature Signature			



## TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	S.J. 30-6 #64	Date Reported:	05-20-04
Laboratory Number:	28752	Date Sampled:	05-10-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-20-04
Preservative:	Cool	Date Digested:	05-20-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.005	0.001	5.0
Barium	1.44	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.002	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drill Pit.

Analyst

Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	<b>Burlington Resources</b>	Project #:	92115-001
Sample ID:	S.J. 30-6 #64	Date Reported:	05-21-04
Laboratory Number:	28752	Date Sampled:	05-10-04
Chain of Custody:	12190	Date Received:	05-19-04
Sample Matrix:	Soil	Date Analyzed:	05-21-04
Preservative:	Cool	Date Extracted:	05-19-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
raidilletei	(ug/Ng)	(ug/Ng)	
Benzene	3.6	1.8	
Toluene	8.9	1.7	
Ethylbenzene	2.7	1.5	
p,m-Xylene	58.6	2.2	
o-Xylene	13.5	1.0	
Total BTEX	87.3		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drill Pit.

Analyst C. Cepture

Mistine my Walters Review



## **Total Chloride**

**Burlington Resources** Client: Project #: 92115-001 Sample ID: S.J. 30-6 #64 Date Reported: 05-20-04 Lab ID#: 28752 Date Sampled: 05-10-04 Sample Matrix: Soil Date Received: 05-19-04 Preservative: Cool Date Analyzed: 05-19-04 Condition: Cool and Intact Chain of Custody: 12190

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

110

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drill Pit.

Analyst Dacters

Review