District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and propriate NMOCE For downstream factorizes.

For drilling and production facilities, submit to appropriate MMOCD District Office.
For downstream facilities, submit to Santa Fe

CO.

Form C-144

March 12, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit o	or below-grade tank [Closure of a pit or below-grade	le tank 🔯		
	W//0101	Whiches		
Operator: Burlington Resources Oil & Gas Company LP Telepho	one: <u>505-326-9700</u> e-mail address: <u>jclark@br-inc</u>	com		
Address: 3401 E. 30 th Street, Farmington, NM 87402				
Facility or well name: Thompson #6M API #: 30-045-30946 U/L o	or Qtr/Qtr <u>N</u> Sec <u>27</u> T <u>31N</u> R <u>12 V</u>	<u>w</u>		
County: San Juan Latitude 36.8662200 Longitude -10	08.08784 NAD: 1927 🖾 1983 🗖 Surface Owner F	ederal 🛭 State 🗌 Private 🗍 Indian 🗍		
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover	Construction material:			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thickness 12 mil Clay				
Volume bbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) 10 points		
water elevation of ground water.)	100 feet or more	1		
	100 feet of more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) 20 points		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) 20 points		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
and opinion and op	1000 feet or more	(0 points)		
	Ranking Score (Total Points) 50 points			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:		
onsite offsite If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and en		
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo				
diagram of sample locations and excavations.		(,		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines, a Date: 6/2/04	general permit , or an (attached) alternative OC	D-approved plan □.		
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Bu	lark.		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.				
Approval: JUN -3 2004	19	~		
Printed Name/Title PUTY OIL & GAS INSPECTOR, DIST. Signature Signature				
				



TRACE METAL ANALYSIS

Burlington Pasourca	Project #	92115-001
· —		04-24-04
28449	Date Sampled:	04-18-04
12031	Date Received:	04-21-04
Soil	Date Analyzed:	04-24-04
Cool	Date Digested:	04-23-04
Cool & Intact	Analysis Needed:	RCRA Metals
	12031 Soil Cool	Thompson 6M Date Reported: 28449 Date Sampled: 12031 Date Received: Soil Date Analyzed: Cool Date Digested:

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.031	0.001	5.0
Barium	1.57	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	ND	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.024	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyst

Review Walles



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Thompson 6M	Date Reported:	04-24-04
Laboratory Number:	28449	Date Sampled:	04-18-04
Chain of Custody:	12031	Date Received:	04-21-04
Sample Matrix:	Soil	Date Analyzed:	04-24-04
Preservative:	Cool	Date Extracted:	, 04-23-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter		C	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
					-
Benzene	•		ND	1.8	
Toluene			ND ND	1.7	
Ethylbenzene			ND	1.5	
p,m-Xylene			ND	2.2	
o-Xylene			ND	1.0	
Total BTEX			ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery		
	Fluorobenzene	95 %		
	1,4-difluorobenzene	95 %		
	Bromochlorobenzene	95 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Analyst C. Quece

Mustine M Walter



Total Chloride

Burlington Resources Project #: Client: 92115-001 Sample ID: Thompson 6M Date Reported: 04-24-04 28449 Lab ID#: Date Sampled: 04-18-04 Soil Extract Date Received: Sample Matrix: 04-21-04 Cool Preservative: Date Analyzed: 04-23-04 Cool and Intact Chain of Custody: Condition: 12031

Parameter

Concentration (mg/L)

Total Chloride

16.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pits.

Analyst Maller

Review