District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Is pit

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-14

March 12, 200

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 office Og (CO)

Pit or Below-Grade Tank Registrati	on or Closure	
Pit or Below-Grade Tank Registrate Is pit or below-grade tank covered by a "general Type of action: Registration of a pit or below-grade tank Closure	plan"? Yes No	
Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure	of a pit or below-grade tank	

Operator: Burlington Resources Oil & Gas Company LP Telepho	one: <u>505-326-9700</u> e-mail address: <u> jclark@br-ir</u>	ic.com
Address: 3401 E. 30th Street, Farmington, NM 87402	14-/04- N Sec. 24 T 20N D 11W	
Facility or well name: <u>Calvin #100</u> API #: <u>30-045-31118</u> U/L or Q County: <u>San Juan</u> Latitude <u>36.69333</u> Longitude <u>-107.</u>		
County: San Juan Lantude 50.09555 Longitude -107.	96555 NAD. 1927 1965 Surface Owner Fed	erai 🔯 State 🗀 Frivate 🗀 Indian 🗀
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ⊠ Emergency □	Construction material:	-
Lined 🖾 Unlined 🔲	Double-walled, with leak detection? Yes If no	t, explain why not.
Liner type: Synthetic ☑ Thickness <u>12</u> mil Clay ☐		
Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10 points
water elevation of ground water.)	100 feet or more	(0 points)
W.W. 1	Yes	(20 points) 20 points
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)	-	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) 20 points
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points) 50 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location:
onsite offsite I If offsite, name of facility		
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth		
a diagram of sample locations and excavations.	it. and attach se	inple results. (5) retains som sumple results are
•		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines, a Date: 6/2/04	my knowledge and belief. I further certify that the general permit . or an (attached) alternative O	above-described pit or below-grade tank has CD-approved plan .
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Sou	lark
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liability should the contents of operator of its responsibility for compliance with any	f the pit or tank contaminate ground water or other federal, state, or local laws and/or
Approval: Date: JUN - 3 2004 Printed Name/Title GEPUTY ON & GAS INSPECTOR, DIST.	Signature Denny Z	cent



TRACE METAL ANALYSIS

Client:	Burlington Resource	Project #:	92115-001
Sample ID:	Calvin 100	Date Reported:	04-29-04
Laboratory Number:	28517	Date Sampled:	04-22-04
Chain of Custody:	12048	Date Received:	04-27-04
Sample Matrix:	Soil	Date Analyzed:	04-29-04
Preservative:	Cool	Date Digested:	04-28-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.002	0.001	5.0
Barium	0.124	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.003	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	ND	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyst

/ Mistine m Walles



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Calvin 100	Date Reported:	04-29-04
Laboratory Number:	28517	Date Sampled:	04-22-04
Chain of Custody:	12048	Date Received:	04-27-04
Sample Matrix:	Soil	Date Analyzed:	04-29-04
Preservative:	Cool	Date Extracted:	• 04-28-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	· ·	oncentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene		ND .	1.8
Toluene		ND	1.7
Ethylbenzene		ND	1.5
p,m-Xylene		ND	2.2
o-Xylene		ND	1.0
Total BTEX		ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Analyst C. Cyl

Mistine m Walter



Total Chloride

Client: Burlington Resources
Sample ID: Calvin 100
Lab ID#: 28517
Sample Matrix: Soil Extract
Preservative: Cool
Condition: Cool and Intact

 Project #:
 92115-001

 Date Reported:
 04-29-04

 Date Sampled:
 04-22-04

 Date Received:
 04-27-04

 Date Analyzed:
 04-29-04

 Chain of Custody:
 12048

Parameter

Concentration (mg/L)

Total Chloride

129

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pits.

Analyst P. Cyl

Mustere m Wallers
Review