District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-1

March 12, 2

office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit of	below-grade tank Closure of a pit or below-grade	tank 🛛
	المستعمل الم	
Operator: Burlington Resources Oil & Gas Company LP Telepho		c.com
Address: 3401 E. 30 <sup>th</sup> Street, Farmington, NM 87402		·
Facility or well name: San Juan 30-6 Unit #478S API #: 30-045-2	1	
County: San Juan Latitude 36.7785917 Longitude -107.48120	_NAD: 1927 🛛 1983 🗌 Surface Owner Federal 🗌	State 🗌 Private 🏻 Indian 🔲
	<u> </u>	
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ⊠ Emergency □	Construction material:	
Lined Unlined 🖾	Double-walled, with leak detection? Yes  If not	t, explain why not.
Liner type: Synthetic Thicknessmil Clay Volumebbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	( 0 points) 0 points
		(0)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	<u>No</u>	( 0 points) 0 points
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points) 0 points
		( o point)
	Ranking Score (Total Points) 0 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	te disposal location:
onsite 🛛 offsite 🗌 If offsite, name of facility	(3) Attach a general description of remedial acti-	on taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth		
and a diagram of sample locations and excavations.		(,,
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 6/2/04	general permit <b>A, or an (attached) alternative O</b>	CD-approved plan 🔲.
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Dru Clar	Le
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liability should the contents of	the pit or tank contaminate ground water or other federal, state, or local laws and/or
Approval: JUN - 3 2004		
Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST.	Signature	eel -
DEL DIE & GAS INSPECTOR, DIST. 63	- Signature	/



#### TRACE METAL ANALYSIS

	1		, '
Client:	Burlington Resource	Project #:	92115-001
Sample ID:	30-6 #478S	Date Reported:	04-29-04
Laboratory Number:	28518	Date Sampled:	04-22-04
Chain of Custody:	12048	Date Received:	04-27-04
Sample Matrix:	Soil	Date Analyzed:	04-29-04
Preservative:	Cool	Date Digested:	04-28-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentratio (mg/Kg)	n .	Det. TCLP Re Limit Lev (mg/Kg) (mg/I			
		,				
Arsenic	0.009		0.001	5.0		
Barium	0.166		0.001	100		
Cadmium	0.001	4	0.001	1.0	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Chromium	0.001		0.001	5.0		
Lead	0.001		0.001	5.0		
Mercury	ND		0.001	0.2	1	
Selenium	0.002		0.001	1.0		
Silver	ND		0.001	5.0		

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

**Drilling Pits.** 

Analyst

/ Wistine m Wallen
Review



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	<b>Burlington Resources</b>	Project #:	92115-001
Sample ID:	30-6 #478S	Date Reported:	04-29-04
Laboratory Number:	28518	Date Sampled:	04-22-04
Chain of Custody:	12048	Date Received:	04-27-04
Sample Matrix:	Soil	Date Analyzed:	04-29-04
Preservative:	Cool	Date Extracted:	04-28-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter		Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1 PM	ND	1.8
Toluene	,	13.3	1.7
Ethylbenzene	!	ND	1.5
p,m-Xylene	* 11,	ND	2.2
o-Xylene	•	ND	1.0
Total BTEX		13.3	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	urrogate Recoveries: Parameter		Percent Recovery		
	Fluorobenzene		100 %		
	1,4-difluorobenzene		100 %	•	
	Bromochlorobenzene	***	100 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

**Drilling Pits.** 

Analyst C (ly)

Mustine m Waster Review



#### Total Chloride

Project #: **Burlington Resources** 92115-001 Client: 30-6 #478S Date Reported: 04-29-04 Sample ID: 28518 Date Sampled: 04-22-04 Lab ID#: Soil Extract Date Received: 04-27-04 Sample Matrix: Cool Date Analyzed: 04-29-04 Preservative: Cool and Intact Chain of Custody: 12048 Condition:

Parameter

Concentration (mg/L)

Total Chloride

12.8

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

**Drilling Pits.** 

Analyst

Review