District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
For drilling and production facilities, submit to appropriate NMOCD District Office.

July For downstream facilities, submit to Santa Fe office.

LO

Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Ves X No

| Type of action: Registration of a pit of | r below-grade tank \(\text{Closure of a pit or below-grade}\) | le tank 🛛 |
|--|--|--|
| Operator: Burlington Resources Oil & Gas Company LP Telephon | ne:505-326-9700_e-mail address:iclark@br-inc | .com_ |
| Address: 3401 E. 30 th Street, Farmington, NM 87402 | II/I on Ota/Ota D. Coo 12 T 21 N. D. OS W. | |
| Facility or well name: <u>Lewis Park 100S</u> API #: <u>30-045-30028</u> County: <u>San Juan</u> Latitude <u>36.892680.</u> Longitude <u>-107.62177</u> | | State Deivote D Indian D |
| County: San Juan Latitude 30.892080. Longitude -107.02177 | NAD: 1927 🔼 1963 🗌 Surface Owner Federal 🖸 | State Private Indian |
| Pit | Below-grade tank | |
| Type: Drilling Production Disposal | Volume:bbl Type of fluid: | |
| Workover 🛮 Emergency 🗖 | Construction material: | |
| Lined Unlined | Double-walled, with leak detection? Yes If not | , explain why not. |
| Liner type: Synthetic Thickness 12 mil Clay Volumebbl | | |
| | Less than 50 feet | (20 points) |
| Depth to ground water (vertical distance from bottom of pit to seasonal high | 50 feet or more, but less than 100 feet | (10 points) 10 points |
| water elevation of ground water.) | 100 feet or more | (0 points) |
| Wellhead protection area: (Less than 200 feet from a private domestic | Yes | (20 points) 20 points |
| water source, or less than 1000 feet from all other water sources.) | No | (0 points) |
| | Less than 200 feet | (20 points) |
| Distance to surface water: (horizontal distance to all wetlands, playas, | 200 feet or more, but less than 1000 feet | (10 points) 10 points |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 1000 feet or more | (0 points) |
| | Ranking Score (Total Points) 40 points | |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's | relationship to other equipment and tanks. (2) Indicate | te disposal location: |
| onsite offsite froffsite, name of facility | (3) Attach a general description of remedial action | on taken including remediation start date and er |
| date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo | ow ground surfaceft. and attach sample | e results. (5) Attach soil sample results and a |
| diagram of sample locations and excavations. (6) Completion date on pit clo | osure <u>5/22/04</u> | |
| I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 5/26/04 | my knowledge and belief. I further certify that the a | above-described pit or below-grade tank has CD-approved plan □. |
| Printed Name/Title Joni Clark, Regulatory Specialist | Signature() | <u></u> |
| Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations. | relieve the operator of hability should the contents of operator of its responsibility for compliance with any | the pit or tank contaminate ground water or other federal, state, or local laws and/or |
| Approval: Date: JUN 1 5 2004 Printed Name/Title SEPUTY OIL & GAS INSTECTOR, DIST. (28) | _Signature Deny Le | uf |



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

| Client: | Burlington Resources | Project #: | 92115-001 |
|--------------------|----------------------|---------------------|-----------|
| Sample ID: | Lewis Park 100S | Date Reported: | 06-01-04 |
| Laboratory Number: | 28860 | Date Sampled: | 05-20-04 |
| Chain of Custody: | 12222 | Date Received: | 05-28-04 |
| Sample Matrix: | Drilling Mud | Date Analyzed: | 06-01-04 |
| Preservative: | Cool | Date Extracted: | 05-28-04 |
| Condition: | Cool & Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|--------------|--------------------------|--------------------------|
| Benzene | 54.9 | 1.8 |
| Toluene | 20.3 | 1.7 |
| Ethylbenzene | 7.4 | 1.5 |
| p,m-Xylene | 44.0 | 2.2 |
| o-Xylene | 11.1 | 1.0 |
| Total BTEX | 138 | |

ND - Parameter not detected at the stated detection limit.

| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 95 % |
| | 1,4-difluorobenzene | 95 % |
| | Bromochlorobenzene | 95 % |

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Analyst P. Ord

A Misteriem Walters
Review



TRACE METAL ANALYSIS

| Client: | Burlington Resources | Project #: | 92115-001 |
|--------------------|----------------------|------------------|-------------|
| Sample ID: | Lewis Park 100S | Date Reported: | 06-01-04 |
| Laboratory Number: | 28860 | Date Sampled: | 05-20-04 |
| Chain of Custody: | 12222 | Date Received: | 05-28-04 |
| Sample Matrix: | Drilling Mud | Date Analyzed: | 06-01-04 |
| Preservative: | Cool | Date Digested: | 05-28-04 |
| Condition: | Cool & Intact | Analysis Needed: | RCRA Metals |
| | | - | |

| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) | TCLP Regulatory Level (mg/Kg) |
|-----------|-----------------------|--------------------------|-------------------------------------|
| Arsenic | 0.008 | 0.001 | 5.0 |
| Barium | 1.87 | 0.001 | 100 |
| Cadmium | ND | 0.001 | 1.0 |
| Chromium | 0.001 | 0.001 | 5.0 |
| Lead | 0.001 | 0.001 | 5.0 |
| Mercury | ND | 0.001 | 0.2 |
| Selenium | 0.002 | 0.001 | 1.0 |
| Silver | ND | 0.001 | 5.0 |

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyst

Janes.



Total Chloride

Client: **Burlington Resources** Project #: 92115-001 Sample ID: Lewis Park 100S Date Reported: 05-28-04 Lab ID#: 28860 Date Sampled: 05-20-04 Sample Matrix: **Drilling Mud** Date Received: 05-28-04 Preservative: Cool Date Analyzed: 05-28-04 Condition: Cool and Intact Chain of Custody: 12222

Parameter Concentration (mg/Kg)

Total Chloride 681

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drilling Pits.

Mistine m Walters