District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Pit or Below-Grade	Tank	Registrat	ion or	Closure
			2.57	

	covered by a "general plan" Yes or below-grade tank [] Closure of a pit or below-grade	
Operator: Burlington Resources Oil & Gas Company LP Telepho	one: <u>505-326-9700</u> e-mail address: <u>jclark@br-in</u>	c.com
Address: 3401 E. 30th Street, Farmington, NM 87402		
Facility or well name: Albino Canyon #3 API #: 30-045-29965	U/L or Qtr/Qtr <u>A</u> Sec <u>36</u> T <u>32 N</u> R	<u> 08W</u>
County: <u>San Juan</u> Latitude <u>36.94151</u> Longitude <u>-107.62003</u>	NAD: 1927 🛛 1983 🗋 Surface Owner Federal 🕻] State ☑ Private ☐ Indian ☐
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover 🛮 Emergency 🗖	Construction material:	
Lined 🛛 Unlined 🗖	Double-walled, with leak detection? Yes If not	, explain why not.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volumebbl		
Post of the second seco	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	(0 points) 0 points
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	<u>No</u>	(0 points) 0 points
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 10 points
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points) 10 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	te disposal location:
onsite 🛛 offsite 🗌 If offsite, name of facility	(3) Attach a general description of remedial action	on taken including remediation start date and en
date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth belo	ow ground surfaceft. and attach sample	e results. (5) Attach soil sample results and a
diagram of sample locations and excavations. (6) Pit closure date6/1/04_	_·	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 6/7/04	general permit , or an (attached) alternative OC	CD-approved plan .
Printed Name/Title Joni Clark, Regulatory Specialist	Signature	Clark
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liability should the contents of	the pit or tank contaminate ground water or
Approval: JUN 10 2004 Date: Printed Name/Title Permy Tremy	SEPUTY OIL & GAS INSPECTOR, DIS	ST. 🐠
	_ Oignitude	



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	Albino Canyon 3	Date Reported:	05-25-04
Laboratory Number:	28807	Date Sampled:	05-20-04
Chain of Custody:	12160	Date Received:	05-24-04
Sample Matrix:	Soil	Date Analyzed:	05-25-04
Preservative:	Cool	Date Extracted:	05-25-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	8.0	1.8
Toluene	137	1.7
Ethylbenzene	22.4	1.5
p,m-Xylene	207	2.2
o-Xylene	44.5	1.0
Total BTEX	419	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
1000	Fluorobenzene	99 %
	1,4-difluorobenzene	99 %
	Bromochlorobenzene	99 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit.

Analyst C. Octuber

Mistine m Walter



TRACE METAL ANALYSIS

Client:	Burlington Res.	Project #:	92115-001
Sample ID:	Albino Canyon 3	Date Reported:	05-25-04
Laboratory Number:	28807	Date Sampled:	05-20-04
Chain of Custody:	12160	Date Received:	05-24-04
Sample Matrix:	Soil	Date Analyzed:	05-25-04
Preservative:	Cool	Date Digested:	05-25-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.016	0.001	5.0
Barium	1.86	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.003	0.001	5.0
Lead	0.003	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.009	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pit.

Ånalvst

Review



Total Chloride

Project #: 92115-001 Burlington Res. Client: Sample ID: Albino Canyon 3 Date Reported: 05-25-04 28807 Date Sampled: 05-20-04 Lab ID#: Date Received: 05-24-04 Sample Matrix: Soil 05-25-04 Cool Date Analyzed: Preservative: Chain of Custody: 12160 Condition: Cool and Intact

Parameter Concentration (mg/Kg)

Total Chloride 88.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Drilling Pit.

Analyst (Review Chotes