District J
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate MMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No No

Type of action: Registration of a pit or	r below-grade tank 🔲 Closure of a pit or below-grad	e tank 🛮
Operator: Burlington Resources Oil & Gas Company LP Telephon Address: 3401 E. 30 th Street, Farmington, NM 87402	ne: <u>505-326-9700</u> _e-mail address: <u>jclark@br-inc.</u>	com
Facility or well name: Burroughs Com A #100S API #: 30-045-	31875 U/L or Qtr/Qtr O Sec 16 T 32N R 1	0 W
County: <u>San Juan</u> Latitude 36.9801483 Longitude -107.88268		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover 🛛 Emergency 🔲	Construction material:	
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes 🔲 If not,	explain why not.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 10 points
water elevation of ground water.)	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	<u>Yes</u>	(20 points) 20 points
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points) 10 points
and peronnal and epitement watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points) 40 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	e disposal location:
onsite 🛛 offsite 🗌 If offsite, name of facility	(3) Attach a general description of remedial actio	n taken including remediation start date and en
date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth below	w ground surfaceft. and attach sample	results. (5) Attach soil sample results and a
diagram of sample locations and excavations. (6) Closure completed date	0-10-04	
I hereby certify that the information above is true and complete to the best of r been/will be constructed or closed according to NMOCD guidelines [], a Date: 6/03/04	ny knowledge and belief. I further certify that the a general permit , or an (attached) alternative OC	bove-described pit or below-grade tank has D-approved plan □.
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Jour Clark	R.
Your certification and NMOCD approval of this application/closure does not to otherwise endanger public health or the environment. Nor does it relieve the or regulations.	relieve the operator of liability should the contents of t	he pit or tank contaminate ground water or other federal, state, or local laws and/or
ApprovabJUN 1 0 2004		
Deter -	DEPUTY OIL & GAS INSPECTOR.	F. J. P. W
Printed Name/Title Deny Tout	Signature CH3 INSTITUTE,	w31. 優



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Burroughs Com A #100S	Date Reported:	06-01-04
Laboratory Number:	28864	Date Sampled:	05-26-04
Chain of Custody:	12222	Date Received:	05-28-04
Sample Matrix:	Drilling Mud	Date Analyzed:	06-01-04
Preservative:	Cool	Date Extracted:	05-28-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	7.0	1.8	
Toluene	ND	1.7	
Ethylbenzene	9.7	1.5	
p,m-Xylene	21.6	2.2	
o-Xylene	4.6	1.0	
Total BTEX	42.9		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pits.

Alem P. Oyl

Mistine m Walles
Review



TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Burroughs Com A #100S	Date Reported:	06-01-04
Laboratory Number:	28864	Date Sampled:	05-26-04
Chain of Custody:	12222	Date Received:	05-28-04
Sample Matrix:	Drilling Mud	Date Analyzed:	06-01-04
Preservative:	Cool	Date Digested:	05-28-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
A	0.004	0.004	
Arsenic	0.004	0.001	5.0
Barium	1.33	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.002	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.002	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Drilling Pits.

Analyst

/ Mistine m Walter



Total Chloride

Client: **Burlington Resources** Project #: 92115-001 Sample ID: Burroughs Com A #100S Date Reported: 05-28-04 Lab ID#: 28864 Date Sampled: 05-26-04 Sample Matrix: Drilling Mud Date Received: 05-28-04 Preservative: Cool Date Analyzed: 05-28-04 Condition: Cool and Intact Chain of Custody: 12222

Parameter Concentration (mg/Kg)

Total Chloride

1,100

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pits.

Anistene m Wallers

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865