<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources 6780

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-1

For drilling and production facilities, submit appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office?

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No V

Type of action: Registration of a pit or	below-grade tank Closure of a pictor below-grade	tank 🗵	
Operator: Burlington Resources Oil & Gas Company LP Telephor Address: 3401 E. 30 <sup>th</sup> Street, Farmington, NM 87402 Facility or well name: Payne Federal 8S API #: 30-045-32003 County: San Juan Latitude 36.9756600 Longitude -107.89243	U/L or Qtr/Qtr_ D_Sec_21_T_32_N_R_10_W		
<u>Pit</u>	Below-grade tank		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover ⊠ Emergency □	Construction material:		
Lined 🗵 Unlined 🗌	Double-walled, with leak detection? Yes  If not,	, explain why not.	
Liner type: Synthetic ☑ Thickness <u>12</u> mil Clay ☐ Volumebbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)	
water elevation of ground water.)	100 feet or more	( 0 points) 0 points	
	V	(20 : 1)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No.	( 0 points) 0 points	
	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) 10 points	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)	
	Ranking Score (Total Points) 10 points		
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicat	te disposal location:	
onsite O offsite I If offsite, name of facility		·	
end date. (4) Groundwater encountered: No ⊠ Yes ☐ If yes, show depth			
and a diagram of sample locations and excavations. (6) Pit closure date		inple results. (3) Thurst son sumple results	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a	general permit . or an (attached) alternative OC	CD-approved plan 🔲.	
Date: 6/7/04  Printed Name/Title Joni Clark, Regulatory Specialist		16	
Printed Name/Title John Clark, Regulatory Specialist	Signature	<u> </u>	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of Lability should the contents of i	the pit or tank contaminate ground water or	
Approval: JUN 1 0 2004			
Date: UVI TO LOOT	BEPUTY OIL & GAS INSPECTOR, DIST	T. 633	
Printed Name/Title Signature Signature			



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

	D # 4 D	D 1 4 11	
Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Payne Fed #8S	Date Reported:	06-01-04
Laboratory Number:	28862	Date Sampled:	05-26-04
Chain of Custody:	12222	Date Received:	05-28-04
Sample Matrix:	Drilling Mud	Date Analyzed:	06-01-04
Preservative:	Cool	Date Extracted:	05-28-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	6.2	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	14.5	2.2
o-Xylene	3.6	1.0
Total BTEX	24.3	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95 %
	1,4-difluorobenzene	95 %
	Bromochlorobenzene	95 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

**Drilling Pits.** 

Analyst C. C.

Review Musters



## TRACE METAL ANALYSIS

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Payne Fed #8S	Date Reported:	06-01-04
Laboratory Number:	28862	Date Sampled:	05-26-04
Chain of Custody:	12222	Date Received:	05-28-04
Sample Matrix:	Drilling Mud	Date Analyzed:	06-01-04
Preservative:	Cool	Date Digested:	05-28-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.002	0.001	5.0
Barium	1.04	0.001	100
Cadmium	ND	0.001	1.0
Chromium	0.001	0.001	5.0
Lead	0.001	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	ND	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

**Drilling Pits.** 

Analyst



## **Total Chloride**

Client:	Burlington Resources	Project #:	92115-001
Sample ID:	Payne Fed #8S	Date Reported:	05-28-04
Lab ID#:	28862	Date Sampled:	05-26-04
Sample Matrix:	Drilling Mud	Date Received:	05-28-04
Preservative:	Cool	Date Analyzed:	05-28-04
Condition:	Cool and Intact	Chain of Custody:	12222

Parameter	Concentration (mg/Kg)	

**Total Chloride** 

664

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

**Drilling Pits.** 

Mistarie m Walter