

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

Sundry Notices and Reports on Wells

2004 MAY 24 PM 1:35

1. Type of Well  
GAS

070 Farmington, NM

5. Lease Number  
NMNM-04240  
6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

2. Name of Operator

**BURLINGTON  
RESOURCES**


OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1720' FSL, 1630' FEL, Sec.35, T-30-N, R-10-W, NMPM



8. Well Name & Number  
Kelly #2A  
9. API Well No.  
30-045-23380  
10. Field and Pool  
Aztec Pictured Cliffs  
Blanco Mesaverde  
11. County and State  
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

|                                                       |                                                        |                                                  |
|-------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------|
| <input type="checkbox"/> Notice of Intent             | <input type="checkbox"/> Abandonment                   | <input type="checkbox"/> Change of Plans         |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Recompletion                  | <input type="checkbox"/> New Construction        |
| <input type="checkbox"/> Final Abandonment            | <input type="checkbox"/> Plugging Back                 | <input type="checkbox"/> Non-Routine Fracturing  |
|                                                       | <input type="checkbox"/> Casing Repair                 | <input type="checkbox"/> Water Shut off          |
|                                                       | <input type="checkbox"/> Altering Casing               | <input type="checkbox"/> Conversion to Injection |
|                                                       | <input checked="" type="checkbox"/> Other - Commingled |                                                  |

13. Describe Proposed or Completed Operations

Burlington Resources commingled the Pictured Cliffs and Mesaverde formations according to the attached operations summary. DHC1014az

ACCEPTED FOR RECORD

JUN 07 2004

FARMINGTON FIELD OFFICE

BY

PLEASE SUBMIT YOUR DHC ALLOCATION RATES.

14. I hereby certify that the foregoing is true and correct.

Signed Amanda Sanchez Title Regulatory Specialist Date 5/19/2004

(This space for Federal or State Office use)

APPROVED BY \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

## Operations Summary Report

Legal Well Name: KELLY #2A  
 Common Well Name: KELLY #2A  
 Event Name: FACILITIES  
 Contractor Name: DRAKE WELL SERVICE  
 Rig Name: DRAKE

Spud Date: 10/15/1979  
 Start: 5/7/2004 End: 5/13/2004  
 Rig Release: 5/13/2004 Group:  
 Rig Number: 27

| Date      | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                                                                                                                                           |
|-----------|---------------|-------|------|----------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5/8/2004  | 12:00 - 13:30 | 1.50  | MIMO | a        | RDMO   | LOAD OUT TRUCKS                                                                                                                                                     |
|           | 13:30 - 15:30 | 2.00  | MIMO | a        | MIRU   | RR TO LOCATION ( 40 MILES )                                                                                                                                         |
|           | 15:30 - 20:00 | 4.50  | MIMO | a        | MIRU   | MIRUSU AND EQUIP ( TIGHT LOCATION )                                                                                                                                 |
| 5/11/2004 | 06:00 - 07:00 | 1.00  | SRIG | a        | PREWRK | CREW TRAVEL                                                                                                                                                         |
|           | 07:00 - 07:15 | 0.25  | SAFE | a        | PREWRK | HSM - PBR                                                                                                                                                           |
|           | 07:15 - 08:30 | 1.25  | BLOW | a        | OBJECT | BWD SI/ LONG STRING - 260 PSI, SI / SHOR<br>T STRING- 340 PSI, SICP- 340 PSI                                                                                        |
|           | 08:30 - 09:30 | 1.00  | NUND | a        | OBJECT | ND/ WH , NU/ BOP - CHANGE OUT RAMS & O<br>FFSET SPOOL                                                                                                               |
|           | 09:30 - 10:00 | 0.50  | RURD | a        | OBJECT | R/U FLOOR                                                                                                                                                           |
|           | 10:00 - 11:00 | 1.00  | PUMP | a        | OBJECT | KILL WELL                                                                                                                                                           |
|           | 11:00 - 11:30 | 0.50  | TRIP | a        | OBJECT | TIH CHECK FILL ( NONE )                                                                                                                                             |
|           | 11:30 - 13:00 | 1.50  | PULD | a        | OBJECT | TOOH L/D 1 1/4 TBG ON TRLR ( 84 JTS )                                                                                                                               |
|           | 13:00 - 14:00 | 1.00  | RURD | a        | OBJECT | CHNG HANDLNG EQUIP & RAMS                                                                                                                                           |
|           | 14:00 - 15:00 | 1.00  | STUK | a        | OBJECT | TRY TO PULL DONUT ( STUCK IN PBR) WRK<br>TBG ( CAME FREE)                                                                                                           |
|           | 15:00 - 16:00 | 1.00  | TRIP | a        | OBJECT | TOOH TO SEAL ASSY                                                                                                                                                   |
|           | 16:00 - 16:30 | 0.50  | PUMP | a        | OBJECT | KILL WELL                                                                                                                                                           |
|           | 16:30 - 17:00 | 0.50  | PULD | a        | OBJECT | L/D SEAL ASSY                                                                                                                                                       |
|           | 17:00 - 17:30 | 0.50  | TRIP | a        | OBJECT | FIN TOOH ( 167 JTS 2 3/8" J-55 4.7# EUE 8R<br>D TBG W/2 3/8" X 2' , 6' , 8' , & 10' PUP JTS<br>IN WELL, TBG APPEARS TO BE IN GOOD SH<br>APE W/ LIGHT SCALE ON BTM ) |
| 5/12/2004 | 17:30 - 18:00 | 0.50  | SHDN | a        | PREWRK | SWI / SDFN                                                                                                                                                          |
|           | 06:00 - 07:00 | 1.00  | SRIG | a        | PREWRK | CREW TRAVEL                                                                                                                                                         |
|           | 07:00 - 07:15 | 0.25  | SAFE | a        | PREWRK | HSM- NEW CREW MEMBER                                                                                                                                                |
|           | 07:15 - 08:00 | 0.75  | BLOW | a        | OBJECT | BWD SICP- 400 PSI                                                                                                                                                   |
|           | 08:00 - 09:30 | 1.50  | TRIP | a        | OBJECT | TALLY /IH W/ 3 7/8" MILL ( TAG FILL @ 5385'<br>)                                                                                                                    |
|           | 09:30 - 10:30 | 1.00  | RURD | a        | OBJECT | R/U 3 " LINE TO F/B TANK                                                                                                                                            |
|           | 10:30 - 11:00 | 0.50  | RURD | a        | OBJECT | RU/ SWIVEL                                                                                                                                                          |
|           | 11:00 - 12:00 | 1.00  | CIRC | a        | OBJECT | BREAK CIRCULATION W/ 1200 CFM / AIR AND<br>12 BPH / MIST                                                                                                            |
|           | 12:00 - 13:00 | 1.00  | COUT | a        | CLEAN  | C/O TO PBTD @ 5421' ( 36' FILL ) ( 84' BELO<br>W BTM PERF)                                                                                                          |
|           | 13:00 - 16:30 | 3.50  | BLOW | a        | CLEAN  | ALTERNATE BLOW/ FLOW 1ST HR - 6' FILL<br>2ND HR - 2' FILL 3RD HR - 2' FILL                                                                                          |
|           | 16:30 - 17:00 | 0.50  | RURD | a        | OBJECT | R/D SWIVEL                                                                                                                                                          |
|           | 17:00 - 17:30 | 0.50  | TRIP | a        | OBJECT | TOOH W/ 10 STANDS                                                                                                                                                   |
|           | 17:30 - 18:00 | 0.50  | SHDN | a        | PREWRK | SWI / SDFN                                                                                                                                                          |
| 5/13/2004 | 06:00 - 07:00 | 1.00  | SRIG | a        | PREWRK | CREW TRAVEL                                                                                                                                                         |
|           | 07:00 - 07:15 | 0.25  | SAFE | a        | PREWRK | HSM - CSG STUB UP                                                                                                                                                   |
|           | 07:15 - 08:00 | 0.75  | BLOW | a        | OBJECT | BWD SICP- 450 PSI                                                                                                                                                   |
|           | 08:00 - 09:00 | 1.00  | PUMP | a        | OBJECT | KILL WELL                                                                                                                                                           |
|           | 09:00 - 09:30 | 0.50  | PULD | a        | OBJECT | PU/MU 7" RBP                                                                                                                                                        |
|           | 09:30 - 10:00 | 0.50  | PCKR | a        | OBJECT | TIH SET RBP , TOOH W/ SET TOOL                                                                                                                                      |
|           | 10:00 - 10:30 | 0.50  | PUMP | a        | OBJECT | LOAD CSG                                                                                                                                                            |
|           | 10:30 - 11:30 | 1.00  | NUND | a        | OBJECT | ND/ BOP , W/H                                                                                                                                                       |
|           | 11:30 - 12:30 | 1.00  | WELH | a        | OBJECT | PERFORM CSG STUB UP                                                                                                                                                 |
|           | 12:30 - 13:30 | 1.00  | NUND | a        | OBJECT | N/U W/H ( TEST TO 1900 PSI (HELD ) , N/U B<br>OP                                                                                                                    |
|           | 13:30 - 14:15 | 0.75  | PUMP | a        | OBJECT | KILL WELL                                                                                                                                                           |
|           | 14:15 - 14:30 | 0.25  | PCKR | a        | OBJECT | TIH W/ RETREIVING HEAD , RLSE RBP,                                                                                                                                  |

## Operations Summary Report

Legal Well Name: KELLY #2A  
 Common Well Name: KELLY #2A  
 Event Name: FACILITIES  
 Contractor Name: DRAKE WELL SERVICE  
 Rig Name: DRAKE

Start: 5/7/2004  
 Rig Release: 5/13/2004  
 Rig Number: 27

Spud Date: 10/15/1979  
 End: 5/13/2004  
 Group:

| Date      | From - To     | Hours | Code | Sub Code | Phase  | Description of Operations                   |
|-----------|---------------|-------|------|----------|--------|---------------------------------------------|
| 5/13/2004 | 14:30 - 15:15 | 0.75  | PUMP | a        | OBJECT | KILL WELL                                   |
|           | 15:15 - 15:30 | 0.25  | PULD | a        | OBJECT | L/D RBP                                     |
|           | 15:30 - 16:30 | 1.00  | TRIP | a        | OBJECT | TOOH W/ TBG L/D 3 7/8" MILL                 |
|           | 16:30 - 17:30 | 1.00  | TRIP | a        | OBJECT | START TIH W/ PRODUCTION TBG ( BAR )         |
|           | 17:30 - 18:00 | 0.50  | SHDN | a        | PREWRK | SWI / SDFN                                  |
| 5/14/2004 | 06:00 - 07:00 | 1.00  | SRIG | a        | PREWRK | CREW TRAVEL                                 |
|           | 07:00 - 07:15 | 0.25  | SAFE | a        | PREWRK | HSM- BROACHING                              |
|           | 07:15 - 08:00 | 0.75  | BLOW | a        | OBJECT | BWD- SIP - 450 PSI                          |
|           | 08:00 - 10:00 | 2.00  | TRIP | a        | OBJECT | FIN TIH ( BAR) L/D 6 BAD JTS                |
|           | 10:00 - 11:00 | 1.00  | COUT | a        | CLEAN  | C/O TO PBTD (TAG 45' FILL )                 |
|           | 11:00 - 12:00 | 1.00  | BLOW | a        | CLEAN  | BLOW WELL                                   |
|           | 12:00 - 12:30 | 0.50  | RURD | a        | OBJECT | LAND WELL 167 JTS 2 3/8" J-55 4.7# EUE 8    |
|           |               |       |      |          |        | RD TBG IN WELL ( REPLACED 6 BAD JTS W       |
|           |               |       |      |          |        | / YELLOW BAND ) TBG IS BROACHED EOT/ S      |
|           |               |       |      |          |        | A- 5243' SN/ SA- 5242' ( NEW CSG HEAD INS   |
|           |               |       |      |          |        | TALLED, NEW SINGLE DONUT /W SEAL SLEE       |
|           |               |       |      |          |        | VE, NEW W/H ( WILL NEED TO REMANIFOLD       |
|           |               |       |      |          |        | AND PURGE AIR) PITOT CSG- 5 PSI ON 2" - 1   |
|           |               |       |      |          |        | .374 MMCF ( WET ) PITOT TBG- 1 OZ ON 2" -   |
|           |               |       |      |          |        | 154 MCF ( WET )                             |
|           | 12:30 - 13:30 | 1.00  | NUND | a        | OBJECT | ND/NU                                       |
|           | 13:30 - 15:30 | 2.00  | RURD | a        | OBJECT | R/D EQUIP ( TOO WINDY TO R/D )              |
|           | 15:30 - 16:00 | 0.50  | SHDN | a        | OBJECT | RLSE RIG & TWO /PROD @ 1600 HRS 5/13/20     |
|           |               |       |      |          |        | 04 WELL SUMMARY AS FOLLOWS' LOAD OU         |
|           |               |       |      |          |        | T TRUCKS, RR TO LOCATION ( 40 MILES ),      |
|           |               |       |      |          |        | MIRUSU AND EQUIP ( TIGHT LOCATION ) ND      |
|           |               |       |      |          |        | / WH , NU/ BOP - CHANGE OUT RAMS & OFFS     |
|           |               |       |      |          |        | ET SPOOL, TIH CHECK FILL ( NONE ), TOOH     |
|           |               |       |      |          |        | L/D 1 1/4 TBG ON TRLR, TRY TO PULL DONU     |
|           |               |       |      |          |        | T ( STUCK IN PBR) WRK TBG ( CAME FREE),     |
|           |               |       |      |          |        | TOOH L/D SEAL ASSY,FIN TOOH. TALLY /IH      |
|           |               |       |      |          |        | W/ 3 7/8" MILL, ( TAG FILL @ 5385' ) R/U 3' |
|           |               |       |      |          |        | ' LINE TO F/B TANK, RU/ SWIVEL, BREAK CI    |
|           |               |       |      |          |        | RCULATION, C/O TO PBTD, @ 5421' ( 36' FIL   |
|           |               |       |      |          |        | L ) ( 84' BELOW BTM PERF) ALTERNATE BLO     |
|           |               |       |      |          |        | W/ FLOW, R/D SWIVEL, TOOH W/ 10 STANDS      |
|           |               |       |      |          |        | . KILL WELL, TIH SET RBP , TOOH W/ SET T    |
|           |               |       |      |          |        | COL, ND/ BOP , W/H, PERFORM CSG STUB U      |
|           |               |       |      |          |        | P, N/U W/H ( TEST TO 1900 PSI (HELD ), N/   |
|           |               |       |      |          |        | U BOP, TIH W/ RETREIVING HEAD , RLSE RB     |
|           |               |       |      |          |        | P, L/D RBP,TOOH W/ TBG L/D 3 7/8" MILL, S   |
|           |               |       |      |          |        | TART TIH W/ PRODUCTION TBG ( BAR ). FIN     |
|           |               |       |      |          |        | TIH ( BAR) L/D 6 BAD JTS, C/O TO PBTD (TA   |
|           |               |       |      |          |        | G 45' FILL ), BLOW WELL ,LAND WELL. ND/N    |
|           |               |       |      |          |        | U, ND/NU,R/D EQUIP ( TOO WINDY TO R/D )     |
|           |               |       |      |          |        | RLSE RIG & TWO /PROD @ 1600 HRS 5/13/20     |
|           |               |       |      |          |        | 04                                          |