District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico

Energy Minerals and Natural Resources

Oil Conservation Division, 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-14 March 12, 200

For drafting and production facilities, submit to appropriate NMOCD District Office.
For drawnstream facilities, submit to Santa Fe office

Is pit or below-grade tank of	de Tank Registration or Closur covered by a "general plan"? Yes	<b>3</b> ° <b>3√6</b> □
Type of action: Registration of a pit or	below-grade tank Closure of a pit or below-grade	distank 🗵
Operator: Burlington Resources Oil & Gas Company LP Telephon  Address: 3401 E. 30 <sup>th</sup> Street, Farmington, NM 87402	ne:505-326-9700_e-mail address:jclark@br-in	c.com
Facility or well name: Howell D #351 API #: 30-045-26902 U/L	or Qtr/Qtr_N_Sec_29_T_31N_R_08 W	
County: <u>San Juan</u> Latitude 36.86534 Longitude -107.70178 N	NAD: 1927 🛛 1983 🗍 Surface Owner Federal 🗍	State 🗌 Private 🛛 Indian 🗍
Pit	Below-grade tank	
Type: Drilling   Production   Disposal	Volume:bbl Type of fluid:	
Workover	Construction material:	-
Lined ☐ Unlined ☑	Double-walled, with leak detection? Yes  If no	t, explain why not.
Liner type: Synthetic Thickness mil Clay Volume bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	( 0 points) 0 points
Wallband and other party (I are then 200 feet from a minute demonstra	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0 points
Distance to symfore syntam (homizontal distance to all syntlends, player	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
irrigation canais, uticites, and perchitar and epitemetar watercourses.	1000 feet or more	( 0 points) 0 points
	Ranking Score (Total Points) 0 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location:
onsite offsite If offsite, name of facility	(3) Attach a general description of remedial act	ion taken including remediation start date and
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth	below ground surfaceft. and attach sa	ample results. (5) Attach soil sample results an
a diagram of sample locations and excavations. (6) Closure completion date	7-7-04	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines, a Date:6/24/04		
Printed Name/Title Joni Clark, Regulatory Specialist	Signature Fou Ca	rk_
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approval: Date: 1 3 2004 Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST.	Signature Deny For	uf_



# EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Howell D 351 Pit	Date Reported:	06-27-04
Laboratory Number:	29315	Date Sampled:	06-23-04
Chain of Custody No:	12416	Date Received:	06-25-04
Sample Matrix:	Soil	Date Extracted:	06 <b>-</b> 25-04
Preservative:	Cool	Date Analyzed:	06-27-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	11.5	0.2
Diesel Range (C10 - C28)	20.9	0.1
Total Petroleum Hydrocarbons	32.4	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Pit Samples.

Analyst C. Orthogram

Mistisen Walter Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Howell D 351 Pit	Date Reported:	06-27-04
Laboratory Number:	29315	Date Sampled:	06-23-04
Chain of Custody:	12416	Date Received:	06-25-04
Sample Matrix:	Soil	Date Analyzed:	06-27-04
Preservative:	Cool	Date Extracted:	06-25-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	65.6	1.7	
Ethylbenzene	159	1.5	
p,m-Xylene	197	2.2	
o-Xylene	122	1.0	
Total BTEX	544		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Pit Samples.

Analyst C. Q

Review Walles



#### **TRACE METAL ANALYSIS**

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Howell D 351 Pit	Date Reported:	06-27-04
Laboratory Number:	29315	Date Sampled:	06-23-04
Chain of Custody:	12416	Date Received:	06-25-04
Sample Matrix:	Soil	Date Analyzed:	06-27-04
Preservative:	Cool	Date Digested:	06-25-04
Condition:	Cool & Intact	Analysis Needed:	RCRA Metals

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	TCLP Regulatory Level (mg/Kg)
Arsenic	0.019	0.001	<b>5</b> 0
Barium	0.516	0.001	5.0 100
Cadmium	ND	0.001	1.0
Chromium	0.002	0.001	5.0
Lead	0.002	0.001	5.0
Mercury	ND	0.001	0.2
Selenium	0.015	0.001	1.0
Silver	ND	0.001	5.0

ND - Parameter not detected at the stated detection limit.

References:

Method 3050B, Acid Digestion of Sediments, Sludges and Soils.

SW-846, USEPA, December 1996.

Method 6010B, Analysis of Metals by Inductively Coupled Plasma Atomic Emmision

Spectroscopy, SW-846, USEPA, December 1996.

Note:

Regulatory Limits based on 40 CFR part 261 subpart C

section 261.24, August 24, 1998.

Comments:

Pit Samples.

Δnalvet



#### EC, SAR, ESP, CI Analysis

Client:	Duralizanta a Dana a a a a	5	
Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Howell D 351 Pit	Date Reported:	06-27-04
Laboratory Number:	29315	Date Sampled:	06-23-04
Chain of Custody:	12416	Date Received:	06-25-04
Sample Matrix:	Soil	Date Extracted:	06-25-04
Preservative:	Cool	Date Analyzed:	06-27-04
Condition:	Cool & Intact		

	Analytical	
Parameter	Result	Units

Conductivity @ 25° C	0.104	mmhos/cm
Calcium	36.0	mg/Kg
Magnesium	0.63	mg/Kg
Sodium	30.1	mg/Kg
Sodium Absorption Ratio (SAR)	1.4	ratio
Exchangeable Sodium Percent (ESP)	0.7	percent
Chloride	17.3	mg/Kg

Reference:

U.S.E.P.A., 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

Comments:

Pit Samples.

Analyst C. Certain

Review Walter