Form 3160-5 (August 1999)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

	<b>SUNDRY NOTICES</b>	<b>AND REPORTS</b>	ON WELLS
٦.	not use this form for	proposals to drill	artara antar

	s form for proposals to drill		/ L					
abandoned wel	I. Use form 3160-3 (APD) fo	r such proposals.	<u> </u>	6. If Indian, Allottee or Tri	be Name			
SUBMIT IN TRII	PLICATE - Other instruction	s on reverse side.		7. If Unit or CA/Agreemen NMNM73213	t, Name and/or No.			
1. Type of Well		E Out	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	8 Well Name and No.				
Oil Well Gas Well Oth			5000	RIDDLE C2				
2. Name of Operator BP AMERICA PRODUCTION	CO E-Ma	RY CORLEY— On the corley of the corles of th		951API Well No. 30-045-10372-00-S				
3a. Address 200 ENERGY CT FARMINGTON, NM 87402	l Ph	Phone No. (include area of 281.366.4491) 281.366.0700	o car c la	90. Field and Pool, or Expl BLANCO MESAVE				
4. Location of Well (Footage, Sec., T			and the same	11. County or Parish, and S	State			
Sec 30 T31N R9W NENE 099 36.87390 N Lat, 107.81525 W				SAN JUAN COUNT	Y, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO INI	DICATE NATURE (	OF NOTICE, RE	PORT, OR OTHER D	ATA			
TYPE OF SUBMISSION	ON TYPE OF ACTION							
- Notice of Intent	Acidize	Deepen	□ Producti	on (Start/Resume)	Water Shut-Off			
□ Notice of Intent	Alter Casing	Fracture Treat	☐ Reclama	tion	Well Integrity			
Subsequent Report	Casing Repair	☐ New Construction	Recomp	ete 🔀	Other			
☐ Final Abandonment Notice	Change Plans	Plug and Abandon	n	rily Abandon				
_	Convert to Injection	Plug Back	☐ Water D	isposal				
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)  MESAVERDE PAYADD  03/15/2004 MIRUSU. Blow down well. ND WH. NU BOPs. Pressure test BOPs to 3000 psi. OK. TIH. TOH w/production TBG. TIH w/bit & scraper to 5710'. TOH. TIH w/RBP & set @ 4700'. Circ hole w/2% KCL. Pressure test CSG to 500 psi - would not hold. TIH set PKR @ 4637'. Load hole & pressure test CSG to 500 psi - test ok. Release PKR & RBP & TOH. RU & ran CR/CCL log. RU, TIH w/CIBP & set @ 5410'. RU & perforate Menefee formation w/2 SPF, .280 inch diameter, 14 shots / 28 holes: 5154, 5162, 5168, 5180, 5228, 5260, 5266, 5301, 5311, 5315, 5353, 5369, 5382, 5395 . Spearhead 500 gal 15% HCL, establish injection rate, & frac w/97,500# 16/30 Brady Sand, 70 Quality Foam & N2. RU & flowed back frac thru 1/4" choke for 2.5 hrs. Upsized to 1/2" choke & flowed back for 8 hrs. Upsized to 3/4" choke & flowed back for 8 hrs. TIH & tag fill @ 5335'. C/O to CIBP @ 5410'. Drill out CIBP. TIH & tag fill @ 5567'. C/O to PBTD @ 5745'. Blow well dry @ PBTD. RU, TIH w/2-3/8" production TBG								
	Electronic Submission #2962 For BP AMERICA PRO litted to AFMSS for processing	ODUCTION CO, sent t by MATTHEW HALBEI	o the Farmington RT on 07/13/2004	(04MXH1800SE)				
Name (Printed/Typed) MARY CC	Title AU	THORIZED REP	RESENTATIVE					
Signature (Electronic S	Submission)	Date <b>04</b> /	15/2004					
	THIS SPACE FOR F	EDERAL OR STA	TE OFFICE US	BE .				
Approved By ACCEPT	ED		HEW HALBERT OLEUM ENGINE	ER	Date 07/13/200			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			nington	NMOCD				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a crim statements or representations as to ar	e for any person knowing ny matter within its jurisdi	y and willfully to ma	ike to any department or age	ncy of the United			

## Additional data for EC transaction #29627 that would not fit on the form

## 32. Additional remarks, continued

& land 2-3/8" production TBG @ 5660'. ND BOPs. NU WH. Test well for air.

04/05/2004 RDMOSU. Returned well to production.