

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised June 10, 2003

WELL API NO.

30-039-27446

5. Indicate Type of Lease

STATE ☐ FEE ☐

6. State Oil & Gas Lease No.  
NM-03357

7. Lease Name or Unit Agreement Name

Northeast Blanco Unit

8. Well Number

304E

9. OGRID Number

6137

10. Pool name or Wildcat

Blanco Mesa Verde / Basin Dakota

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Devon Energy Production Company, L.P.

3. Address of Operator

Attn: Kenny Rhoades

1751 Hwy 511

Navajo Dam, New Mexico 87419

4. Well Location

Unit Letter E : 2080 feet from the NORTH line and 895 feet from the WEST line

Section 30 Township 31N Range 6W NMPM Rio Arriba County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

6374' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Approval is requested to downhole commingle production from the Blanco Mesa Verde and Basin Dakota zones. Please refer to the attached exhibits

DNC 1557 AZ

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kenny Rhoades TITLE Company Representative

DATE 07/01/04

Type or print name Kenny Rhoades

E-mail address: kenny.rhoades@dvnm.com

Telephone No. (505)320-6310

(This space for State use)

APPROVED BY Kenny Rhoades

Conditions of approval, if any:

DEPUTY OIL & GAS INSPECTOR, DIST. 

TITLE

DATE

JUL - 9 2004

## **ATTACHMENTS TO APPLICATION TO DOWNHOLE COMMINGLE**

The following information is being provided as supporting data for application to down hole commingle production from the following well:

Well: NEBU 304E  
Location: SW NW , Sec. 30, T31N, R6W  
Rio Arriba County, New Mexico

1. Case # 12346, Order # R-11363 establishes the two subject pools as pre-approved for commingling.
2. The pools to be commingled are the Blanco-Mesaverde (72319) and the Basin Dakota (71599).
3. The subject well is presently completed in both zones flowing and measured separately. The perforated interval in the Basin-Dakota pool being 7805' - 7950'. The perforated interval in the Blanco-Mesaverde pool being 4349' - 5864'.
4. Commingling will not reduce the value of the total remaining production in this well. Produced waters from both the Basin-Dakota and the Blanco-Mesaverde have been found to be compatible, with no evidence of scaling problems on tubules, or of precipitate fill in the well bore. The increased volume of gas flowing up the tubing will facilitate the well's ability to unload itself, thus increasing production and reducing potential operational problems.
5. Notice has been sent to all interest owners in the spacing unit by certified mail (return receipt) of Devon Energy's intent to down hole commingle production. A copy of this notice and a list of all working interest owners are attached.
6. A copy of this notice of intent to down hole commingle has been sent to the Bureau of Land Management.

## Method of Allocation

Devon Energy recommends the following procedure to allocate downhole commingled production between the Basin-Dakota and the Blanco-Mesaverde pools within the Northeast Blanco Unit:

- The Mesaverde and Basin-Dakota formations will be completed simultaneously.
- A single 2-3/8" tubing string will be run in the well, with a packer isolating the two horizons.
- The Dakota completion will be produced up the tubing string.
- The Mesaverde completion will be produced up the 2-3/8" x 4-1/2" annulus.
- Production from each zone will be measured separately using a 3 phase metering device prior to flowing through a mutual production separator. Total well stream gas will be measured using a conventional orifice plate meter tube located downstream of the production separator.
- The completions will be flow tested separately for approximately 90 days to establish a stabilized rate and trend.
- Following the testing period the packer will be removed and the two pools will be downhole commingled. Total well production will flow through common surface facilities and total produced gas will be measured using a conventional orifice plate meter tube.
- Production will be allocated between the Mesa Verde and Dakota intervals by applying the variable percentage schedule to the daily total well production.

The Variable Percentage Schedule was derived using Mesa Verde and Dakota production type curves. These type curves were generated by normalizing production data from surrounding wells. The variable percentage schedule is required due to the dissimilar decline trends exhibited by the Mesa Verde and Dakota. Figure 1 depicts a typical Mesa Verde – Dakota production allocation. The actual percentages will vary from well to well, depending on well productivity.

Typical MV - DK Downhole Commingle  
Production % Schedule




Figure 1