Submit 3 Copies To Appropriate District	State of New Mexico				Form C-103
Office District I	Energy, Minerals and Natural Resources				Revised June 10, 2003
1625 N. French Dr., Hobbs, NM 88240				WELL API NO.	
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION			30-039-27447	2
District III	1220 South St. Francis Dr.			5. Indicate Type	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505			STATE 6. State Oil & Ga	
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505				SF-078988	is Lease No.
	CES AND REPORTS	ON WELLS		7. Lease Name o	r Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A					
	OIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH				o Unit
PROPOSALS.) 1. Type of Well:	61891077			8. Well Number	
Oil Well Gas Well	Other	(2) ×		303E	
		- (^^	11 0000	0 OCDID Novel	
2. Name of Operator Devon Energy Production Company	, r D	EV SIE	上 2004 词	 OGRID Numb 6137 	er
3. Address of Operator	/, L.P.	Tan (28)		10. Pool name or	- Wildoot
Attn: Kenny Rhoades		150	ACOM 3	10. Foot name of	Wildcat
1751 Hwy 511		1000	-101. E 3/	Blanco Mesa Ver	de / Basin Dakota
Navajo Dam, New Mexico 87419		Si Carrier	- NGP	Dianeo Mesa Ver	de / Basin Bakota
4. Well Location		- 	(DID97 (B) 5		
			مستعفظت المدينة الأماكي		
Unit LetterJ:1	785 feet from the	South	line and 147	'0 feet from the	East line
Section 20	Township 3			MPM Rio Arri	ba County
	11. Elevation (Show 6281' GL	whether DR,	RKB, RT, GR, etc.)		
12 Check A	ppropriate Box to	Indicate N	ature of Notice	Report or Other	Data
NOTICE OF IN		maioaio 11		SEQUENT RE	
PERFORM REMEDIAL WORK	PLUG AND ABAND	ON \square	REMEDIAL WORK		ALTERING CASING
TERRORIWEDIAE WORK	1 LOG AND ABAND		NEWLEDIAL WORK	` ⊔	ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRII	LLING OPNS.	PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE		CASING TEST AN	1D 🗆	ADAMO CHIMEITI
	COMPLETION	ند	CEMENT JOB		
OTHER:		\boxtimes	OTHER:		
13. Describe proposed or compl	eted operations. (Clea	arly state all p	pertinent details, and	give pertinent dat	es, including estimated date
of starting any proposed wo	rk). SEE RULE 1103	. For Multip	le Completions: Att	ach wellbore diagr	am of proposed completion
or recompletion.					
Approval is requested to downhole commingle production from the Blanco Mesa Verde and Basin Dakota zones. Please refer to the					
attached exhibits					
	2	4	_		
1	GC 158	SHZ	7 -		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
SIGNATIVE / - V/	1		_		
SIGNATURE / //	<i>₩</i>	TITLE	Company Represent	tative]	DATE 07/01/04
Type or print name Kenny Rhoades	7 F.	nail addrass:	Vanny what day () 1		
		LIAII AUGIESS:	Kenny.rhoades@dv	n.com relepho	one No. (505)320-6310
(This space for State use)		Pazene e	TY An a assume		JUL -9 2004
APPPROVED BY	Melle	TITLE	ty oil & gas inspe	:LTOR, DIST. 🚑	
Conditions of approval, if any:	ey yu				_DATE

ATTACHMENTS TO APPLICATION TO DOWNHOLE COMMINGLE

The following information is being provided as supporting data for application to down hole commingle production from the following well:

Well:

NEBU 303E

Location:

NW SE, Sec. 20, T 31N, R 6W

Rio Arriba County, New Mexico

- 1. Case # 12346, Order # R-11363 establishes the two subject pools as pre-approved for commingling.
- 2. The pools to be commingled are the Blanco-Mesaverde (72319) and the Basin Dakota (71599).
- 3. The subject well is presently completed in both zones flowing and measured separately. The perforated interval in the Basin-Dakota pool being 8359'- 8490'. The perforated interval in the Blanco-Mesaverde pool being 5038'- 6434'.
- 4. Commingling will not reduce the value of the total remaining production in this well. Produced waters from both the Basin-Dakota and the Blanco-Mesaverde have been found to be compatible, with no evidence of scaling problems on tubules, or of precipitate fill in the well bore. The increased volume of gas flowing up the tubing will facilitate the well's ability to unload itself, thus increasing production and reducing potential operational problems.
- 5. Notice has been sent to all interest owners in the spacing unit by certified mail (return receipt) of Devon Energy's intent to down hole commingle production. A copy of this notice and a list of all working interest owners are attached.
- 6. A copy of this notice of intent to down hole commingle has been sent to the Bureau of Land Management.

Method of Allocation

Devon Energy recommends the following procedure to allocate downhole commingled production between the Basin-Dakota and the Blanco-Mesaverde pools within the Northeast Blanco Unit:

- The Mesaverde and Basin-Dakota formations will be completed simultaneously.
- A single 2-3/8" tubing string will be run in the well, with a packer isolating the two horizons.
- The Dakota completion will be produced up the tubing string.
- The Mesaverde completion will be produced up the 2-3/8" x 4-1/2" annulus.
- Production from each zone will be measured separately using a 3 phase metering device prior to flowing through a mutual production separator. Total well stream gas will be measured using a conventional orifice plate meter tube located downstream of the production separator.
- The completions will be flow tested separately for approximately 90 days to establish a stabilized rate and trend.
- Following the testing period the packer will be removed and the two pools will be downhole commingled. Total well production will flow through common surface facilities and total produced gas will be measured using a conventional orifice plate meter tube.
- Production will be allocated between the Mesa Verde and Dakota intervals by applying the variable percentage schedule to the daily total well production.

The Variable Percentage Schedule was derived using Mesa Verde and Dakota production type curves. These type curves were generated by normalizing production data from surrounding wells. The variable percentage schedule is required due to the dissimilar decline trends exhibited by the Mesa Verde and Dakota. Figure 1 depicts a typical Mesa Verde – Dakota production allocation. The actual percentages will vary from well to well, depending on well productivity.

Typical MV - DK Downhole Commingle Production % Schedule




Figure 1