

Submit to Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised June 10, 2003

WELL API NO.

30-045-32287

5. Indicate Type Of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. Type of Completion:

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

2. Name of Operator

XTO Energy Inc.

3. Address of Operator

2700 Farmington Ave., Bldg. K. Ste 1 Farmington, NM 87401

4. Well Location

Unit Letter C : 887 Feet From The NORTH Line and 1535 Feet From The WEST Line

Section 16

Township 30N

Range 13W

NMPM

SAN JUAN

County

10. Date Spudded

6/24/04

11. Date T.D. Reached

6/26/04

12. Date Compl. (Ready to Prod.)

7-29-04

13. Elevations (DF & RKB, RT, GR, etc.)

5447'

14. Elev. Casinghead

15. Total Depth

1788'

16. Plug Back T.D.

1732'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

0 - TD

Cable Tools

NO

19. Producing Interval(s), of this completion - Top, Bottom, Name

FRUITLAND COAL

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

ATL/GR/SP/TLD/CSN/CCL

22. Was Well Cored

NO

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
7"	20# J-55	230'	8-3/4"	120 sx	0
4-1/2"	10.5# J-55	1780'	6-1/4"	205 sx	0

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-3/8"	1572'	

25. TUBING RECORD

26. Perforation record (interval, size, and number)

1378' - 1388' (0.49" dia, ttl 30 holes)

1254' - 1337' (0.49" dia, ttl 30 holes)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1378' - 1388'	A. w/493 gals 15% HCl ac. Frac'd
w/74,979 gals Del	ta 140 frac flu carrying 112,000#
sd dtd w/Sandwedge	e. Section 27 continued on back

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)					Well Status (Prod. or Shut-in)	
		FLOWING					SI	
Date of Test 7/29/04	Hours Tested 24	Choke Size N/A	Prod'n For Test Period	Oil - Bbl. 0	Gas - MCF 0	Water - Bbl. 0	Gas - Oil Ratio	
Flow Tubing Press. 0	Casing Pressure 0	Calculated 24- Hour Rate	Oil - Bbl. 0	Gas - MCF 0	Water - Bbl. 0	Oil Gravity - API -(Corr.)		

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

TO BE SOLD

Test Witnessed By

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Holly C. Perkins Printed Name HOLLY C. PERKINS Title REG COMPLIANCE TECH Date 8/2/04
E-mail address holly.perkins@xtoenergy.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs 1393	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. FRUITLAND FMT 1067
T. Blinebry	T. Gr. Wash	T. Morrison	T. LWR FRUITLAND COAL 1250
T. Tubb	T. Delaware Sand	T. Todilto	T. LEWIS SHALE 1649
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from to No. 3, from to
 No. 2, from to No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet
 No. 2, from to feet
 No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
			Section 27 Continued: 1337' - 1254'" A. w/759 gals 15% HCl ac. Frac'd w/98,174 gals Delta 140 frac flu carrying 81,000# sd ctd w/Sandwedge				