

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

1a. Type of Well ☐ Oil Well ☒ Gas ☐ Dry ☐ Other
b. Type of Completion: ☒ New ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resv.
Other _____

2. Name of Operator

Pure Resources, L.P. c/o Mike Pippin LLC (Agent)

3. Address

3104. N. Sullivan, Farmington, NM 87401

3a. Phone No. (include area code)

505-327-4573

4. Location of Well (Report locations clearly and in accordance with Federal requirements)*

At surface

2488' FSL & 428' FWL

At top prod. interval reported below SAME

At total depth

SAME

14. Date Spudded

11/05/03

15. Date T.D. Reached

11/10/03

16. Date Completed

☒ D & A ☒ Ready to Prod.
08/17/04

18. Total Depth: MD 7554'
TVD

19. Plug Back T.D.: MD 7545'
TVD

20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
Dual Burst Thermal Decay Time Log (TDT)/GR/CCL

22. Was well cored? ☒ No ☐ Yes (Submit copy)
Was DST run? ☒ No ☐ Yes (Submit copy)
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	9-5/8"	32.3# H-40	0'	387'		225 Type III		0' CIR	0'
8-3/4"	7"	20# J-55	0'	2673'		405 Prem.		0' CIR	0'
6-1/4"	4-1/2"	11.6# I-80	0'	7554'		610 Type III		0' CIR	0'

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)
2-3/8"	7043'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) MESAVERDE	4740'	5740'	4793' - 5432'	0.38"	39	1 SPF
B)						
C)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.


Depth Interval	Amount and type of Material
5325' - 5432'	Fraced w/130,000# 20/40 Brady sand in 65 quality slick foam
4793' - 5109'	Fraced w/218,000# 20/40 Brady sand in 60 quality slick foam

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Ready	08/01/04	10	→		508				Flowing
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
24/64"	350		→		1,240				Shut-in

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→						NMOCD



ACCEPTED FOR RECORD

AUG 27 2004

FARMINGTON FIELD OFFICE
BY [Signature]

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Vent

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Fruitland Coal	2952'	3068'	gas	San Jose	Surface
Pictured Cliffs	3068'	3192'	gas	Ojo Alamo	2152'
Mesaverde	4740'	5740'	oil & gas	Kirtland Shale	2628'
Dakota	7428'	7554'	oil & gas	Pictured Cliffs	3068'
				Cliffhouse	4740'
				Point Lookout	5288'
				Mancos	5740'
				Tocito Sand	6830'
				Dakota	7428'

32. Additional remarks (include plugging procedure):

RINCON UNIT #155R

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Survey
5. Sundry Notice for plugging and cement verification 5. Core Analysis 7. Other:

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Mike Pippin 505-327-4573 Title Petroleum Engineer (Agent)
Signature *Mike Pippin* Date August 19, 2004