District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM

State of New Mexico
Energy Minerals and Natural Resource

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

(Revised 3/9/94)

## PIT REMEDIATION AND CLOSURE REPORT

Operator: Burlington Resources Telephone: 505-326-9841

Address: 3401 East 30th St., Farmington, NM 87402

Facility Or: DAVIS Well No: 5A Pit No: 1

Well Name

Location: Unit or Qtr/Qtr Sec N Sec 03 T 031N R 012W County San Juan

Pit Type: <u>vent</u> (Separator, Dehydrator, Tank, Vent, Other)

Land Type: <u>BLM</u> (BLM, State, Fee, Other)

Pit Location: Pit Dimension length 15 width 15 depth 3

Reference: wellhead Other\_\_\_\_\_

Footage from reference: 84

Direction from reference (azimuth): 165 degrees

Depth To Ground Water: (Vertical distance from

contaminants to seasonal Less than 50 feet (20 points)
high water elevation of 50 feet to 99 feet (10 points)

ground water.) Greater than 100 feet (0 points)  $\underline{0}$ 

Wellhead Protection Area:

(Less than 200 feet from a private domestic water source, or; less than

1000 feet from all other water

Yes (20 points)

No (0 points) 0

sources.) No (0 points)

Distance to Surface Water:

(Horizontal distance to perennial Less than 200 feet (20 points) lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)

Less than 200 feet (10 points)

Greater than 1000 feet (0 points) 0

RANKING SCORE (TOTAL POINTS):  $\underline{0}$ 

Date Remediation Started	3/14/2002	Date co	mpleted:	
(Check all appropriate	Excavation	Approx	k. cubic yards:	
	Landfarmed	Insitu I	Bioremediation	
	Other			
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite	Offs	ite	
is detailed below. The	oit is NOT located ANALYSIS, it is	l inside the OCD s proposed to clo	n the initial assessment of the pit defined Vulnerable Area. Based use the pit by backfilling with	
Ground Water Encountere	d: <u>No</u> (yes or	no) D	epth:	
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample depth	_	Sample time <u>11:55:00 AM</u>	
	Sample Result	s:		
	Sample Results:  Benzene(ppm) 30			
Sample Results:				
	Field Head	space(ppm) <u>902</u>	2	
	TPH <u>6922</u>			
Ground Water Sample: N	o (If yes, at	tach sample resu	ults)	
I hereby certify that the in belief.	formation above i	s true and compl	ete to the best of my knowledge and	
Date: 4/7/03		Signature4	I Hosely	
Title: Environmental Sp	ecialist	Printed Name:	Ed Hasely	

## RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed. Benzene and Total BTEX were above NMOCD closure guidelines (greater than 10 and 50 ppm, respectively). Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

**Burlington Resources** 

Project:

**Pit Closure** 

Sample ID:

DAVIS 5A 1162401-1

Lab ID:

0302W01008

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/28/02

**Date Sampled:** 03/14/02

**Date Received:** 03/15/02

Date Extracted: N/A

	Analytical		
Parameter	Result	PQL	Units
BTEX - METHOD 8021B			
Benzene	30	5	mg/Kg
Toluene	70	5	mg/Kg
Ethylbenzene	33	5	mg/Kg
Xylenes (total)	160	15	mg/Kg
Total BTEX	292	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	6,566	50	mg/Kg
Diesel Range Organics (C10 - C22)	356	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	6,922	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

William Lip**∕**o**s** 

Analyst: