<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
811 South First, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Risk Submit 1 copy to appropriate District Office and 1 copy to and 1 copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30 -045-26274

		0 0 10 7 00 1
Operator: <u>Burlington Resources</u>	Telephone: <u>505-326-9841</u>	203W123
Address: 3401 East 30th St., Farmington, NN	<u>A 87402</u>	APD A SA
Facility Or: SAN JUAN 27-4 UNIT Well Name	Tell No: <u>80</u> Pit No: <u>1</u>	2003 —
Location: Unit or Qtr/Qtr Sec O Sec 24	T <u>027N</u> R <u>004W</u>	County Rio Arriba
Pit Type: separator (Separator, Dehydrator	r, Tank, Vent, Other)	SIM Day
Land Type: BLM, State, Fee, Oth	ner) Franky Fore	est
Pit Location: Pit Dimension length 12	width 12	depth 3
Reference: wellhead Other		
Footage from reference: 8		
Direction from reference (azimuth): 2	20 degrees	
high water elevation of 50		(20 points) (10 points) (0 points) <u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources.)	No	(20 points) (0 points) <u>0</u>
Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)	Less than 200 feet 200 feet to 1000 feet Greater than 1000 feet	(20 points) (10 points) (0 points) <u>0</u>
	RANKING SCORE (TOTAL	. POINTS): <u>0</u>

Date Remediation Started:	: <u>4/2/2002</u> Date completed:		
Remediation Method:	Excavation Approx. cubic yards:		
(Check all appropriate sections.)	Landfarmed Insitu Bioremediation		
•	Other		
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite		
is detailed below. The p	emedial Action:The lab data from the initial assessment of the pit pit is NOT located inside the OCD defined Vulnerable Area. Based ANALYSIS, it is proposed to close the pit by backfilling with		
Ground Water Encountere	d: No (yes or no) Depth:		
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location <u>center of pit</u> Sample depth <u>3</u> Sample Date <u>4/2/2002</u> Sample time <u>2:55:00 PM</u>		
	Sample Results:		
	Benzene(ppm) ≤ 5		
	Total BTEX(ppm) 250		
	Field Headspace(ppm) 1234		
	TPH <u>2275</u>		
Ground Water Sample: No	o (If yes, attach sample results)		
I hereby certify that the intellection belief. Date: 3/31/03	formation above is true and complete to the best of my knowledge and Signature Signature		
Title: Environmental Specialist Printed Name: Ed Hasely			

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

SJ 27-4 UNIT 80 4498301

Lab ID:

0302W01409

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/20/02

Date Sampled: 04/02/02

Date Sampled: 04/02/02

Date Received: 04/04/02 **Date Extracted:** 04/11/02

Date Analyzed: 04/17/02

Parameter	Analytical		Units
	Result	PQL	
BTEX - METHOD 8021B			
Benzene	<5	5	mg/Kg
Toluene	51	5	mg/Kg
Ethylbenzene	19	5	mg/Kg
Xylenes (total)	174	15	mg/Kg
Total BTEX	250	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	2,024	50	mg/Kg
Diesel Range Organics (C10 - C22)	251	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	2,275	100	mg/Kg

Reference:

Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

Analyst: