<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

## State of New Mexico

Form C-144

State of New Mexico

Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr. For drilling and production facilities, submit to appropriate NMOCD District Office.

Form C-144

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

Santa Fe, NM 37505

	ama re, mvipa 1000	
Pit or Below-Gra	de Tank Registration or C	losure
Is pit or below-grade tan	k covered by a "general plan"? Yes or below-grade tank A Closure of a pit or be	□ No ⊠
Type of action: Registration of a pit	or below-grade tank Closure of a pit or be	elow-grade tank
Operator: Devon Energy Telephone:	505 486-3041 e-mail address: jason:goss	Odym com
Address: P.O. Box 6459 Navajo Dam, NM 87419	203 480-3041 C-Mail addiess. Jason.gosso	aguvii.com
Facility or well name: NEBU #18A API #: 30-039-21696	. U/L or Qtr/Qtr SW/SE Sec 9 T 3	RONI R 7W
County: Rio Arriba Latitude: N 36°49.4' Longitude: W 107°34.4	, ,	
County, No Filipa Lantage, 14 50 42.4 Longrade, 44 107 54.4	1745. 1921 🗀 1965 🖸 Sui.	nace Owner rederat & State & Frivate & Indian &
Pit	Below-grade tank	
	Volume: 35 bbl Type of fluid: Produced Water	
Workover ☐ Emergency ☐	Construction material: Fiberglass	
Lined Unlined	Double-walled, with leak detection? Yes 🛛 If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay		
Pit Volumebbl		
Double and and are formal frame Constant Constant	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	20 Points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (	2) Indicate disposal location: (check the onsite box if
your are burying in place) onsite 🗌 offsite 🔲 If offsite, name of facility_	. (3) Attach a	general description of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es I If yes, show depth below ground surf	faceft. and attach sample results. (5)
Attach soil sample results and a diagram of sample locations and excavations	S.	
Additional Comments:		APPROVED
Actual tank location is N 36°49.331', W 107°34.347'		Dony 2 Fourt
Second 60 bbl single wall fiberglass tank located at N 36°49.340', W 107°34.360'		DEPUTY OIL & GAS INSPECTOR
		DIST III
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ⊠, Date: August 2, 2004	f my knowledge and belief. I further certify a general permit , or an (attached) alter	y that the above-described pit or below-grade tank has native OCD-approved plan .
Printed Name/Title <u>Jason Goss/ Field Engineer</u> Signature	(Josephon	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	t relieve the operator of liability should the ce operator of its responsibility for compliance	ontents of the pit or tank contaminate ground water or with any other federal, state, or local laws and/or
Approval:		

\_Signature\_