District I 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title_

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division For drilling and production facilities, submit to appropriate NMOCD District Office.

1220 South St. Francis Dr. 2004For downstream facilities, submit to Santa Fe Santa Fe, NM 82505

Form C-144

June 1, 2004

56	anta re, inividado de la companya de	·c
Pit or Below-Gra	de Tank Registration or Closus	re .
Is pit or below-grade tan	k covered by a "seneral plan"? Yes No or below-grade tank X betwee of a pit or below-grade	$oxed{\boxtimes}$
Type of action: Registration of a pit	or below-grade tank (Statute of a pit or below-grade	le tank
Operator: Devon Energy Telephone:	505 486-3041 e-mail address: jason.goss@dvn.cor	n
Address: P.O. Box 6459 Navajo Dam, NM 87419	505 480-5041 e-mail address. Jason.goss@dvii.com	11
Facility or well name: NEBU #67 API #: 30-045-23201	01 U/L or Qtr/Qtr SW/SW Sec 9 T 31N R 7W	
County: San Juan Latitude: Longitude:		
County, San Juan Landac Longitude.	1765 Surface Owner reder	ar State Trivate Z Indian
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume: 10 bbl Type of fluid: Produced Water	
Workover ☐ Emergency ☐	Construction material: steel	
Lined Unlined	Double-walled, with leak detection? Yes \(\big \) If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay _		
Pit Volumebbl	'	
Double to the first of the second state of the	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
William I marking and Constitution of the Cons	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	. (3) Attach a general d	lescription of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	Yes If yes, show depth below ground surface	ft. and attach sample results. (5)
Attach soil sample results and a diagram of sample locations and excavations	s.	
Additional Comments:	:	
Actual tank location is N 36°54.617' W 107°34.903'	APPROVED	
Footages 1190' FSL - 1090' FWL	Jany 2 70	wit -
Tooleges 1770 YOL 1870 Y YIL		
	DEPUTY OIL & GAS II DIST III	NSPECTOR
	<u> </u>	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines □ Date: August 2, 2004	f my knowledge and belief. I further certify that the a general permit , or an (attached) alternative of	e above-described pit or below-grade tank has DCD-approved plan □.
Printed Name/Title <u>Jason Goss/ Field Engineer</u> Signature_C	James 1800	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	t relieve the operator of liability should the contents of e operator of its responsibility for compliance with any	f the pit or tank contaminate ground water or y other federal, state, or local laws and/or
Approval:		

Signature