District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

| Is pit or below-grade tank Type of action: Registration of a pit or | k covered by a "general plan"? Yes No r below-grade talk O Closure of a pit or below-grad | de tank | | |
|--|--|--|---|---|
| Operator: PURE RESOURCES Telephone: 432 498-8600 | e-mail address: NEECHWAR@PURERESO | | | |
| Address: 500 WEST ILLINOIS, MIDLAND, TEXAS 79701 Facility or well name: RINCON 109 API # 30-0 | 039-07004 U/L or Qtr/Qtr D Sec 19 | T 27N R 6W | | |
| County: RIO ARRIBA Latitude 36 56 415 Longitude 107 51 442 | ` ` ` | | | |
| County: KIO ARRIDA Landude 30 30 413 Longitude 107 31 442 | NAD. 1927 1905 Surface Owner Fee | iciai 💆 State 🗀 i iivate 🗀 iitiiaii 🗀 | | |
| Pit | Below-grade tank | | | |
| Type: Drilling Production Disposal D | Volume: 95 bbl Type of fluid: PRODUCED WAT | | | |
| Workover Emergency | Construction material: METAL | | | |
| Lined Unlined | Double-walled, with leak detection? Yes 🛛 If not, explain why not. | | | |
| Liner type: Synthetic Thicknessmil Clay | | | | |
| Pit Volumebbl | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet | (20 points) | | |
| | 50 feet or more, but less than 100 feet | (10 points) | | |
| | 100 feet or more | (0 points)◀ | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes | (20 points) | | |
| | No | (0 points)◀ | | |
| Discourse of the state of the s | Less than 200 feet | (20 points) | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | 200 feet or more, but less than 1000 feet | (10 points) | | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 1000 feet or more | (0 points)◀ | | |
| | Ranking Score (Total Points) | 0 POINTS | | |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's | relationship to other equipment and tanks. (2) Indica | te disposal location: (check the onsite box if | | |
| your are burying in place) onsite offsite foffsite, name of facility | | | | |
| remediation start date and end date. (4) Groundwater encountered: No 🔲 Y | Yes I If yes, show depth below ground surface | ft. and attach sample results. (5) | | |
| Attach soil sample results and a diagram of sample locations and excavations | s | | | |
| Additional Comments: | | | | |
| DEPUTY OIL & GAS INSPECTOR DIST III | | | | |
| | | | | |
| | | I hereby certify that the information above is true and complete to the best o been/will be constructed or closed according to NMOCD guidelines ⊠, Date: 9/15/04 | a general permit , or an (attached) alternative C | e above-described pit or below-grade tank has OCD-approved plan □. |
| | | Printed Name/Title RON LECHWAR HES COORDINATOR | Signature Man Luft | |
| Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations. | t relieve the operator of liability should the contents of | of the pit or tank contaminate ground water or y other federal, state, or local laws and/or | | |
| Approval: | | | | |
| Printed Name/Title | Signature | Date: | | |
| | | | | |