<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Outside Submit 1 copy to appropriate District Office

and 1 copy to the Santa Fe Office

(Revised 3/9/94)

## PIT REMEDIATION AND CLOSURE REPORT

Operator: <u>Burlington Resources</u>	Telephone: 505-326-9841
Address: 3401 East 30th St., Farmington, N	IM 87402
Facility Or: SANCHEZ A Well Name	Well No: $\underline{3}$ Pit No: $\underline{1}$ $\bigcirc$
Location: Unit or Qtr/Qtr Sec O Sec 2	20 T 026N R 006W County Rio Arriba
Pit Type: separator (Separator, Dehydrat	or, Tank, Vent, Other)
Land Type: <u>BLM</u> (BLM, State, Fee, O	ther)
Pit Location: Pit Dimension length 12	width $\underline{12}$ depth $\underline{3}$
Reference: wellhead Other_	
Footage from reference: 10	
Direction from reference (azimuth):	270 degrees
Depth To Ground Water:	
(Vertical distance from contaminants to seasonal	Less than 50 feet (20 points)
	50 feet to 99 feet (10 points)
ground water.)	Greater than 100 feet (0 points) $\underline{0}$
W-111	
Wellhead Protection Area: (Less than 200 feet from a private	
domestic water source, or; less than	
1000 feet from all other water	Yes (20 points) No (0 points) 0
sources.)	No (0 points) $\underline{0}$
Distance to Surface Water:	
(Horizontal distance to perennial	Less than 200 feet (20 points) 200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)	Greater than 1000 feet (10 points) 0
	( - <b>r</b> , <u>o</u>
	RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started:	4/5/2002	Date comp	leted:
Remediation Method:	Excavation	Approx. c	ubic yards:
(Check all appropriate sections.)	Landfarmed _	Insitu Bioremediation	
	Other		
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite	Offsite	
is detailed below. The	oit is NOT locate	ed inside the OCD de	he initial assessment of the pit fined Vulnerable Area. Based the pit by backfilling with
Ground Water Encountere	d: No (yes o	or no) Dept	th:
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample location Sample depth Sample Date	_	Sample time <u>12:05:00 PM</u>
	Sample Resul	lts:	
•	Benzene(1	ppm) <u>8</u>	
	Total BTI	EX(ppm) <u>240</u>	
	Field Hea	dspace(ppm) 632	
	TPH <u>410</u>	<u>0</u>	
Ground Water Sample: No.	o (If yes, a	attach sample results	)
I hereby certify that the in belief.  Date: 3/31/63	formation above	is true and complete	to the best of my knowledge and
Title: Environmental Sp	ecialist	Printed Name: Ec	l Hasely

## RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

**Burlington Resources** 

Project:

**Pit Closure** 

Sample ID:

**SANCHEZ A3 PIT1 5355501** 

Lab ID:

0302W01615

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/22/02

**Date Sampled:** 04/05/02

Date Received: 04/11/02

Date Extracted: 04/17/02

Date Analyzed: 04/29/02

	Analytical	PQL	Units
Parameter	Result		
BTEX - METHOD 8021B			
Benzene	8	5	mg/Kg
l'oluene l'alle	40	5	mg/Kg
Ethylbenzene	33	5	mg/Kg
(ylenes (total)	164	15	mg/Kg
Total BTEX	240	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	3,610	50	mg/Kg
Diesel Range Organics (C10 - C22)	500	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	4,100	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By: //

Analyst: