District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Outside

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30-045-26258

Operator: Burlington Resources Telephone: 505-326-9841 Address: 3401 East 30th St., Farmington, NM 87402 Facility Or: <u>HUERFANO UNIT</u> Well No: 92E Pit No: 1 Well Name Location: Unit or Qtr/Qtr Sec G Sec 07 T 026N R 009W County San Juan Pit Type: vent (Separator, Dehydrator, Tank, Vent, Other) (BLM, State, Fee, Other) Land Type: BLM Pit Location: Pit Dimension length 9 width 9 depth 3 Reference: wellhead Other Footage from reference: 25 Direction from reference (azimuth): 340 degrees Depth To Ground Water: (Vertical distance from contaminants to seasonal Less than 50 feet (20 points) high water elevation of 50 feet to 99 feet (10 points) Greater than 100 feet ground water.) (0 points) 0 Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than Yes (20 points) 1000 feet from all other water No (0 points)sources.) Distance to Surface Water: Less than 200 feet (Horizontal distance to perennial (20 points) 200 feet to 1000 feet (10 points) lakes, ponds, rivers, streams, creeks, Greater than 1000 feet irrigation canals and ditches.) (0 points) 0 RANKING SCORE (TOTAL POINTS): 0

Huestano Unit 92 E Date Remediation Started: 4/1/2002 Date completed: Excavation _____ Approx. cubic yards: Remediation Method: (Check all appropriate Landfarmed Insitu Bioremediation sections.) Onsite _____ Offsite _____ Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility) General Description of Remedial Action: The lab data from the initial assessment of the pit is detailed below. The pit is NOT located inside the OCD defined Vulnerable Area. Based upon the attached RISK ANALYSIS, it is proposed to close the pit by backfilling with clean soils. Ground Water Encountered: No (yes or no) Depth: Final Pit: Sample location center of pit Closure Sampling: Sample depth (if multiple samples, 3 attach sample results Sample Date 4/1/2002 Sample time 9:30:00 AM and diagram of sample locations and depths) Sample Results: Benzene(ppm) 6 Total BTEX(ppm) 280 Field Headspace(ppm) 1124 TPH 3900 Ground Water Sample: No (If yes, attach sample results) I hereby certify that the information above is true and complete to the best of my knowledge and belief. 2/26/03 Signature ___ Date:__ Title: Environmental Specialist Printed Name: Ed Hasely

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

HUERFANO UNIT 92E 5393601

Lab ID:

0302W01455

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/30/02

Date Sampled: 04/01/02

Date Sampled: 04/01/02 **Date Received:** 04/05/02

Date Extracted: 04/19/02

Date Analyzed: 04/23/02

	Analytical		
Parameter	Result	PQL	Units
BTEX - METHOD 8021B		· · · · · · · · · · · · · · · · · · ·	
Benzene	6	5	mg/Kg
oluene	26	5	mg/Kg
Ethylbenzene	8	5	mg/Kg
(ylenes (total)	240	15	mg/Kg
otal BTEX	280	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	1,620	50	mg/Kg
Diesel Range Organics (C10 - C22)	2,250	50	mg/Kg
otal Petroleum Hydrocarbons (C6-C22)	3,900	100	mg/Kg

æ,

Reference:

Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-\$46, Volume IB.

Reviewed By:

Analyst: