District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 **District III** 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe. NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Outside Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office (Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator: Burlington Resources Telephone: 505-326-9841

Address: 3401 East 30th St., Farmington, NM 87402

Facility Or: HUERFANO UNIT

Well No: 130E Pit No: 1

Well Name

Location: Unit or Qtr/Qtr Sec L Sec 29 R 009W County San Juan T 026N

Pit Type: vent (Separator, Dehydrator, Tank, Vent, Other)

Land Type: BLM (BLM, State, Fee, Other)

Pit Location: Pit Dimension length 10 width 10 depth 3

Reference: wellhead Other

Footage from reference: 35

Direction from reference (azimuth): 120 degrees

Depth To Ground Water:

(Vertical distance from

Less than 50 feet contaminants to seasonal 50 feet to 99 feet

(10 points) high water elevation of ( 0 points) 0

ground water.) Greater than 100 feet

Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than

1000 feet from all other water sources.)

(20 points) Yes No (0 points) 0

(20 points)

OIL CON. DIV. DIST. 3

Distance to Surface Water:

Less than 200 feet (20 points) (Horizontal distance to perennial 200 feet to 1000 feet lakes, ponds, rivers, streams, creeks,

irrigation canals and ditches.) Greater than 1000 feet (10 points) ( 0 points) 0

RANKING SCORE (TOTAL POINTS): 0

Huestono Unit 130 E

Date Remediation Started	1: <u>3/29/2002</u> Date completed:			
Remediation Method: (Check all appropriate sections.)	Excavation Approx. cubic yards:			
	Landfarmed Insitu Bioremediation			
,	Other			
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite			
General Description of Remedial Action: The lab data from the initial assessment of the pit is detailed below. The pit is NOT located inside the OCD defined Vulnerable Area. Based				
-	K ANALYSIS, it is proposed to close the pit by backfilling with			
	ed: No (yes or no) Depth:			
Glouid Water Encounter.	ed. <u>No</u> (yes of no) Deptil.			
Final Pit: Closure Sampling:	Sample location center of pit			
(if multiple samples,	Sample depth $\underline{3}$			
attach sample results and diagram of sample	Sample Date <u>3/29/2002</u> Sample time <u>5:25:00 PM</u>			
locations and depths)	Sample Results:			
	Benzene(ppm) 10			
Total BTEX(ppm) 370				
Field Headspace(ppm) 1067				
	TPH <u>2359</u>			
Ground Water Sample: N	Io (If yes, attach sample results)			
belief.	information above is true and complete to the best of my knowledge and			
Date: 2/24/03	Signature 2 Hours			
Title: Environmental Specialist Printed Name: Ed Hasely				

## **RISK ANALYSIS FOR EARTHEN PIT CLOSURE**

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

**Burlington Resources** 

Project:

**Pit Closure** 

Sample ID:

**HUERFANO UNIT 130E 5409401** 

Lab ID:

0302W01282

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 05/02/02

**Date Sampled:** 03/29/02

Date Received: 04/01/02

Date Extracted: N/A

Date Analyzed: 04/13/02

<b>5</b>	Analytical	PQL	Units
Parameter	Result		
BTEX - METHOD 8021B	Mark to the section of the section o		
Benzene	10	5	mg/Kg
Toluene	143	5	mg/Kg
Ethylbenzene	20	5	mg/Kg
(ylenes (total)	208	15	mg/Kg
Total BTEX	370	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	2,201	50	mg/Kg
Diesel Range Organics (C10 - C22)	158	50	mg/Kg
otal Petroleum Hydrocarbons (C6-C22)	2,359	100	mg/Kg

Reference:

Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Analyst: