

District I

P.O. Box 1980, Hobbs, NM

District II

Drawer DD, Artesia, NM


District III

1000 Rio Bravo Rd., Aztec, NM

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. BOX 2088
SANTA FE, NEW MEXICO 87504-2088

OK CT 012
(Prer 30/43)
SUBMIT COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE



PIT REMEDIATION AND CLOSURE REPORT

30-045-07032

Operator: XTO ENERGY, INC. Telephone: (505) 324-1090

Address: 2700 FARMINGTON AVE., BLDG. K SUITE 1, FARMINGTON, NM 87401

Facility or Well Name: Feasel, Fred H #1

Location: Unit or Qtr/Qtr Sec H Sec 33 T20N R 10W County San Juan

Pit Type: Separator ☐ Dehydrator ☐ Other Compressor

Land Type: BLM X, State ☐, Fee ☐, Other ☐

Pit Location: (Attach diagram) Pit dimensions: length NA, width NA, depth NA

Reference: wellhead X, other ☐

Footage from reference: 207'

Direction from reference: 41 Degrees ☒ East ☐ North ☐ West ☒ South

Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater)

Less than 50 feet	(20 points)	
50 feet to 99 feet	(10 points)	
Greater than 100 feet	(0 points)	<u>0</u>

Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)

Yes	(20 points)	
No	(0 points)	<u>0</u>

Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)

Less than 100 feet	(20 points)	
100 feet to 1000 feet	(10 points)	
Greater than 1000 feet	(0 points)	<u>0</u>

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____

Date Completed: 10-10-02

Remediation Method:

Excavation XApprox. cubic yards NA

(Check all appropriate sections)

Landfarmed _____

Insitu Bioremediation _____

Other NRCLOSE AS IS. DILUTED / AERATED WITHIN PIT.

Remediation Location:

Onsite X Offsite _____

(i.e. landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action: Excavation. Test hole advanced. ~~No remediation necessary.~~Groundwater Encountered: No X Yes _____ Depth _____

Final Pit Closure Sampling:

(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample location see Attached DocumentsSample depth 10' (Test hole bottom)Sample date 10-8-02 Sample time 1125

Sample Results

Soil: Benzene	(ppm) <u>ND</u>	Water: Benzene	(ppb) _____
Total BTEX	(ppm) <u>0.779</u>	Toluene	(ppb) _____
Field Headspace	(ppm) <u>1180</u>	Ethylbenzene	(ppb) _____
TPH	(ppm) <u>54.5</u>	Total Xylenes	(ppb) _____

Groundwater Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 10-10-02 PRINTED NAME Jeffrey C. BlaggSIGNATURE Jeffrey C. Blagg AND TITLE President P.E. # 11607

CLIENT: XTO

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: CT012
PRJ. 80143
COCR NO: 10267

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: FERSEL, FRED H WELL#: 1 TYPE: COMPR.
QUAD/UNIT: H SEC: 33 TWP: 28N RNG: 10W PM: NM CNTY: SJ ST: NM
QTR/FOOTAGE: 1850' N / 790' E SE/NE CONTRACTOR: HIGH DESECT (FERNANDO)

DATE STARTED: 10/8/02
DATE FINISHED:
ENVIRONMENTAL SPECIALIST: NV

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS
LAND USE: RANGE - Blm LEASE: SF 046563 FORMATION: DK

FIELD NOTES & REMARKS:
PIT LOCATED APPROXIMATELY 207 FT. 54"E FROM WELLHEAD.
DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'
NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:
SOIL TYPE: SAND SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE)
SOIL COLOR: LT. GRAY TO BLACK BEDROCK - VERY PALE ORANGE TO BLACK
COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE / VERY DENSE
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD
MOISTURE: DRY / SLIGHTLY MOIST MOIST WET SATURATED / SUPER SATURATED
DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION: PIT SURFACE TO BEDROCK SURFACE
HC ODOR DETECTED: YES NO EXPLANATION: PIT AREA & OVM SAMPLE
SAMPLE TYPE: GRAB COMPOSITE - # OF PTS. -
ADDITIONAL COMMENTS: STEEL TANK REMOVED PRIOR TO SAMPLING. COLLECTED SAMPLE FROM BEDROCK SURFACE - BEDROCK - HARD SLIGHTLY FRILABLE. INSTRUCTED OPERATOR TO DILUTE/AERATE CONTAMINATED SOIL WITHIN PIT AREA.

OVM CALIB. READ. = 50.2 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 9:38 am DATE: 10/8/02

SCALE
0 FT

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER

WOODEN RETAINING WALL
TO WELL HEAD
T.H. ~ 3'
B.P.D. & B.T.B.
T.B. & P.D. ~ 7'
B.G.

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 10	1180
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
1 @ 10	TAH (80158)	1125
"	BTEX (80118)	"

BOTH PASSED

PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES:

CALLOUT: 10/8/02 - MORN. ONSITE: 10/8/02 - MORN.

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client: Blagg / XTO
Sample ID: 1 @ 10'
Laboratory Number: 23975
Chain of Custody No: 10267
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact


Project #: 94034-010
Date Reported: 10-10-02
Date Sampled: 10-08-02
Date Received: 10-09-02
Date Extracted: 10-09-02
Date Analyzed: 10-10-02
Analysis Requested: 8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	20.5	0.2
Diesel Range (C10 - C28)	34.0	0.1
Total Petroleum Hydrocarbons	54.5	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Feasel, Fred H #1 Compressor Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Blagg / XTO
Sample ID: 1 @ 10'
Laboratory Number: 23975
Chain of Custody: 10267
Sample Matrix: Soil
Preservative: Cool
Condition: Cool & Intact

Project #: 94034-010
Date Reported: 10-10-02
Date Sampled: 10-08-02
Date Received: 10-09-02
Date Analyzed: 10-10-02
Date Extracted: 10-09-02
Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	60.3	1.7
Ethylbenzene	77.8	1.5
p,m-Xylene	410	2.2
o-Xylene	231	1.0
Total BTEX	779	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Feasel, Fred H #1 Compressor Pit Grab Sample.


Analyst


Review