
Fem 3160-5

UNITED STATES


FORM APPROVED OMB No. 1004-0135

DEPARTMENT OF THE INTERIOR			Expires January 31, 2004	
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS			5. Lease Serial No. NMNM28709	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name	
SUBMIT INTERIPLICATE Other instructions on neverse side			7. If Unit or CA/Agreement, Name and/or No.	
Oil Well 🗹 Gas Well 🗌 Other			8. Well Name and No. Divide #1	
2. Name of Operator McElvain Oil and Gas Properties, Inc.			9. API Well No.	
3a. Address 1050 17th Street #1800 Denver, CO 80265		3b. Phone No. (include area cade) 303-893-0933		30-039-22830 10. Field and Pool, or Exploratory Area
4. Location of Well (Pootage, Sec., T., R., M., or Survey Description		<u> </u>		Blanco Mesaverde & Gavilan Mancos
1570' FNL & 1030' FEL Sec. 35 T26N R2W				11. County or Parish, State Rio Arriba, NM
12. CHECK AP	PROPRIATE BOX(ES) T	O INDICATE NATU	RE OF NOTICE, R.	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent Subsequent Report	Acidize Alter Casing Casing Repair	Deepen Fracture Treat New Construction	Production (Start Reclamation Recomplete	UResume) Water Shut-Off Well Integrity Other
Final Abandonment Notice	Change Plans Convert to Injection	✓ Plug and Abandon✓ Plug Back	☐ Temporarily Ab ☐ Water Disposal	andon
If the proposal is to deepen din Attach the Bond under which I following completion of the in- testing has been completed. F determined that the site is ready Set CIBP at 7213'. Cap Set CIBP at 5772'. Press	extionally or recomplete horizont he work will be performed or prolved operations. If the operation in Abandonment Notices shall for final inspection.) with 50' of cement (2 rusure tested well to 600 psure tested well to 550 psure tested well to	ally, give subsurface location of the Bond No. on file on results in a multiple combe filed only after all requires with dump bailer osi, for 30 min. Cap	ons and measured and true with BLM/BIA. Requireletion or recompletion direments, including rectar). The ped plug with 50'	ny proposed work and approximate duration thereous vertical depths of all pertinent markers and zone irred subsequent reports shall be filed within 30 day in a new interval, a Form 3160-4 shall be filed one amation, have been completed, and the operator has of cement via dump bailer. Of cement via dump bailer.
 I hereby certify that the foregon Name (Printed/Typed) 	-	<u> </u>		
John	D. Steuble	Title	Engineering Mana	ager
Signature John J.	Steuble	Date	6/23/04	
	THE SPACE	FORFEDERALTORS	TATE OFFICE USE	
Approved by	Ste		Multi-Resou	urces Date AUG 1 7 2004
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal of equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



22 Jun 2004 File: Divide1.FinalPA.WP4



22 Jun 2004 File: Divide1.FinalPA.WP4