District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT 30 -045-72265

Operator: Burlington Resources Telephone: 505-326-9841 Address: 3401 East 30th St., Farmington, NM 87402 Facility Or: DAVIS Well No: 5A Pit No: 2 Well Name Location: Unit or Qtr/Qtr Sec N Sec <u>03</u> T 031N R 012W County San Juan Pit Type: vent (Separator, Dehydrator, Tank, Vent, Other) Land Type: BLM (BLM, State, Fee, Other) Pit Location: Pit Dimension length 12 width 12 depth 3 Reference: wellhead Other Footage from reference: 66 Direction from reference (azimuth): 210 degrees Depth To Ground Water: (Vertical distance from Less than 50 feet contaminants to seasonal (20 points) 50 feet to 99 feet (10 points) high water elevation of Greater than 100 feet ground water.) (0 points) 0 Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than OIL COM. DIV. Yes (20 points) 1000 feet from all other water No (0 points) 0 sources.) فيحته والمنتهي وواران أأوار والمتعارفة المنتفر والمتعارف والمتعارف المتعارف Distance to Surface Water: (20 points) Less than 200 feet (Horizontal distance to perennial 200 feet to 1000 feet (10 points) lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0irrigation canals and ditches.)

RANKING SCORE (TOTAL POINTS): 0

Davis 5A (P. +2) Date completed: Depth: Sample time 12:05:00 PM

Date Remediation Started: 3/14/2002 Excavation _____ Approx. cubic yards: ____ Remediation Method: (Check all appropriate Landfarmed _____ Insitu Bioremediation ____ sections.) Other _____ Onsite _____ Offsite _____ Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility) General Description of Remedial Action: The lab data from the initial assessment of the pit is detailed below. The pit is NOT located inside the OCD defined Vulnerable Area. Based upon the attached RISK ANALYSIS, it is proposed to close the pit by backfilling with clean soils. Ground Water Encountered: No (yes or no) Final Pit: Sample location side nearest sep Closure Sampling: (if multiple samples, Sample depth 3 attach sample results Sample Date 3/14/2002 and diagram of sample locations and depths) Sample Results: Benzene(ppm) 7 Total BTEX(ppm) 275 Field Headspace(ppm) 1107 TPH 3719 Ground Water Sample: No (If yes, attach sample results) I hereby certify that the information above is true and complete to the best of my knowledge and belief. 2/26/03 Date:____ Title: Environmental Specialist Printed Name: Ed Hasely

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was total BTEX, which exceeded 50 ppm. The benzene and Total Petroleum Hydrocarbons (TPH) levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

DAVIS 5A 1162401-2

Lab ID:

0302W01009

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/28/02

Date Sampled: 03/14/02 Date Received: 03/15/02

Date Extracted: N/A

Parameter	Analytical Result	PQL	Units
BTEX - METHOD 8021B			
Benzene	7	5	mg/Kg
Toluene	53	5	mg/Kg
Ethylbenzene	21	5	mg/Kg
Xylenes (total)	195	15	mg/Kg
Total BTEX	275	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	2,238	50	mg/Kg
Diesel Range Organics (C10 - C22)	1,481	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	3,719	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating

Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By: