District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 copy to
appropriate
District Office
and 1 copy to

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

THINEMEDIATION AND OLOGONE INCIDENT	
Operator: Burlington Resources Telephone: 505-326-9841	
Address: 3401 East 30th St., Farmington, NM 87402	
Facility Or: MOORE Well No: 3 Pit No: 2 Well Name	
Location: Unit or Qtr/Qtr Sec J Sec 35 T 032N R 012W County San Juan	
Pit Type: tank (Separator, Dehydrator, Tank, Vent, Other)	
Land Type: Fee (BLM, State, Fee, Other) 30 - 045 - 24 574	
Pit Location: Pit Dimension length 15 width 15 depth 3	
Reference: wellhead Other	
Footage from reference: 140	
Direction from reference (azimuth): 30 degrees	
Depth To Ground Water:	
(Vertical distance from contaminants to seasonal Less than 50 feet (20 points)	
contaminants to seasonal Less than 50 feet (20 points) high water elevation of 50 feet to 99 feet (10 points)	
ground water.) Greater than 100 feet (0 points)	
Wellhead Protection Area:	
(Less than 200 feet from a private	
domestic water source, or; less than 1000 feet from all other water Yes (20 points)	
sources.) No (0 points) $\underline{0}$	
Distance to Surface Water:	
(Horizontal distance to perennial Less than 200 feet (20 points)	
lakes, ponds, rivers, streams, creeks, 200 feet to 1000 feet (10 points)	
irrigation canals and ditches.) Greater than 1000 feet (0 points) $\underline{0}$	
RANKING SCORE (TOTAL POINTS): 0	

Date Remediation Started	l: <u>3/14/2002</u>	Date completed:
Remediation Method:	Excavation	Approx. cubic yards:
(Check all appropriate sections.)	Landfarmed _	Insitu Bioremediation
,	Other	
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite	Offsite
		The lab data from the initial assessment of the pit red inside the OCD defined Vulnerable Area. Based
		t is proposed to close the pit by backfilling with
Ground Water Encountered	ed: No (yes	or no) Depth:
Final Pit: Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)	Sample depth	tion <u>center of pit</u> h <u>3</u> c <u>3/14/2002</u> Sample time <u>4:35:00 PM</u>
ioomiono una coper,	Sample Resul	ılts:
	Benzene()	(ppm) <u><5</u>
	Total BTI	EX(ppm) <u>46</u>
	Field Hea	adspace(ppm) 121
	TPH <u>909</u>	<u>91</u>
Ground Water Sample: N	(If yes,	attach sample results)
belief.	ıformation above	e is true and complete to the best of my knowledge and
Date: 2/21/03		Signature 2//tesel
Title: Environmental Sp	pecialist	Printed Name: Ed Hasely

RISK ANALYSIS FOR EARTHEN PIT CLOSURE

Burlington Resources requests closure of the earthen pit at this location using a limited risk analysis based upon the following conditions:

- 1. The pit is <u>not</u> located inside the NMOCD defined Vulnerable Areas.
- 2. Groundwater is estimated to be at a depth greater than 100 feet.
- 3. The pit is <u>not</u> located within the Wellhead Protection Area within 200 feet of a private domestic water source or within 1000 feet of all other water sources.
- 4. The pit is located greater than 1000 feet to surface water.
- 5. The soils from below the pit bottom were analyzed and the only parameter above NMOCD closure guidelines was the Total Petroleum Hydrocarbons (TPH) and the TPH level was less than 10,000 ppm. The field headspace or the benzene/total BTEX levels were within the NMOCD closure guidelines.

Burlington Resources believes that the earthen pit poses minimal threat to groundwater, human health and the environment.

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

MOORE 3 4831101-2

Lab ID:

0302W01019

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 03/28/02

Date Sampled: 03/14/02

Date Received: 03/15/02

Date Extracted: N/A

	Analytical		
Parameter	Result	PQL	Units
BTEX - METHOD 8021B			
Benzene	<5	5	mg/Kg
Toluene	10	5	mg/Kg
Ethylbenzene	<5	5	mg/Kg
Xylenes (total)	33	15	mg/Kg
Total BTEX	46	30	mg/Kg
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	426	50	mg/Kg
Diesel Range Organics (C10 - C22)	8,665	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	9,091	100	mg/Kg

Reference: Method 8021b, Volatile Organic Compounds, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, United States Environmental

Protection Agency, SW-846, Volume IB.

Reviewed By:

William Lipos

Analyst: