State of New Mexico Submit-3 Copies to Appropriate Energy, Minerals and Na Resources Department Form C-103 District Office Revised 1-1-89 DISTRICT I OIL CONSERVATION DIVISION WELL API NO. P.O. Box 1980, Hobbs, NM 88240 2040 Pacheco St. 30-045-05424 **DISTRICT II** 5. Indicate Type of Lease Santa Fe, NM 87505 P.O. Drawer DD, Artesia, NM 88210 FEE | DISTRICT III 6. State Oil & Gas Lease No 1000 Rio Brazos Rd., Aztec, NM 87410 E-6597 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PORPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS) Central Bisti Unit 1. Type of Well: OIL X GAS OTHER 2. Name of Operator 8. Well No. # 69 Elm Ridge Resources, Inc. 9. Pool name or Wildcat 3. Address of Operator PO Box 156 Bloomfield, NM 87413 Bisti Lower Gallup 4. Well Location 2279 Unit Letter B 960 Feet From The North Line and Feet From The East Line 25N Range 12W **NMPM** San Juan County Section 16 Township 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 6243 DF Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT TEMPORARILY ABANDON **CHANGE PLANS PULL OR ALTER CASING** CASING TEST AND CEMENT JOB OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent date, including estimated date of starting any proposed Elm Ridge Resources, Inc. plans to Plug and Abandon the above referenced well as follows: (Please see attached sheet.) NOTIFY AZTEC OCD IN TIME TO WITNESS SIGNATURE Production Assistant DATE 09/16/04 TYPE OR PRINT NAME Amy Mackey TELEPHONE NO. 505-632-3476 ext. 201 DEPUTY ON A GAS INSPECTION, DIST. \$3 SEP 20 2004 (This space for State Use) APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:

Plug and Abandon Procedures for the CBU # 69

Plug 1) Retainer @ 4730'. Pump 75 sks of cement. Leave sks on top. | 1 995-1895 1 995-1895 Plug 2) 1755'-1855' annulus and inside casing. Pelf Plug 3) $\frac{1410-1500}{1350^{\circ}-1450}$ annulus and inside casing. **Pol**

Plug 4) $\frac{1070-1170}{1020}$ annulus and inside casing. Pat

Plug 5) 670 -770 annulus and inside casing. Pelf

Plug 6) 240' – Surface annulus and inside casing.

Cut off wellhead, place marker, and reclaim location.