<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexigo

Form C-144
Energy Minerals and Natural Resources V 2000

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.


1220 South St. Francis Dr.

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes X No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: _Koch Exploration Company, LLC Telephone: _(505) 334-9111e-mail address: _clark23j@kochind.com or johnso4d@kochind.com Address: _PO Box 489, Aztec, NM 87410		
Facility or well name:Heard Com 20 1AAPI #: _30-045-31	824 U/L or Otr/Otr P Sec 20 1	Γ 28N R 10W
County: San Juan Latitude 36.38.33 Longitude 107.54.48 NAD: 1927 1983 Surface Owner Federal X State Private Indian		
county: _curvature		
Pit	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Workover Emergency		
Lined X Unlined		
Liner type: Synthetic 🔀 Thickness 12 mil Clay 🗌		
Pit Volumebbl	7 70 6	T (20
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	X 100 feet or more	(0 points) 0 points
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
•	X No	(0 points) 0 points
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	X Less than 200 feet	(20 points) 20 points
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	20 points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🛛 offsite If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🗔 If yes, show depth below ground surface ft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Auditorial Committies.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit of an (attached) alternative OCI approved plan.		
Printed Name/Title_John Clark, District Superintendent Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: OSPUTY OIL & GAS INSPECTOR, DIST. TO Printed Name/Title		

KOCH EXPLORATION COMPANY LLC Heard Com 20 1A Sec 20, T28N, R10W 715' FSL & 985' FEL - ELEVATION 6101'



Heard Com 20 #1A

Sec. 20, T28N, R10W, 715' FSL & 985 FEL San Juan Co., New Mexico API No. 30-045-31824 Lease No. SF 047039A

Upon completion of drilling/completion remaining liquids were removed from pit by truck to an approved disposal facility.

Prior to closing the pit, liner was cut off at mud level. The excess liner was hauled to a licensed disposal.

October 12 through October 15, 2004 the remaining waste in pit was encapsulated. This was accomplished by covering the remaining waste and liner with earthen materials. Surface area where pit was located was contoured according to BLM requirements, and reseeded with recommended BLM seed mixture.