

0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	100.00	-0.04	0.07	285.97	0.02	-0.06	0.07
199.90	199.90	-0.03	0.23	222.54	-0.11	-0.25	0.21
299.10	299.10	0.40	0.43	154.70	-0.60	-0.23	0.41
400.00	399.89	4.67	4.42	148.88	-4.27	1.94	3.96
500.20	499.58	14.65	7.02	150.04	-12.88	7.00	2.60
600.30	598.57	29.41	9.95	153.00	-25.89	13.98	2.96
700.40	696.71	49.08	12.74	152.38	-43.38	23.02	2.79
800.40	794.18	71.39	13.07	152.77	-63.20	33.31	0.34
850.00	842.51	82.55	12.97	152.04	-73.11	38.49	0.39
900.10	891.32	93.83	13.06	152.39	-83.09	43.75	0.24
950.20	940.10	105.24	13.30	153.45	-93.26	48.95	0.68
1000.10	988.65	116.72	13.38	153.98	-103.58	54.04	0.29
1050.10	1037.29	128.29	13.43	154.05	-114.00	59.12	0.11
1100.20	1086.02	139.91	13.46	153.75	-124.46	64.25	0.15
1150.10	1134.54	151.52	13.50	153.52	-134.88	69.41	0.13
1200.10	1183.16	163.16	13.48	153.00	-145.30	74.66	0.25
1250.30	1231.99	174.79	13.34	152.81	-155.66	79.96	0.29
1300.30	1280.64	186.34	13.42	153.39	-165.98	85.20	0.31
1350.00	1328.97	197.90	13.57	155.76	-176.46	90.17	1.15
1400.10	1377.65	209.68	13.75	155.74	-187.24	95.03	0.36
1450.30	1426.40	221.60	13.88	155.55	-198.16	99.98	0.27
1500.10	1474.75	233.47	13.82	154.98	-208.99	104.97	0.30
1550.00	1523.26	245.15	13.32	153.04	-219.51	110.09	1.35
1600.00	1571.91	256.67	13.35	152.32	-229.76	115.39	0.34
1650.10	1620.66	268.19	13.25	152.03	-239.95	120.77	0.24
1700.00	1669.24	279.58	13.16	152.77	-250.06	126.05	0.38
1750.10	1718.05	290.88	12.96	153.48	-260.15	131.16	0.51
1800.20	1766.86	302.15	13.10	153.68	-270.27	136.19	0.29
1850.20	1815.55	313.49	13.17	153.63	-280.45	141.23	0.14
1900.30	1864.43	324.48	12.20	151.86	-290.23	146.26	2.09
1950.10	1913.13	334.86	11.86	151.04	-299.35	151.22	0.76
2000.10	1962.09	345.03	11.62	150.08	-308.21	156.22	0.62
2050.70	2011.64	355.26	11.70	150.11	-317.08	161.32	0.16
2100.00	2059.89	365.37	11.98	150.30	-325.85	166.35	0.57
2150.00	2108.77	375.93	12.41	151.59	-335.09	171.47	1.02
2200.10	2157.65	386.88	12.87	153.03	-344.80	176.57	1.11
2250.20	2206.49	398.05	12.93	154.27	-354.82	181.53	0.57
2300.10	2255.12	409.18	12.94	154.86	-364.90	186.33	0.27
2350.00	2303.76	420.1	12.92	154.81	-375.01	191.08	0.05

#####;
 ; S C I E N T I F I C D R I L L I N G I N T E R N A T I O N A L :
 #####<

Inrun Survey
 for
 Devon Energy Corp

Page 2

Well No.: Nebu-42A

Date : 05-AUG-04

Job No. : 41K0804316

True

Proposal : 155.00

Depth (Feet)	T.V.D. (Feet)	V.S. (Feet)	Inc Deg.	Azimuth Deg.	Latitude (Feet)	Departure (Feet)	D-leg /100
2399.40	2351.91	431.28	12.84	154.83	-384.98	195.76	0.16
2400.00	2352.50	431.41	12.76	154.80	-385.10	195.82	13.38
2450.10	2401.35	442.50	12.90	154.57	-395.15	200.57	0.30
2500.10	2450.08	453.63	12.90	154.21	-405.22	205.40	0.16
2550.20	2498.92	464.80	12.93	153.35	-415.26	210.35	0.39
2600.10	2547.54	476.00	13.05	152.36	-425.24	215.47	0.51
2650.10	2596.26	487.24	12.94	152.58	-435.21	220.66	0.24
2700.20	2645.07	498.51	13.10	152.65	-445.24	225.85	0.32
2750.10	2693.70	509.68	12.79	152.58	-455.16	231.00	0.62
2800.40	2742.76	520.76	12.69	152.56	-465.01	236.10	0.20
2850.20	2791.36	531.63	12.55	152.09	-474.64	241.16	0.35
2900.30	2840.37	542.04	11.45	151.89	-483.84	246.05	2.20
2950.10	2889.24	551.57	10.62	153.06	-492.29	250.46	1.73
3000.40	2938.79	560.21	9.21	153.62	-500.03	254.35	2.81
3050.10	2987.88	567.96	8.77	154.17	-507.00	257.76	0.90
3100.10	3037.34	575.29	8.16	155.18	-513.65	260.91	1.26
3150.10	3086.91	581.76	6.76	155.96	-519.56	263.60	2.81
3200.00	3136.53	586.97	5.30	155.19	-524.34	265.77	2.93
3300.20	3236.43	594.72	3.61	156.06	-531.42	268.99	1.69
3400.10	3336.21	599.32	1.79	169.62	-535.83	270.55	1.92
3500.20	3436.29	601.28	0.66	182.05	-537.95	270.81	1.15
3600.70	3536.78	602.10	0.55	196.67	-538.99	270.65	0.19
3700.20	3636.28	602.80	0.55	188.77	-539.91	270.44	0.08
3801.00	3737.07	603.55	0.59	193.50	-540.90	270.24	0.06
3901.00	3837.07	604.11	0.54	217.47	-541.77	269.84	0.24
4000.80	3936.87	604.40	0.23	205.52	-542.33	269.46	0.32
4100.00	4036.07	604.49	0.11	254.47	-542.53	269.29	0.18
4200.10	4136.17	604.16	0.36	341.46	-542.26	269.09	0.37
4300.10	4236.16	603.30	0.63	338.38	-541.45	268.79	0.27
4399.90	4335.96	602.24	0.60	328.65	-540.49	268.32	0.11
4500.40	4436.45	601.31	0.47	338.99	-539.66	267.90	0.16
4600.00	4536.05	600.60	0.36	346.65	-538.97	267.68	0.12
4700.40	4636.45	600.11	0.22	316.16	-538.53	267.47	0.20
4800.00	4736.05	599.87	0.07	353.70	-538.33	267.33	0.17
4900.10	4836.15	599.66	0.18	322.61	-538.14	267.23	0.13
5000.20	4936.25	599.54	0.24	70.02	-537.95	267.33	0.34
5100.90	5036.94	599.47	0.16	6.92	-537.74	267.55	0.22
5200.10	5136.14	599.51	0.56	78.85	-537.50	268.04	0.54
5300.00	5236.04	600.03	0.49	182.05	-537.84	268.50	0.82
5400.10	5336.14	600.61	0.35	194.04	-538.56	268.41	0.16

The Horizontal Displacement (in Feet) at
Measured Depth 8200.50 is 608.64 in a Direction of 152.84 Degrees