(August 1999)

TYPE OF SUBMISSION

Notice of Intent

Subsequent Report

determined that the site is ready for final inspection.)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED 1004-0135

Expires: November 30, 2000

Lease Serial No SUNDRY NOTICES AND REPORTS ON WE

Do not use this form for proposals to drill or to re-enter abandoned well. Use Form 3160-3 (APD) for such propo

Acidize

Altering Casing

Casing Repair

Change Plans

NOO-C-14-20-4324

NAVAJO ALLOTTED

Water Shut-off

Well Integrity

6 : If Indian, Allottee, or Tribe Name

	1
SUBMIT IN TRIPLICATE- Other Instructions on the reverse side minglo	7. If Unit or CA. Agreement Designation
I. Type of Well Oil Well X Gas Well Other	Well Name and No.
2. Name of Operator Coleman Oil & Gas. Inc.	Chaco Plant #17Y
Coleman Oil & Gas, Inc.	9. API Well No.
3a. Address 3b. Phone No. (include area code)	30-045-30971
P.O. Drawer 3337, Farmington, NM 87499 👙 🚽 🛂 505-327-0356	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	WAW Fruitland Sand/Pictured Cliffs
	11. County or Parish, State
1795' FNL and 975' FEL SEC 14, T26N, R12W/NMPM	San Juan NM
12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA

TYPE OF ACTION

Reclamation

Recomplete

Production (Start/ Resume)

Temporarily Abandon

Final Abandonment Notice Convert to Injection _ Plug back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details including estimated starting date of any proposed work and approximate duration thereof If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths or pertinent markers and sands. Attach the Bond under which the work will performed or provide the Bond No. on file with the BLM/ BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notice shall be filed only after all requirements, including reclamantion, have been completed, and the operator has

__ Deepen

Fracture Treat

New Construction

Plug and abandon

SPUD WELL APRIL 7, 2003 @ 1:00 PM. DRILLED 8 3/4" HOLE TO 140 FT. GL. RAN 3 JTS OF 7" 20# J-55 ST&C NEW CASING. RAN A TOTAL FOOTAGE OF 133.32 FT. AND LANDED @ 134.32 FT. GL. CEMENTED W/ 60 SACKS CLASS B W/ 2% CALCIUM CHLORIDE AND 1/4# PER SACK CELLOFLAKE. CIRCULATED 4.5 BARRELS OF CEMENT TO RESERVE PIT. NIPPLED UP BOP AND MANIFOLD. PRESSURE TESTED BOP, MANIFOLD AND CASING TO 600 PSIG. DRILLED 6 1/4" HOLE TO 1470 FT. GL. TD WELL @ 1470 FT.GL @ 3:00 PM ON APRIL 10, 2003. RAN A TOTAL OF 34 JTS 4 1/2" 10.50#/FT ST&C J-55. LANDED CASING AT 1462.91 FT. GL. CEMENTED W/ 110 SACKS 10.0# LiteCRETE, 2# PER BARREL CemNET. TAILED W/ 30 SACKS 12.5# LiteCRETE. CIRCULATED 10 BARRELS OF CEMENT TO SURFACE.

NO OPEN HOLE LOGS WERE RUN. 14. I hereby certify that the foregoing is true and correct. Name (Printed/ Typed) Title MICHAEL T. HANSON **ENGINEER** ACCEPTED FOR RECORD Signature Date April 22, 2003 THIS SPACE FOR FEDERAL OR STATE OFFICE USE Title FARMINGIUM FIELD OFFIC Conditions of approval, if any are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 AND Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitiousor fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Schlumberger

Well Services 3106 Bloomfield Highway Farmington NM 87401 Tel 505 325 5096 Fax 505 327 0317

Fax

To: Mike Honson	From:
Fax: 327-9425	Pages: 7 Including coversheet
Phone:	Date:
Subject: 12.5 # 72 hrs,	Compressives

