Submit 3 Copies To Appropriate District	State of New Mexico		Form C-103
Office District I	Energy, Minerals and Natural Resources		May 27, 2004
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO. 30-045-32429 New Well
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Type of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE FEE
District IV	Santa Fe, NM 87505		6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505			
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name
	OO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A OFFICIAL OF TO SERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		Florance Q
PROPOSALS.)		(BLM NM 03541)	
1. Type of Well: Oil Well	Gas Well 🛛 Other 🔑 🖟 🔑 👸		8. Well Number 1 S
2. Name of Operator	90		9. OGRID Number
BP AMERICA PRODUCTION	COMPANY		000778
3. Address of Operator	100		10. Pool name or Wildcat
P.O. BOX 3092 HOUSTON, TX	77079-2064	~~~	Basin Fruitland Coal
4. Well Location			
Unit Letter I: 1770 feet from the South line and 1280 feet from the East line			
Section 29	Township 28N	Range 08W	NMPM SAN JUAN County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
5903' Pit or Below-grade Tank Application ⊠ or Closure □			
Pit type_DRILLINGDepth to Groundwater > 100' Distance from nearest fresh water well > 1000' Distance from nearest surface water > 1000'			
	Below-Grade Tank: Volume 95		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🔲	REMEDIAL WOR	
TEMPORARILY ABANDON		LLING OPNS. P AND A	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	T JOB
OTHER: LINED DRILLING PIT	×	OTHER:	П
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date			
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion			
or recompletion.			
Construct a lined drilling pit per BP America - San Juan Basin Drilling/ Workover Pit Construction Plan issued date of			
11/17/2004. Pit will be closed according to closure plan on file.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-			
grade tank has been/will be constructed or closed according to NMOCD guidelines \(\sigma\), a general permit \(\sigma\) or an (attached) alternative OCD-approved plan \(\sigma\).			
SIGNATURE (hah 97 / / / / / / / / / / / / / / / / / /			
SIGNATURE TITLE Regulatory Analyst DATE 01/20/05			
Type or print name Cherry Hlava E-mail address: hlavacl@bp.com Telephone No. 281-366-4081			
For State Use Only			
APPROVED BY: A SENSE FEB 1 4 2005			
APPROVED BY: TITLE DATE Conditions of Approval (if any):			
Conditions of Approval (II ally):	•		

36,63 PAD LAYOUT PLAN & PROFILE 107.69972 BP AMERICA PRODUCTION COMPANY Florance Q # 1S 1770' F/SL 1280' F/EL Lat: 36°37'48" Long: 107°41'59" SEC. 29, T28N, R8W, N.M.P.M. SAN JUAN COUNTY, NEW MEXICO В C А © C' 8' (5) C 5 PROPOSED FLARE PIT **PROPOSED** RESERVE PIT 11/1/1/1/30,7/ Existing Adcess Road Mud Tanks Existing Tank 4 ELEV. 5903 Č O' N 64° W 150 С Draw Works 150 LAYDOWN ^存Existing Wellhead 2 230' Existing Separator EXISTING NOTE: Existing production equipment shall be removed prior to construction & drilling. @ CO' 150 150 300 B' Reserve Pit Dike - Should be 8' above Deep side (overflow - 3' wide & 1' above shallow side) flore Pit - Overflow pipe should be halfway between top and bottom and extend over plastic liner and into flare pit. -400' CONSTRUCTION ZONE Scale: 1"=60"-Horiz. Area of Construction Zone - 330'x400' or 3.03 ocres, more or less Α-Δ' 5910 5900 NOTE: Contractor should call One-Call for location 5890 of any marked or unmarked buried pipelines or cables on well pad and/or access raad at least two (2) working days prior to construction. 5880 B-B 5910 Cuts and fills shown are approximate - final finished 5900 elevation is to be adjusted so earthwork will balance. Corner stakes are approximate and do not 5890 include additional areas needed for sideslopes and drainages. 5880 Final Pad Dimensions are to be verified by Contractor. C-C, 5910 5900 VANN SURVEYS 5890 P. O. Box 1306 5880 Farmington, NM