<u>District I</u> 1625 N French Dr., Hobbs, NM 88240 State of New Mexico
Energy Minerals and Natural Resources

Form C-144 July 21, 2008

District II

1301 W Grand Ave , Artesia, NM 88210

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Department

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

<u>District III</u> 1000 Rio Brazos Rd , Aztec, NM 87410 <u>District IV</u>

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office
	Pit, Closed-Loop System, Below-G	
Propo	osed Alternative Method Permit or C	Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade X Closure of a pit, closed-loop system, below-grade Modification to an existing permit Closure plan only submitted for an existing p below-grade tank, or proposed alternative me	ermitted or non-permitted pit, closed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed	d-loop system, below-grade tank or alternative request
environment Nor does approval reli	f this request does not relieve the operator of liability should operative the operator of its responsibility to comply with any other applications.	
Operator Burlington Resources Oi	il & Gas Company, LP	OGRID# 14538
Address PO Box 4289, Farmingto	on, NM 87499	
Facility or well name: SCHUMACI	HER 9	
API Number: 3	0-045-09438 OCD Permit N	fumber
U/L or Qtr/Qtr N(SE/SW) Section Center of Proposed Design Latitude Surface Owner: X Federal	e <u>36.80707</u> °N Longitude	10W County: San Juan
Permanent Emergency C Lined Unlined L String-Reinforced	rkover Cavitation P&A iner type Thickness mil LLDPE actory Other Volume	HDPE PVC Other
Type of Operation X P&A Drying Pad X Above Grou Lined Unlined Line	notice of intent) and Steel Tanks Haul-off Bins Other	lies to activities which require prior approval of a permit or HDPE PVD Other
	I of 19 15 17 11 NMAC obl Type of fluid etection Visible sidewalls, liner, 6-inch lift an Visible sidewalls only Other mil HDPE PVC Other	
5 Alternative Method: Submittal of an exception request is rec	quired Exceptions must be submitted to the Santa Fe Ei	nvironmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instituted in the proof of the light, four strands of barbed wire evenly spaced between one and four feet alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Other	ution or church)
Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	deration of app	roval
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval		
Siting Criteria (regarding permitting) 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No
 Visual inspection (certification) of the proposed site; Aerial photo, Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No
Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15 17 9 NMAC		
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9		
NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC		
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
14 Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		
The regentation ran based upon the appropriate requirements of subsection for 17 13 17 13 17 13 17 13		

Form C-144 Oil Conservation Division Page 3 of 5

16		ļ		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul- Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cu	off Bins Only:(19 15 17 13 D NMAC) utings Use attachment if more than two			
facilities are required				
Disposal Facility Name Disposal Facility Permit #		İ		
•				
Will any of the proposed closed-loop system operations and associated activities occur on or Yes (If yes, please provide the information No	in areas that will nbe used for future service and			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of accertain siting criteria may require administrative approval from the appropriate district office or may be considered a office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to	in exception which must be submitted to the Santa Fe Environmental			
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - tWATERS database search, USGS Data obtained from nearby		No		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes]No		
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby		,		
Ground water is more than 100 feet below the bottom of the buried waste	Yes T]No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby	wells N/A	•		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse (measured from the ordinary high-water mark)	or lakebed, sınkhole, or playa lake]No		
- Topographic map, Visual inspection (certification) of the proposed site		1		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the tire. Visual inspection (certification) of the proposed site, Aerial photo, satellite image		JNo 15.		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households of purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of a NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed in the state of the state Engineer - iwater well or spring that less than five households of the state of the	f the initial application	JNo		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended]No		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland]No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine		l _{No}		
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division]		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources,	USGS, NM Geological Society,]No		
Topographic map Within a 100-year floodplain - FEMA map	Yes]No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following by a check mark in the box, that the documents are attached.	z items must bee attached to the closure plan. Please	indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements	of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection	on F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NI				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5726/201 Title: OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are a equired to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date: 3/25/2010
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Japan Date 3/24/2011
e-mail address <u>crystal tafoya@conocophilips com</u> Telephone (505) 326-9837

. . .