District I

 $1625\;N\;$  French Dr , Hobbs, NM  $88240\;$ 

District II

1301 W Grand Ave , Artesia, NM 88210

District III

 $1000\;Rio\;Brazos\;Rd\;,\;Aztec,\;NM\;\;87410$ 

District IV

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Prit. Closed-Loop System. Below-Grade Tank. or Proposed Alternative Method Permit or Closure Plan Application    Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method	1220 S St Francis Dr , Santa Fe, NM 87505		appropriate NMOCD District Office
Type of action:			
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method   Modification to an existing permit   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method   Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request   Please be advised that approval of this request does not relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances   Operator:   Burlington Resources Oil & Gas Company, LP   OGRID#:   14538   Address:   PO Box 4289, Farmington, NM 87499   Pacility or well name:   SAN JUAN 27 4 UNIT 62   API Number:   30-039-20732   OCD Permit Number   U/L or Qtr/Qtr:   E(SW/NW)   Section:   26   Township:   27N   Range   4W   County:   Rio Arriba   Center of Proposed Design:   Latitude:   36.5472   °N   Longitude:   107.22618   °W   NAD:   X 1927   1983   Surface Owner:   X Federal   State   Private   Tribal Trust or Indian Allotment     Private   String-Reinforced   Lined   Unlined   Liner type   Thickness   mil   LLDPE   HDPE   PVC   Other   String-Reinforced   Liner Seams   Welded   Factory   Other   Volume   bbl   Dimensions L   x W   x D       X   Closed-loop System:   Subsection H of 19 15 17 11 NMAC   Type of Operaton   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other     Other	Propo	sed Alternative Method Permit or Clo	osure Plan Application
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances    Operator: Burlington Resources Oil & Gas Company, LP	Type of action:	X Closure of a pit, closed-loop system, below-graded Modification to an existing permit Closure plan only submitted for an existing permits.	de tank, or proposed alternative method mitted or non-permitted pit, closed-loop system,
Operator:   Burlington Resources Oil & Gas Company, LP   OGRID#:   14538			•
Address: PO Box 4289, Farmington, NM 87499  Facility or well name: SAN JUAN 27 4 UNIT 62  API Number: 30-039-20732 OCD Permit Number  U/L or Qtr/Qtr: E(SW/NW) Section: 26 Township: 27N Range: 4W County: Rio Arriba  Center of Proposed Design: Latitude: 36.5472 °N Longitude: 107.22618 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment  2 Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  3 X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other			· · ·
API Number: 30-039-20732 OCD Permit Number  U/L or Qtr/Qtr: E(SW/NW) Section: 26 Township: 27N Range: 4W County: Rio Arriba  Center of Proposed Design: Latitude: 36.5472 °N Longitude: 107.22618 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment  Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	Operator: Burlington Resources Oil	& Gas Company, LP	OGRID#: 14538
API Number: 30-039-20732 OCD Permit Number  U/L or Qtr/Qtr: E(SW/NW) Section: 26 Township: 27N Range: 4W County: Rio Arriba  Center of Proposed Design: Latitude: 36.5472 °N Longitude: 107.22618 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment  2 Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  3 Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	Address: PO Box 4289, Farmington	n, NM 87499	
U/L or Qtr/Qtr: E(SW/NW) Section: 26 Township: 27N Range: 4W County: Rio Arriba  Center of Proposed Design: Latitude: 36.5472 °N Longitude: 107.22618 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment  2 Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  3 Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation: X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	Facility or well name: SAN JUAN 2	7 4 UNIT 62	
Center of Proposed Design: Latitude: 36.5472 °N Longitude: 107.22618 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment  2 Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  3 Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	API Number: 30	-039-20732 OCD Permit Num	nber
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment    Pit: Subsection F or G of 19 15 17 11 NMAC			
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced  Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  3  X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other			
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced  Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D  3  X Closed-loop System: Subsection H of 19 15 17 11 NMAC  Type of Operation X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	Surface Owner: X Federal	State Private I ribal Trust or Ind	lian Allotment
X   Closed-loop System: Subsection H of 19 15 17 11 NMAC   Type of Operation:   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other	Temporary Drilling Work Permanent Emergency Ca Lined Unlined Lin String-Reinforced	cover avitation P&A ner type Thickness mil LLDPE	
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume	X Closed-loop System: Subsection Type of Operation: X P&A  Drying Pad X Above Groun Lined Unlined Liner	Drilling a new well Workover or Drilling (Applies notice of intent)  and Steel Tanks Haul-off Bins Other	
5	Volume bb Tank Construction material Secondary containment with leak det Visible sidewalls and liner	of 19 15 17 11 NMAC  ol Type of fluid  ection Visible sidewalls, liner, 6-inch lift and a  Visible sidewalls only Other  mil HDPE PVC Other	utomatic overflow shut-off OIL CONS. DIV. DIST. 3
Alternative Method:  Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	Alternative Method:		



Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet	ĺ			
Alternate. Please specify				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8		ļ		
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	leration of appro	oval		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting) 19 15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		'		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	<u> </u>			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake		No		
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial		□No		
application.		Шио		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□NA	;		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No		
<ul> <li>adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> </ul>				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological				
Society, Topographic map Within a 100-year floodplain	Yes	□No		
- FEMA map	🗆	∟		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19 15 17 9 NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
Charles Sustain Burnis Annie Assault Assault Assault Charles and C		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9		
NMAC and 19 15 17 13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC  Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC		
Dike Protection and Structural Integrity Design, based upon the appropriate requirements of 19 15 17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC		
14		
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Weste Evacuation and Demoval Clasure Plan Charklist (10.15.17.12 NMAC) Instructions: Each of the following items must be attracked to the elecure plan		
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC		

Form C-144 Oil Conservation Division

Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two	,			
facilities are required				
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and  Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - ıWATERS database search, USGS, Data obtained from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended				
- Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland	Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine				
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society,	☐Yes ☐No			
Topographic map				
Within a 100-year floodplain - FEMA map	Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print) Title				
Signature Date				
e-mail address Telephone				
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 6/03/2011 Title: Compliance Officer OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [X] Closure Completion Date: 5/5/2011				
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized.				
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B				
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliant to the items below)  X No				
Required for impacted areas which will not be used for future service and operations				
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude Longitude NAD 1927 1983				
25				
Operator Closure Certification:  Thereby partify that the information and attachments submitted with the closure vaport is two accurate and complete to the best of my provided and heliof. Lalso certify that				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN				
Signature. Date. 5/20/2011				
e-mail address. <u>crystal tafoya@conocophillips com</u> Telephone. (505) 326-9837				