District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
Operator:Williams Production Co, LLC OGRID #: 120782		
Address:PO Box 640, Aztec, NM 87410		
Facility or well name:Rosa Unit #398		
API Number:OCD Permit Number:		
U/L or Qtr/QtrM Section27 Township31N Range04W County:Rio Arriba		
Center of Proposed Design: Latitude36.86626 Longitude107.24641 NAD: ☐ 1927 ☑ 1983		
Surface Owner: State Private Tribal Trust or Indian Allotment		
2.		
∑ Closed-loop System: Subsection H of 19.15.17.11 NMAC		
Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of the permit of the prior approval of a permit or notice of the permit		
Above Ground Steel Tanks or		
Signs: Subsection C of 19.15.17.11 NMAC RECEIVED		
1 1 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
Signed in compliance with 19.15.3.103 NMAC 4. Signed in compliance with 19.15.3.103 NMAC		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number:		
Previously Approved Operating and Maintenance Plan API Number:		
See affached CLP Disposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
6. Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): Tasha-Meador Title: EH&S Coordinator (
Signature: Date: 401/10/18/10		
e-mail address: tasha.meador@williams.com Telephone: 505-634-4241		

OCD Approval: N Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature:	Approval Date: 6/8/201	
Title: Compliance Office	OCD Permit Number:	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	☐ Closure Completion Date:	
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

Williams Production Co., LLC San Juan Basin: New Mexico Assets

Closed-Loop System Plan: Workovers

In accordance with Rule 19.15.17 NMAC, the following plan describes the general Design & Construction, Operation & Maintenance, and Closure of Closed-Loop systems on Williams Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico.

Closed-Loop Design Plan:

The Closed-Loops System will consist of one or more temporary above-ground tank(s) suitable for holding the cuttings and fluids for rig operations and the planned workover activities. The tank(s) will be of sufficient volume to maintain a safe free-board between disposal of the liquids and solids from rig operations. Additional design considerations include:

- 1. The Closed-loop System used by WPX will not entail a drying pad, temporary pit, below-grade tank or sump.
- 2. Fencing is not required for an above-ground closed-loop system.
- 3. It will be signed in compliance with 19.15.3.103 NMAC
- 4. A frac tank will be on location to store water.
- 5. Tanks will be placed on the active and disturbed areas of the well location and within the existing ROW footprint.

Closed-Loop Operations and Maintenance Plan:

The Closed-Loops System will be operated and maintained: to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. The following steps will be followed to attain this goal:

- 1. The liquids will be vacuumed out and disposed of at one of the following facilities depending on the proximity of the well and available disposal volumes Rosa Unit SWD #1 (Order: SWD-916, API:30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 2. Solids in the Closed-Loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 3. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank(s). Only fluids or cutting intrinsic to, used or generated by rig operations will be placed or stored in the tank(s).
- 4. The Division District office will be notified within 48 hours of the discovery of compromised integrity of the Closed-Loop System. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 5. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-Loop Closure Plan:

The Closed-Loops System will be closed in accordance with 19.15.17.13. This will be done by:

- 1. Transporting cuttings and all remaining sludge to Envirotech (Permit Number NM-01-0011) following rig operations.
- 2. Transport for disposal All remaining liquids will be of in one of the following facilities depending on the proximity of the well and available disposal volumes Rosa Unit SWD #1 (Order: SWD-916, API:30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 3. Removal of the tank(s) from the well location as part of the rig move.
- 4. At time of well abandonment, the site will be reclaimed and re-vegetated to preexisting conditions when possible, or as stipulated by the landowner in a surface use agree

Williams Production Co., LLC San Juan Basin: New Mexico Assets

Closed-Loop System Plan: Drilling/Completion/P&A

In accordance with Rule 19.15.17 NMAC, the following plan describes the general Design & Construction, Operation & Maintenance, and Closure of Closed-Loop systems on Williams Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico.

Closed-Loop Design Plan:

The Closed-Loops System will consist of one or more temporary above-ground tank(s) suitable for holding the cuttings and fluids for rig operations and the planned workover activities. The tank(s) will be of sufficient volume to maintain a safe free-board between disposal of the liquids and solids from rig operations. Additional design considerations include:

- 6. The Closed-loop System used by WPX will not entail a drying pad, temporary pit, below-grade tank or sump.
- 7. Fencing is not required for an above-ground closed-loop system.
- 8. It will be signed in compliance with 19.15.3.103 NMAC
- 9. A frac tank will be on location to store water.
- 10. Tanks will be placed on the active and disturbed areas of the well location and within the existing ROW footprint.

Closed-Loop Operations/Maintenance Plan:

The Closed-Loops System will be operated and maintained: to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. The following steps will be followed to attain this goal:

- 6. The liquids will be vacuumed out and disposed of at one of the following facilities depending on the proximity of the well and available disposal volumes Rosa Unit SWD #1 (Order: SWD-916, API:30-039-27055), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 7. Solids in the Closed-Loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 8. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank(s). Only fluids or cutting intrinsic to, used or generated by rig operations will be placed or stored in the tank(s).
- 9. The Division District office will be notified within 48 hours of the discovery of compromised integrity of the Closed-Loop System. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 10. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-Loop Closure Plan:

The Closed-Loops System will be closed in accordance with 19.15.17.13. This will be done by:

- 5. Transporting cuttings and all remaining sludge to Envirotech (Permit Number NM-01-0011) following rig operations.
- 6. Transport for disposal All remaining liquids will be of in one of the following facilities depending on the proximity of the well and available disposal volumes Rosa Unit SWD #1 (Order: SWD-916, API:30-039-27055), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 7. Removal of the tank(s) from the well location as part of the rig move.
- 8. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible, or as stipulated by the landowner in a surface use agreement.