<u>District I</u> 1625 N French Dr., Hobbs, NM 88240 State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

9514
------

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

perator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: DOUTHIT 3	
API Number: 30-045-06213	OCD Permit Number
J/L or Qtr/Qtr: P(SE/SE) Section: 26 Township:	z 27N Range: 11W County: San Juan
Center of Proposed Design: Latitude: 36.54161	<u>°N</u> Longitude: <u>107.96712</u> <u>°W</u> NAD: X 1927 1983
Surface Owner: Federal State X Pri	ivate Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC	
Temporary Drilling Workover	
Permanent Emergency Cavitation P&A	
Lined Unlined Liner type Thickness	mıl LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams Welded Factory Other	Volume bbl Dimensions L x W x D
	Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  il-off Bins Other PVD Other  mil LLDPE HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid	sidewalls, liner, 6-inch lift and automatic overflow shut-off  PVC Other
Tank Construction material.	
Tank Constituction material.	sidewalls, liner, 6-inch lift and automatic overflow shut-off
	nly Other

Fencing: Subsection D of 19 15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
	Subsection B 6(1) 13.17 11 (MARC (Applies to permanent pil, temporary pils, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	tution or chui	rch)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
7 Notice Colored For 10 15 17 11 NMAC (Andrews					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other					
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
	<u> </u>				
8 Signs: Subsection C of 19 15.17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19 15 3 103 NMAC					
9	<u> </u>				
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of an	proval			
(Fencing/BGT Liner)		<b>F</b> · - · ·			
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
10					
Siting Criteria (regarding permitting): 19.15 17 10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
	<u></u>	<del></del>			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	∐Yes	∐No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	□Yes	$\square_{N_0}$			
(measured from the ordinary high-water mark).					
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No			
application.					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	∐NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∏Yes	∏No			
· · · · · · · · · · · · · · · · · · ·		LINO			
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	∏Yes	□No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	∏Yes	□No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		L.110			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	∐ Yes	∐No			
Within the area overlying a subsurface mine.	Yes	No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division					
Within an unstable area,	Yes	∐No			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geological Society, Topographic map</li> </ul>					
Within a 100-year floodplain	Yes	No			
- FEMA map	1				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19 15.17 11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19 15 17.9 NMAC and 19.15 17.13 NMAC			
Previously Approved Design (attach copy of design)  APIor Permit			
Closed Loss Systems Promits Application Associated by the Chapter of the Chapter			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
X   Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19 15 17.13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15 17 13 NMAC			
Closure Than - based upon the appropriate requirements of subsection e of 15.13 17.5 (WiVice and 15.13 17.15) (WiVice and 15.13 17.15)			
14   Proposed Closure: 19 15 17 13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative			
Proposed Closure Method Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	Steel Tanks or Hauloff Rins Only: (19 15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, dril facilities are required		,			
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #. NM-01-0011 / NM-01-00	010B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit # NM-01-005				
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No	rities occur on or in areas that will not be used for future	service and			
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of	Subsection G of 19.13 17 13 NWAC				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NN Instructions Each siting criteria requires a demonstration of compliance in the closure p certain siting criteria may require administrative approval from the appropriate district of office for consideration of approval Instifications and/or demonstrations of equivalency	lan Recommendations of acceptable source material are provided office or may be considered an exception which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste	1	Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS Data	obtained from nearby wells				
Ground water is between 50 and 100 feet below the bottom of the buried war - NM Office of the State Engineer - iWATERS database search, USGS, Data of		Yes No			
•	ordanied from hearby wens	∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search, USGS, Data of	obtained from nearby wells	Yes No			
	,				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	inicant watercourse or lakebed, sinkhole, or playa lake	YesNo			
- Topographic map, Visual inspection (certification) of the proposed site					
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church</li> <li>Visual inspection (certification) of the proposed site, Aerial photo, satellite im</li> </ul>	**	Yes No			
		☐Yes ☐No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e.  - NM Office of the State Engineer - iWATERS database, Visual inspection (cer	xistence at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No				
<ul> <li>Written confirmation or verification from the municipality, Written approval of Within 500 feet of a wetland</li> </ul>	obtained from the municipality	∏Yes ∏No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual is	nspection (certification) of the proposed site				
Within the area overlying a subsurface mine		Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and	d Mineral Division				
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology &	Mineral Resources LISGS NM Geological Society	Yes No			
Topographic map	white a resources, 0303, 1111 deological society,				
Within a 100-year floodplain - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Edby a check mark in the box, that the documents are attached.	nch of the following items must bee attached to the closs	ure plan. Please indicate,			
String Criteria Compliance Demonstrations - based upon the approp	riate requirements of 19 15 17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requires	•				
Construction/Design Plan of Burial Trench (if applicable) based upo	on the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a	drying pad) - based upon the appropriate requirements of	19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements	of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Confirmatio	riate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requiren	nents of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Sul					
Site Reclamation Plan - based upon the appropriate requirements of					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print) CRYSTAL TAFOYA TITLE STAFF REGULATORY TECHNICIAN
Signature Signature Date 6/20/11
e-mail address <u>crystal tafoya@conocophilips com</u> Telephone (505) 326-9837
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Jord J. Volla Approval Date: 6/24/2011
Title: Compliance Office OCD Permit Number:
21  Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name Disposal Facility Permit Number Disposal Facility Name
Disposal Facility Name
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations.
Ste Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
e-mail address Telephone

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

.........

#### Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.