1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: FOGELSON 4 1
API Number: 30-045-08664 OCD Permit Number:
U/L or Qtr/Qtr: P(SE/SE) Section: 4 Township: 29N Range: 11W County: San Juan  Center of Proposed Design: Latitude: 36.75066 °N Longitude: 107.99156 °W NAD: X 1927 1983  Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other  String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)    Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins Other   Lined   Unlined Liner type: Thickness   mil   LLDPE   HDPE   PVD   Other   RECEIVED   RECEIVED   Control of the prior approval of a permit or notice of intent)    Liner Seams:   Welded   Factory   Other   PVD   Other   RECEIVED   Control of the prior approval of a permit or notice of intent)    P&A
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material.  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



Fencing: Subsection D of 19.15.17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of barbed wire evenly spaced between one and four feet  Alternate Please specify	ution or church	)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15.3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of app	roval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  Visual important (cortification) of the proposed site. A orial shots, Satallita image.	□NA	
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits)</li> </ul>	Yes NA	No
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	□No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
12   Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19.15.17.9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
West Francisco and Daniel Class Discount of the Charles of the Cha
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications hased upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC

Weste Bernauel Cleanus For Cleand lean Systems That Halling About Cround St	and Tambia and Hard off Pina Onbur(10, 15, 17, 12, D.NIMAC)		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St Instructions Please identify the facility or facilities for the disposal of liquids, drilling	g fluids and drill cuttings. Use attachment if more than two		
facilities are required.	Disposal Facility Domnit He		
Disposal Facility Name:	Disposal Facility Permit #:		
Disposal Facility Name:	Disposal Facility Permit #:		
Yes (If yes, please provide the information No  Required for impacted areas which will not be used for future service and operations		501 1150 till	
Soil Backfill and Cover Design Specification - based upon the appropriate and cover Design Specification - based upon the specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Specification - based upon the appropriate and cover Design Spec		MAC	
Re-vegetation Plan - based upon the appropriate requirements of Subse			
Site Reclamation Plan - based upon the appropriate requirements of Su	bsection G of 19 15 17 13 NMAC		
17	144 Mg 3,4 M 1, 1 <sub>2</sub> - 2, 1 <sub>2</sub> - 2, 1 <sub>2</sub> - 1		
Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMA			
Instructions Each siting criteria requires a demonstration of compliance in the closure plan. R certain siting criteria may require administrative approval from the appropriate district office of			
office for consideration of approval Justifications and/or demonstrations of equivalency are re	quired. Please refer to 19 15.17 10 NMAC for guidance		
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No	
- NM Office of the State Engineer - iWATERS database search, USGS: Data of	tained from nearby wells	∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste	Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS, Data ob	ained from nearby wells	□N/A	
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No	
- NM Office of the State Engineer - (WATERS database search; USGS; Data ob	rained from nearby wells	□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi	ficant watercourse or lakebed, sinkhole, or playa lake	Yes No	
(measured from the ordinary high-water mark)			
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in	• •	Yes No	
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image	je	□Yes □No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th	an five households use for domestic or stock watering	Lites Line	
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exi	stence at the time of the initial application.		
<ul> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certi</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water w</li> </ul>		Пv., Пл.	
pursuant to NMSA 1978, Section 3-27-3, as amended	en neid covered under a municipal ordinance adopted	∐Yes ∐No	
- Written confirmation or verification from the municipality, Written approval of	otained from the municipality	<b></b>	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual in	procession (contification) of the proposed site	∐Yes ∐No	
Within the area overlying a subsurface mine.	spection (certification) of the proposed site	□Yes □No	
- Written confirmation or verification or map from the NM EMNRD-Mining and	Mineral Division	☐ res ☐ INO	
Within an unstable area.		Yes No	
- Engineering measures incorporated into the design; NM Bureau of Geology & I	Aineral Resources, USGS, NM Geological Society;		
Topographic map Within a 100-year floodplain.		☐Yes ☐No	
- FEMA map			
18			
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each	h of the following items must bee attached to the clos	sure plan. Please indicate,	
by a check mark in the box, that the documents are attached.	riote requirements of 10 15 17 10 NIMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Sub-			
Re-vegetation Plan - based upon the appropriate requirements of Sub			
Site Reclamation Plan - based upon the appropriate requirements of	Subsection G of 19.15.17.13 NMAC		

Page 4 of 5

Form C-144 Oil Conservation Division

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 5/26/28 []  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 3/28/2011
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliant to the items below)  Required for impacted areas which will not be used for future service and operations.
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): CRYSTAL TAFOYA Title: STAFF REGULATORY TECHNICIAN
Signature: Date: 4/11/2011
e-mail address: crystal tafoya@conocophillips.com Telephone: (505) 326-9837