District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

## State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office			
	Pit, Closed-Loop System, Below-Grade Tank, or			
Prope	osed Alternative Method Permit or Closure Plan Application			
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method			
Please be advised that approval o	poplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request fithis request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the ever the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
1 Operator: Burlington Resources O	l & Gas Company, LP OGRID#: 14538			
Address: PO Box 4289, Farmingto	on, NM 87499			
Facility or well name: SAN JUAN :	80-6 UNIT 43M			
API Number: 3	0-039-30776 OCD Permit Number:			
U/L or Qtr/Qtr: F(SE/NW) Section	on: 14 Township: 30N Range: 6W County: Rio Arriba			
Center of Proposed Design: Latitude Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment			
Permanent Emergency C Lined Unlined L String-Reinforced	Cavitation DENIED  Iner type: 7 Must submit new Closed Loop for PVC Other  BY: Jonathan Kelly DATE: 7/28/2011 (505) 334-6178 Ext 122  Cactory Other Volume: bbl Dimensions L x W x D			
Type of Operation: P&A  Drying Pad Above Grou	ion H of 19.15.17.11 NMAC    Drilling a new well			
	actory Other			
	I of 19.15.17.11 NMAC bl Type of fluid:  Stection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls only Other  mil HDPE PVC Other			
5 Alternative Method: Submittal of an exception request is rec	quired. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Cacinital of an on-option request is fet	and a support of the			

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)  Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  X Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Closed Loop Pre-set)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	·			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	 			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ NA	∐No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13  December 13 Property Application Chapter of the Property December 17 (20) Property December				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative (PRE-SET)				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
l 😾 💙				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required.					
	Disposal Facility Permit #: NM-01-0011 / NM-01-00	010B			
·	Disposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated activit  Yes (If yes, please provide the information No	ies occur on or in areas that will nbe used for future s	service and			
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Reccertain siting criteria may require administrative approval from the appropriate district office or no office for consideration of approval Justifications and/or demonstrations of equivalency are required.	nay be considered an exception which must be submitted to the Sa	1			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data obta	ined from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried wast		☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search; USGS, Data obtain					
•		☐Yes ☐No			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtai	ned from nearby wells	□ res □ No . □ □ N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark).	YesNo				
- Topographic map; Visual inspection (certification) of the proposed site	the second state of the second	∏Yes ∏No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site; Aerial photo, satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obta	YesNo				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	Yes No				
Within the area overlying a subsurface mine.		Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and M	ineral Division				
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mi	neral Resources; USGS; NM Geological Society,	Yes No			
Topographic map Within a 100-year floodplain - FEMA map		Yes No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the clos	sure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division

19 Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accur-		· · ·				
Name (Print): Jamie Goodwin	Title:	Regulatory Technician				
Signature. / 1000 17000 1000	Date:	1/2/11				
e-mail address: [amie.l.goodwin@conocophillips.com	Telephone:	505-326-9784				
20 OCD Approval: Permit Application (in	NIED	Conditions (see attachment)				
OCD Representative Signature:		Approval Date:				
Title:		*:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:						
22						
Closure Method:	r					
Waste Excavation and Removal On-site Closure Method	Alternative Closure Met	hod Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain.						
23 Claure Percent Percenting Wests Percent Claure For Claure Ison Section	That Udling About Council	I Steel Teele on Heat of Pine Only				
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please identify the facility or facilities for where the liquids, drilli						
were utilized.	Diseased Facility Day	ie Nil				
Disposal Facility Name.  Disposal Facility Name:	Disposal Facility Per Disposal Facility Per	·				
Were the closed-loop system operations and associated activities performed of	= = =					
Yes (If yes, please demonstrate compliane to the items below)	No					
Required for impacted areas which will not be used for future service and op	erations:					
Site Reclamation (Photo Documentation)						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
24  Closure Report Attachment Checklist: Instructions: Each of the foll the box, that the documents are attached.	lowing items must be attached	to the closure report. Please indicate, by a check mark in				
Proof of Closure Notice (surface owner and division)						
Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation)						
On-site Closure Location: Latitude:	Longitude:	NAD   1927   1983				
25 Operator Classus Continue						
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print):	Title:					
Signature:	Date:					
e-mail address:	Telephone:					

Form C-144

## Burlington Resourses Oil and Gas Company, LP San Juan Basin

Modification for a temporary pit
Drilling/Completion and Workover
San Juan 30-6 Unit 43M – Modification Pre Set

The San Juan 30-6 Unit 43M submitted a C-144 for a Pre set CL on 4/19/2011. Due to change in plans we will mud drill pre set.