

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

JUL 11 2011

Sundry Notices and Reports on Wells

Farmington Field Office
Bureau of Land Management

1. Type of Well
GAS

2. Name of Operator

BURLINGTON

RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

Unit P (SESE), 925' FSL & 745' FEL, Section 20, T27N, R9W, NMPM

5. Lease Number
NM-0113936. If Indian, All. or
Tribe Name

7. Unit Agreement Name

8. Well Name & Number
Cleveland 2R9. API Well No.
30-045-2979510. Field and Pool
Fulcher Kutz Pictured Cliffs11. County and State
San Juan, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☐ Notice of Intent☒

Abandonment

☐ Change of Plans☐ Other -☒ Subsequent Report☐

Recompletion

☐ New Construction☐ Final Abandonment☐

Plugging

☐ Non-Routine Fracturing

Casing Repair

☐ Water Shut off

Altering Casing

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

The subject well was P&A'd on 6/20/2011 per the attached report.

14. I hereby certify that the foregoing is true and correct.

Signed Crystal Tafoya Crystal Tafoya

Title: Staff Regulatory Technician

Date 7/11/11

(This space for Federal or State Office use)

APPROVED BY _____ Title _____

Date _____

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction



ACCEPTED FOR RECORD

JUL 12 2011

FARMINGTON FIELD OFFICE

NMOCD A

A-PLUS WELL SERVICE, INC.

P.O. BOX 1979

Farmington, New Mexico 87499

505-325-2627 * fax: 505-325-1211

Burlington Resources Oil & Gas Company LP

June 20, 2011

Cleveland #2R

Page 1 of 1

925' FSL & 945' FEL, Section 20, T-27-N, R-9-W

San Juan County, NM

Lease Number: NM-011393

API #30-045-29795

Plug and Abandonment Report

Notified NMOCD and BLM on 6/15/11

Plug and Abandonment Summary:

- 6/15/11 MOL. Check well pressure: casing, 50 PSI; bradenhead, 0 PSI. Connect pump to bradenhead. Load the hole with 2 bbls of water. Pressure test to 300 PSI, held OK. Load 2.875" casing with 20 bbls of water 2-1/2 bpm at 0 PSI. Drop 6 – 7/8 RCN balls. Pump 10 bbls of water, same rate.
Plug #1 spot 125 sxs Class B cement (147.5 cf), pump 10 – 15 sxs, drop 10 RCN balls and finish pumping cement, same rate.
SI well. SDFD.
- 6/16/11 Open well, no pressure; 2.875" casing on vacuum. RIH with wireline and tag cement at 1527'. Load the 2.875" casing with 10 bbls of water. Pressure test tubing to 8000 PSI, held OK. SI well. Unable to continue to plug well as a rigless. MOL with rig and equipment. RU rig. ND wellhead. NU BOP, test. Tally and TIH with 55 joints 1.25" IJ A-Plus workstring, tag cement at 1775'. Load the casing with 1/2 bbl of water.
Plug #2 spot 56 sxs Class B cement (66.08 cf) in 2 stages: 1st stage with 24 sxs inside casing from 1775' to 904', circulate casing clean with 10 bbls; 2nd stage with 32 sxs inside casing from 913' to surface to isolate the Pictured Cliffs perforations and cover the Fruitland, Kirtland and Ojo Alamo tops.
TOH with tubing. SI well. SDFD.
- 6/20/11 Open up well; no pressures. Casing on vacuum. ND BOP. Dig out wellhead. Monitor well. Issue Hot Work Permit. Cut off wellhead. Found cement down 100' in the 2.875" casing and down 87' in the annulus.
Plug #3 mix and pump 37 sxs Class B cement (43.66 cf) to top off casing and annulus then install P&A marker.
RD and MOL.

Ray Espinoza and Darrell Priddy, BLM representatives, were on location.