												OCD Re	ceiv	ed				
Submit To Appropriate District Office Two Copies				State of New Mexico						8/13/2020 Form C-105								
District 1 1625 N. French Dr., Hobbs, NM 88240				Energy, Minerals and Natural Resources						-	Revised April 3, 2017							
District II 811 S. First St., Artesia, NM 88210												1. WELL API NO. 30-045-08645						
District III					Oil Conservation Division							2. Type of Lease						
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u>					1220 South St. Francis Dr.						-	STATE FEE FED/INDIAN						
1220 S. St. Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOM						Santa Fe,				00		3. State Oil & Gas Lease No. E-292-21						
4. Reason for fil	MPL	E HON RE	POF	<u> </u>	ו טא.	LOG		5 Loogo Nom	o or I	Init A ara	amant N	omo						
	•											5. Lease Name or Unit Agreement Name						
⊠ COMPLET	TON REP	ORT (Fill in	boxes #	‡1 throu	gh #31	gh #31 for State and Fee wells only)						State Com N 6. Well Number:						
C-144 CLO										d #32 and		o. Wen Num)C1.		10			
7. Type of Comp		J WORKOV	ЕР □	DEEDE	NING	□PLUGBAC	'IZ Π	DIEEE	DENIT	DECEDI	/OID	M OTHER	D.	ayadd				
8. Name of Oper	ator	_ WORKOV		DEELL	MINO	I LUGBAC	к 🗀	DIFFE	ZIXIZIN I	KESEK		9. OGRID	1.0	ayauu				
Hilcorp Energy O												372171						
	•											11. Pool name or Wildcat						
382 Road 3100,	Aztec, NM Unit Ltr	1 87410 Section	1	Township Range Lo			Lot	t Feet from the				Blanco Mesav N/S Line	from the	e E/W Line County				
Surface:	L	2		29N	шр	8W	Lot			324		S	882	mom the	W	Line	San Juan	
BH:	L	2		29N		8W	+			324		S	882		W		San Juan	
13. Date Spudde		ate T.D. Reac	hed	29N 8W 15. Date Rig Released				I				ed (Ready to Produc				tions (DF	and RKB,	
4/10/1953	5/6/19	953	nea		7/27/2020				7/27/2020			(iteady to i i o	iacc			etc.) 6047		
18. Total Measur 5175'	red Depth	of Well		19. Plug Back Measured Depth 5172'				20. Was Directiona No			Survey Made	?	21. Tyj	pe Electi	ric and O	ther Logs Run		
22. Producing In 3571'-5135'	terval(s), o	of this comple	tion - T	op, Bot	tom, Na	, Name												
23.					CAS	ING REC	COR	D (R	epor	t all st	ring	s set in w	ell)					
CASING SIZE WEIGHT LB./I				/FT. DEPTH SET			HOLE SIZE				CEMENTING RECORD			AMOUNT PULLED				
10 ³ / ₄ " 7"			75#			220'		13 ³ / ₄ " 9"			175							
		20# 6	0# & 23#			4414'		9"			225 sx							
24.			_		LIN	ER RECORD					25.			NG REC				
SIZE	TOP 4269			OTTOM		350 sx		SCREEN		SIZ			EPTH SE	T	PACK	ER SET		
5"	4209		31/	5172'		330 SX		+		23	2 3/8"		5074'					
26. Perforation	n record (ii	nterval, size, a	I and nun	nber)				27.	ACID	. SHOT.	FRA	CTURE, CF	MEN	IT. SOU	EEZE.	ETC.		
4965'-5135'		, ,		,		DEPTH INTERVAL					RACTURE, CEMENT, SQUEEZE, ETC. AMOUNT AND KIND MATERIAL USED							
4502-4616' 3836'-3848' 3 1/8" X 12' HSE gun - 4SPF = 48				48 holes				379	3790'-3848'			550 gal 15% HCl						
3790'-3800' 3 1/	3790'-3800' 3 1/8" x 10' HSE gun -4 SPF = 40 ho																	
3571'- 3591'																		
28.							PR	ODU	J CT I	ION								
Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) N/A Production Method (Flowing, gas lift, pumping - Size and type pump) Shut-in																		
Date of Test	Hours	Tested	Cho	ke Size		Prod'n For		Oil -	. Rhl		Gas	- MCF	W:	ater - Bbl	1	Gas - C	Dil Ratio	
7/23/2020 Hours rested		resida	1"			Test Period		0		0			0		Gus	on runo		
		alculated 24- Oil - Bbl. our Rate 0		Oil - Bbl.		Gas - MCF		ИCF		Water - Bbl.		Oil Gravity - API - (Corr.)		r.)				
29. Disposition of Gas (Sold, used for fuel, vented, et											30. Test Witnessed By Jose Morales							
Vented													Jose	Morales				
31. List Attachm	ients																	
32. If a temporar	y pit was ı	used at the we	ll, attac	h a plat	with th	e location of the	e temp	orary p	it.				33. R	ig Releas	se Date:	7/27	/2020	
34. If an on-site burial was used at the well, report the exact					xact loc	location of the on-site burial:						1.2.12.020				12020		
						Latitude						Longitude					D83	
I hereby certi	•	,		iown o	I	Printed	v			•		·	•		Ü			
Signature 7	Kanai	s Rolan	a		ľ	Name K	andıs	Rola	nd		ıtle	Operations	/Keg	ulatory	1 ech	Date 8	/13/2020	
E-mail Address kroland@hilcorp.com										AV								

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northwe	Northwestern New Mexico					
T. Anhy	T. Canyon	T. Ojo Alamo_	T. Penn A"					
T. Salt_	T. Strawn_	T. Kirtland1889'	T. Penn. "B"					
B. Salt	T. Atoka	T. Fruitland 2504'	T. Penn. "C"					
T. Yates	T. Miss_	T. Pictured Cliffs2789'	T. Penn. "D"					
T. 7 Rivers	T. Devonian	T. Cliff House 4500'	_ T. Leadville					
T. Queen	T. Silurian_	T. Menefee 4619'	T. Madison					
T. Grayburg	T. Montoya	T. Point Lookout 4998'	T. Elbert					
T. San Andres	T. Simpson_	T. Mancos5150	' T. McCracken					
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte					
T. Paddock	T. Ellenburger	Base Greenhorn_	T.Granite					
T. Blinebry	T. Gr. Wash	T. Dakota						
T.Tubb	T. Delaware Sand	T. Morrison						
T. Drinkard	T. Bone Springs	T.Todilto						
T. Abo	T	T. Entrada						
T. Wolfcamp	T	T. Wingate						
T. Penn	T.	T. Chinle						
T. Cisco (Bough C)	T.	T. Permian	OH OB CAS					

			_	OR GAS OR ZONES
No. 1, from	to	No. 3, from	to	
No. 2, from	to	No. 4, from	to	
	IMPOR	TANT WATER SANDS		
Include data on rate of	water inflow and elevation to wh	ich water rose in hole.		
No. 1, from	to	feet		
No. 2, from	to	feet		
No. 3, from	to	feet		
	LITHOLOGY REC	ORD (Attach additional sheet i	f necessary)	

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology