District I

1625 N French Dr, Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe. NM 87505

 $\label{eq:July 21, 2008} July \ 21, \ 2008$ For temporary pits, closed-loop systems, and below-grade

Form C-144

For temporary pits, closed-loop sytems, and below-grad tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application vpe of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances Operator: ConocoPhillips Company OGRID#: 217817 Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Jicarilla BR B 14 30-039-82335 OCD Permit Number API Number: C(NE/NW) Section: U/L or Otr/Otr: 33 Township: 25N Range: County: Rio Arriba 36.360538 107.26068 °W NAD: ☐ 1927 X 1983 Center of Proposed Design: Latitude: ٥N Longitude: Private X Tribal Trust or Indian Allotment Surface Owner: Federal Pit: Subsection F or G of 19 15 17 11 NMAC Drilling Workover Temporary Permanent Emergency Cavitation Thickness _____ mil LLDPE HDPE PVC Other Liner type String-Reinforced Liner Seams Volume Subsection H of 19 15 17.11 NMAC X Closed-loop System: Type of Operation Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or X P&A notice of intent) X Above Ground Steel Tanks Haul-off Bins mıl Lined Unlined Liner type Thickness LLDPE HDPE Factory Other Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid Tank Construction material Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Secondary containment with leak detection Visible sidewalls only Other Visible sidewalls and liner

Alternative Method:

Thickness

Liner Type

Other

PVC

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

HDPE

mil

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
7			
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15.17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
ŧ0			
Siting Criteria (regarding permitting). 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map 	Yes No		
Within a 100-year floodplain - FEMA map	Yes No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9		
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC Clasure Plan (Places complete Pages 14 through 18 if continols), based upon the appropriate requirements of Subsection C of		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15.17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC		
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC		
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC		
Nusance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15.17 13 NMAC		
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached. Described and Procedures, based were the engineering of 10.15.17.13 NIMAC.		
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC Confirmation Sampling Plan (if amblighla), based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T Instructions Please identify the facility or facilities for the disposal of liquids, drilling flu			
facilities are required	as and arm cultings Ose and chinem if more man two		
Disposal Facility Name Dis	sposal Facility Permit #		
·	sposal Facility Permit #		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	n I of 19 15 17 13 NMAC		
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance			
Ground water is less than 50 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - iWATERS database search, USGS Data obtaine	d from nearby wells	∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained	I from nearby wells	∐N/A	
Ground water is more than 100 feet below the bottom of the buried waste		Yes No	
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained	l from nearby wells	L_]N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark)	watercourse or lakebed, sinkhole, or playa lake	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site		Пу Пы.	
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ence at the time of initial application	∐Yes ∐No	
		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	e at the time of the initial application .		
Within incorporated municipal boundaries or within a defined municipal fresh water well fi pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No	
 Written confirmation or verification from the municipality, Written approval obtained Within 500 feet of a wetland 	I from the municipality	∏Yes ∏No	
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection	on (certification) of the proposed site		
Within the area overlying a subsurface mine		Yes No	
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mine	ral Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Miner	ol Passurage LISGS NIM Gaalagical Sequenty	YesNo	
Topographic map	ii Resources, OSGS, NW Geological Society,		
Within a 100-year floodplain - FEMA map		Yes No	
18			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the a			
Construction/Design Plan of Temporary Pit (for in place burial of a drying		15 17 11 NMAC	
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate re	equirements of Subsection F of 19 15 17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection	on 1 of 19 15 17 13 NMAC		

Form C-144 · Oil Conservation Division Page 4 of 5

19 Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print) Title		
Signature Date		
e-mail address Telephone		
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 7/8/20[Title: OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. [X] Closure Completion Date: 9/3/2008		
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name		
Site Reclamation (Photo Documentation) On-site Closure Location Latitude Longitude NAD 1927 1983		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN		
Signature Salal Takaya Date 7/1/11		
e-mail address crystal tafoya@conocophillips com Telephone (505) 326-9837		