## Distact I 1625 N. French Dr. Hobbs, NM 882/

1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210 District III

1000 Rio Biazos Rd , Aztec, NM 87410

<u>District IV</u>

1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop sytems, and below-grade  $tanks, \ submit\ to the appropriate NMOCD District Office$ 

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application	
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method    X   Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method	
Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative requal	iest
Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.	
Operator Burlington Resources Oil & Gas Company, LP OGRID#: 14538  Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: SAN JUAN 29-7 UNIT 75M	
API Number: 30-039-30866 OCD Permit Number	
U/L or Qtr/Qtr: G(SW/NE) Section. 23 Township: 29N Range 7W County. RIO ARRIBA  Center of Proposed Design: Latitude. 36.714133 °N Longitude: 107.537484 °W NAD: 1927 X 19  Surface Owner: Federal State X Private Tribal Trust or Indian Allotment	983
Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE PVC Other  String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D	
X   Closed-loop System:   Subsection H of 19 15 17 11 NMAC	
X Drying Pad X Above Ground Steel Tanks Haul-off Bins Other   X Lined Unlined Liner type Thickness 20 mil X LLDPE HDPE PVD Other   Liner Seams X Welded X Factory Other PFCEIVE	D No.
4 MAP 201	<b>1</b> ] DIST. 3
Volume bbl Type of fluid  Tank Construction material  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type Thickness mil HDPE PVC Other	8612
5 Alternative Method:	

Submittal of an exception request is required 

Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)  8  Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Written confirmation or verification from the municipality. Written approved obtained from the municipality.	Yes No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site</li> </ul>	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society, Topographic map</li> </ul>	Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative   Drilling   Workover   Emergency   Cavitation   P&A   Permanent Pit   Below-grade Tank   Closed-loop System
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only;	(19 15 17 13 D NMAC)		
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use an facilities are reguned	achment if more than two		
Disposal Facility Name Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will.  Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NM			
17			
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Lach siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable secretain siting criteria may require administrative approval from the appropriate district office or may be considered an exception office for consideration of approval - Justifications and/or demonstrations of equivalency are required - Please refer to 19 15 17	which must be submitted to the Santa Fe Environmental Bured		
Ground water is less than 50 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - 1WATERS database search, USGS Data obtained from nearby wells	∐N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	N/A		
Ground water is more than 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	□ N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkly (measured from the ordinary high-water mark)	nole, or playa lake Yes No		
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial appleached. Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ication Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domest purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial appl			
<ul> <li>NM Office of the State Engineer - tWATERS database, Visual inspection (certification) of the proposed site</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal pursuant to NMSA 1978, Section 3-27-3, as amended</li> </ul>	l ordinance adopted Yes No		
<ul> <li>Written confirmation or verification from the municipality, Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>	Yes No		
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the propos	sed site		
Within the area overlying a subsurface mine	Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area	Yes No	[	
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Ge Topographic map			
Within a 100-year floodplain - FEMA map	☐Yes ☐No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be by a check mark in the box, that the documents are attached.	bee attached to the closure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10	NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 1	7 13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of	f 19 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appr	opriate requirements of 19 15 17 11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection	F of 19 15 17 13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC		1	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NM	AC	- {	

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief  Name (Print)  Title
e-mail address Telephone
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:Approval Date:Approval Date:Approval Date:Approval Date:
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  X Closure Completion Date: 7/12/2010
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)  X No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations
Ste Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Jamie Goodwin Title Regulatory Technician
Signature Omile 7000 Date 1 21/11
e-mail address / Jamie L Goodwin@conocphillips com Telephone 505-326-9784

7