District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

Rd Aztec NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District IV 1220 S. St. Francis Dr., Santa Fe, NM. 87505	Santa Fe, NM 8/505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
	osed-Loop System, Below-C	Grade Tank, or
	ternative Method Permit or	
		rade tank, or proposed alternative method
/419 "	· · · · · · · · · · · · · · · · · · ·	grade tank, or proposed alternative method
	fication to an existing permit	grade tank, or proposed afternative method
= = = = = = = = = = = = = = = = = = = =	٠.	permitted or non-permitted pit, closed-loop system,
	y-grade tank, or proposed alternative mo	•
Instructions: Please submit one application	(Form C-144) per individual pit, close	ed-loop system, below-grade tank or alternative request
		tions result in pollution of surface water, ground water or the
environment Nor does approval relieve the operato	or of its responsibility to comply with any other appl	icable governmental authority's rules, regulations or ordinances
1 Operator: Burlington Resources Oil & Gas C	ompany, LP	OGRID#: 14538
Address. P.O. Box 4289, Farmington, NM 8	37499	
Facility or well name: ATLANTIC A 7C		
API Number 30-045-3510	01 OCD Permit i	Number
U/L or Qtr/Qtr O(SW/SE) Section: 29	Township. 31N Range	10W County: SAN JUAN
Center of Proposed Design Latitude:	36.86446 °N Longitude:	
Surface Owner: X Federal Sta		Indian Allotment
2		
X Pit: Subsection F or G of 19 15 17 11 NMAC	<u> </u>	
Temporary X Drilling Workover		
Permanent Emergency Cavitation	□P&A	
X Lined Unlined Liner type.	Thickness 20 mil X LLDPI	E HDPE PVC Other
X String-Reinforced	<del></del>	
Liner Seams. X Welded X Factory	Other Volume	7700 bbl Dimensions L 120' x W 55' x D 12'
Closed-loop System: Subsection H of 19	15 17 11 NMAC	·
Type of Operation. P&A Drilling a		olies to activities which require prior approval of a permit or
	notice of intent)	
Drying Pad Above Ground Steel Tai		
Lined Unlined Liner type		HDPE PVD Other 3456789
Liner Seams Welded Factory	Other	
4		/8 HECEIVED
Below-grade tank: Subsection I of 19 15 17		HECEIVED  Oll CONS. DIV. DIST. 3
	pe of fluid	
Tank Construction material		PIL COINS. DIV. DIST. 3
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift an	nd automatic overflow shut-off
	ble sidewalls only Other	
Liner Type. Thickness mil	HDPE PVC Othe	nd automatic overflow shut-off  er    Chapter   Chapter
5		
Alternative Method:		

Form C-144

Oil Conservation Division

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Page 1 of 5

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of barbed wire evenly spaced between one and four feet  Alternate Please specify	tion or church	)
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
8 Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	eration of appi	oval
Siting Criteria (regarding permitting) 19 15 17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	Yes NA	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.		_
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	☐Yes	No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15.17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19 15 17 9 NMAC  Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17.11 NMAC
Nuisance of Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC
L one regulation i fair - cases upon the appropriate requirements of buoscotton of 17 15 17 15 1141/10

Form C-144 Oil Conservation Division Page 3 of 5

16	10.15	
Waste Removal Closure For Closed-loop Systems That Utilize Above G Instructions Please identify the facility or facilities for the disposal of liquid		,
facilities are required		
Disposal Facility Name		
Disposal Facility Name	Disposal Facility Permit #	
Will any of the proposed closed-loop system operations and association Yes (If yes, please provide the information No	ted activities occur on or in areas that will nbe used for future	e service and
Required for impacted areas which will not be used for future service and o		
Soil Backfill and Cover Design Specification - based upon the Re-vegetation Plan - based upon the appropriate requirements		NMAC
Site Reclamation Plan - based upon the appropriate requirements		
17  Siting Criteria (Regarding on-site closure methods only: 19 15 17 Instructions Each siting criteria requires a demonstration of compliance in the closus certain siting criteria may require administrative approval from the appropriate distriction of fice for consideration of approval Justifications and/or demonstrations of equivalents.	re plan Recommendations of acceptable source material are provided belov act office or may be considered an exception which must be submitted to the S	
Ground water is less than 50 feet below the bottom of the buried wa		Yes No
- NM Office of the State Engineer - IWATERS database search, USGS	Data obtained from nearby wells	∐N/A
Ground water is between 50 and 100 feet below the bottom of the b	uried waste	Yes No
- NM Office of the State Engineer - 1WATERS database search, USGS	, Data obtained from nearby wells	□ N/A
Ground water is more than 100 feet below the bottom of the buried	waste	Yes No
- NM Office of the State Engineer - IWATERS database search, USGS		N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any o (measured from the ordinary high-water mark)	ther significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed sit	le	
Within 300 feet from a permanent residence, school, hospital, institution, or - Visual inspection (certification) of the proposed site, Aerial photo, sati	••	Yes No
	Ç	☐Yes ☐No
Within 500 horizontal feet of a private, domestic fresh water well or spring the purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - IWATERS database, Visual inspect	ing, in existence at the time of the initial application	
Within incorporated municipal boundaries or within a defined municipal fres pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No
- Written confirmation or verification from the municipality, Written ap	oproval obtained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map,	Visual inspection (certification) of the proposed site	∐Yes ∐No
Within the area overlying a subsurface mine	The second secon	Yes No
- Written confiramtion or verification or map from the NM EMNRD-M	ining and Mineral Division	
Within an unstable area		Yes No
- Engineering measures incorporated into the design, NM Bureau of Ge Topographic map	ology & Mineral Resources, USGS, NM Geological Society,	
Within a 100-year floodplain - FEMA map		Yes No
18		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructio by a check mark in the box, that the documents are attached.	ns: Each of the following items must bee attached to the clo	osure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the	appropriate requirements of 19 15 17 10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate	requirements of Subsection F of 19 15 17 13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) ba	ised upon the appropriate requirements of 19 15 17 11 NMA	C
Construction/Design Plan of Temporary Pit (for in place bur	nal of a drying pad) - based upon the appropriate requirement	s of 19 15 17 11 NMAC
Protocols and Procedures - based upon the appropriate requi		
Confirmation Sampling Plan (if applicable) - based upon the	appropriate requirements of Subsection F of 19 15 17 13 NM	ИAC
Waste Material Sampling Plan - based upon the appropriate	requirements of Subsection F of 19 15 17 13 NMAC	
Disposal Facility Name and Permit Number (for liquids, dril	ling fluids and drill cuttings or in case on-site closure standar	ds cannot be achieved)
Soil Cover Design - based upon the appropriate requirement	s of Subsection H of 19 15 17 13 NMAC	
Re-vegetation Plan - based upon the appropriate requiremen		
Site Reclamation Plan - based upon the appropriate requirem	sents of Subsection G of 19 15 17 13 NMAC	

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature. Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 8/04/20(1)  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.    Closure Completion Date:   March 21, 2011
22 Closure Method:  Waste Excavation and Removal  X On-site Closure Method  Alternative Closure Method  Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the laquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name  Disposal Facility Permit Number  Disposal Facility Name  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)  No  Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  24  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  X Proof of Closure Notice (surface owner and division)  X Proof of Deed Notice (required for on-site closure)  X Plot Plan (for on-site closures and temporary pits)  X Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation) On-site Closure Location Latitude. 36.84631 °N Longitude 107.9025 °W NAD 1927 X 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan    Name (Print)   Pegulatory Tech
Name (Print)  Jamie Goodwin  Title.  Regulatory Tech  Date  OB 1
e-mail address   jamie   goodwin@conocophillips com   Telephone. 505-326-9784

# Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: ATLANTIC A 7C API No.: 30-045-35101

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	96.5 ug/kG
TPH	EPA SW-846 418.1	2500	133mg/kg
GRO/DRO	EPA SW-846 8015M	500	45.1 mg/Kg
Chlorides	EPA 300.1	1000(500	60 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, ATLANTIC A 7C, UL-O, Sec. 29, T 31N, R 10W, API # 30-045-35101

### Busse, Dollie L

From: Busse, Dollie L

Sent: Thursday, February 18, 2010 8:04 AM

To: Mark\_Kelly@blm.gov

Cc: Tafoya, Crystal; Jaramillo, Marie E; Sessions, Tamra D

Subject: Surface Owner Notifications

Importance: High

The following locations will have a temporary pit closed on-site:

Atlantic A 7C
Day B 100
Grenier A 4M
Klein 24N
Rattlesnake Canyon 3A
San Juan 29-6 Unit 212S
San Juan 30-5 Unit 39M
San Juan 30-5 Unit 79N
San Juan 30-6 Unit 95P
San Juan 32-7 Unit 7B
San Juan 32-8 Unit 23N

Please let me know if you have any questions.

Thank you! Dollie

### Dollie L. Busse

ConocoPhillips Company-SJBU
Regulatory
Staff Regulatory Tech
505-324-6104
505-599-4062 (fax)
Dollie.L.Busse@conocophillips.com

<sup>&</sup>quot;Before someone's tomorrow has been taken away, cherish those you love, appreciate them today."

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

### State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease — 4 Copies Fee Lease — 3 Copies


☐ AMENDED REPORT

## DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### WELL LOCATION AND ACREAGE DEDICATION PLAT <sup>1</sup>API Number Pool Code Pool Name **BLANCO MESAVERDE** Well Number <sup>4</sup>Property Code <sup>5</sup>Property Name 7 C ATLANTIC A OGRID No. Operator Name Elevation BURLINGTON RESOURCES OIL & GAS COMPANY LP 6085

					10 Surface	Location				
UL or lot no O	Section 29	Township 31N	Range 1 OW	Lot Idn 15	Feet from the 781'	North/South line SOUTH	Feet from the 1811'	East/West line EAST	County SAN	JUAN
			11 Botto	om Hole	Location I	f Different Fro	om Surface	· · · · · · · · · · · · · · · · · · ·		•
UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	_
Р	29	31N	10W	16	710'	SOUTH	710'	EAST	SAN	JUAN
Dedicated Acre	98		13 Joint or	Infill	"Consolidation C	ode	<sup>15</sup> Order No.			
333.10 A	CRES -	S/2								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED



### BURLINGTON RESOURCES OIL & GAS COMPANY LP **WELL FLAG** ATLANTIC A #7 C LATITUDE: 36 86446° N 781' FSL & 1811' FFL LONGITUDE 107 90241° W LOCATED IN THE SW/4 SE/4 OF SECTION 29. **CENTER OF PIT** T31N, R10W, N.M.P.M., LATITUDE 36.86431° N SAN JUAN COUNTY, NEW MEXICO ONGITUDE, 107,90250° W 30' 30' **GROUND ELEVATION 6085', NAVD 88** ELEVATION 6076 9' FINISHED PAD ELEVATION: 6088 9', NAVD 88 DATUM. NAD83 & NAVD88 SCALE = 60' NOTES 1) BASIS OF BEARING BETWEEN FOUND MONUMENTS AT THE SOUTHEAST CORNER AND THE EAST QUARTER CORNER OF AND THE EAST QUARTER CONNER OF SECTION 29, TOWNSHIP 31 NORTH, RANGE 10 WEST, N M P M SAN JUAN COUNTY, NEW MEXICO C'\_ C-8.4 B' C-2.2 LINE BEARS N 00'00'09" E A DISTANCE OF 2681 43 FEET AS MEASURED BY G P S 2) LATITUDE, LONGITUDE AND ELLIPSOIDAL HEIGHT BASED ON AZTEC CORS LI PHASE CENTER DISTANCES SHOWN ARE GROUND DISTANCES USING A TRAVERSE MERCATOR PROJECTION FROM A WOS84 ELLIPSOID, CONVERTED TO MODB3. NAVOSS ELEVATIONS AS PREDICTED BY 2.1 Slopes Reserve Prt 6' DEEP 3 000 DIKE ENTER OF PIT 10' Deep 12' Deep 3) LOCATION OF UNDERGROUND UTILITIES DEPICTED ARE APPROXIMATE PRIOR TO EXCAVATION UNDERGROUND UTILITIES SHOULD BE FIELD VERIFIED ALL RIG ANCHOR SHOULD BE HELD VERIFIED ALL CONSTRUCTION ACTIVITIES SHOULD BE FIELD VERIFIED WITH NEW MEXICO ONE—CALL AUTHORITIES AT LEAST 48 HOURS PRIOR TO CONSTRUCTION. RIG ANCHOR LAYDOWN REAR F+1.3 Wellhead to back Wellhead to front O DIRECTIONAL DRILL 103.02 140 N 82°36′51" W F+3.9 160 C-7.8Wellhead to side RIG ANCHOR $\circ$ ±99 LF OF NEW ACROSS BLM TO EXISTING RIG ANCHOR DH-ATLANTIC A #12 LAT. 36.86465\* N LING. 107.90233\* V (NAD B3) F+7.0 E+0.6 @ F+9.01B SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE. TOTAL PERMITTED AREA NOTE: 330' x 400' = 3.03 ACRES **Russell Surveying** RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE). SCALE: 1" = 60' RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. 1409 W. Aztec Blvd. #2 JOB No.: COPC349 CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR Aztec, New Mexico 87410 CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR DATE: 10/7/09 (505) 334-8637 TO CONSTRUCTION. DRAWN BY. TWT

60'



### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project#:	96052-1706
Sample ID:	Back Ground	Date Reported:	01-31-11
Laboratory Number:	57120	Date Sampled:	01-28-11
Chain of Custody No:	9245	Date Received:	01-28-11
Sample Matrix:	Soil	Date Extracted:	01-28-11
Preservative:	Cool	Date Analyzed:	01-31-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND .	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Atlantic A #7C

Analyst



### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	01-31-11
Laboratory Number:	57121	Date Sampled:	01-28-11
Chain of Custody No:	9245	Date Received:	01-28-11
Sample Matrix:	Soil	Date Extracted:	01-28-11
Preservative:	Cool	Date Analyzed:	01-31-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	31.5	0.2
Diesel Range (C10 - C28)	13.6	0.1
Total Petroleum Hydrocarbons	45.1	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Atlantic A #7C

inalyst (

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### **EPA Method 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

### **Quality Assurance Report**

Client:	QA/QC		Project #:		N/A
Sample ID:	01-31-11 QA/C	)C	Date Reported	•	01-31-11
Laboratory Number:	57116		Date Sampled:		N/A
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		01-31-11
Condition:	N/A		Analysis Reques	ted:	TPH
					1
	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	01-31-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	01-31-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/l. ∋ mg/K	a) 15 1 4 - 7 2 2 5 7 7 7 4 5	Concentration		Detection Limit	
Gasoline Range C5 - C10	Mediani de la mandada la como de secola	ND		0.2	
Diesel Range C10 - C28		ND		0.1	
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range	garage and the second s
Gasoline Range C5 - C10	6,240	6,470	3.7%	0 - 30%	•
Diesel Range C10 - C28	451	441	2.2%	0 - 30%	
Splke Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	6,240	250	6,970	107%	75 - 125%
Diesel Range C10 - C28	451	250	715	102%	75 - 125%
<del>-</del>					

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57116, 57120-57123



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	01-31-11
Laboratory Number:	57120	Date Sampled:	01-28-11
Chain of Custody:	9245	Date Received:	01-28-11
Sample Matrix:	Soil	Date Analyzed:	01-31-11
Preservative:	Cool	Date Extracted:	01-28-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.4 %
	1,4-difluorobenzene	104 %
	Bromochlorobenzene	103 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Atlantic A #7C

Analyst



### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

/					
Client:	ConocoPhillips	,	Project #:		96052-1706
Sample ID:	Reserve Pit		Date Reported:		01-31-11
Laboratory Number:	57121		Date Sampled:		01-28-11
Chain of Custody:	9245		Date Received:		01-28-11
Sample Matrix:	Soil		Date Analyzed:		01-31-11
Preservative:	Cool		Date Extracted:		01-28-11
Condition:	Intact		Analysis Requested:		BTEX
			Dilution:		10
				Det.	
		Concentration		Limit	
Parameter		(ug/Kg)		(ug/Kg)	
Benzene		ND	r	0.9	
Toluene		38.7		1.0	
Ethylbenzene		ND	1	1.0	
p,m-Xylene		52.4	•	1.2	
o-Xylene		5.4	•	0.9	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	92.0 %
	1,4-difluorobenzene	93.4 %
	Bromochlorobenzene	95.5 %

References:

**Total BTEX** 

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

96.5

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Atlantic A #7C



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	F	Project #:		N/A	
Sample ID:	0131BBLK QA/QC		ate Reported:		01-31-11	
Laboratory Number:	57116		Pate Sampled:		N/A	
Sample Matrix:	Soil	[	ate Received:		N/A	
Preservative:	N/A	Σ	Date Analyzed:		01-31-11	
Condition:	N/A	į.	Analysis:		BTEX	
		E	Dilution:	,	10	
Calibration and	a della lea DE &		W Diff	Manharan Cardenia menden mind	ت باستونی هم کانه هما بدین	الم ويها
Calibration and Detection Limits (ug/L)	l-Cal RF		%Diff e 0 - 15%	Blank Conc	Detect: Limit	
Land the second of the second	1.5675E+005	C-Cal RF:	The state of the s	Blank	ت باستونی هم کانه هما بدین	
Detection Limits (ug/L)	1.5675E+005 1.7457E+005	G-Cal RF: Accept Rang	e 0 - 15%	Blank Conc	Detect:	
Detection Limits (ug/L)		C-Cal RF: Accept: Rango 1.5706E+005	9 0 - 15%	Blank Conc ND	Detect: Limit 0.1	100 m
Detection Limits (ug/L) Benzene Toluene	1.7457E+005	C-Cal RF: Accept: Range 1.5706E+005 1.7492E+005	0.2% 0.2% 0.2%	Blank Conc ND ND	Dètect. Limit 0.1 0.1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Duplicate Conc. (ug/Kg	) Sample	Duplicate	%Diff.	Accept Range	Detect Limit
Benzene	2,310	2,250	2.6%	0 - 30%	0.9
Toluene	14,200	13,900	2.1%	0 - 30%	1.0
Ethylbenzene	5,280	5,380	1.9%	0 - 30%	1.0
p,m-Xylene	82,100	82,000	0.1%	0 - 30%	1.2
o-Xylene	15,200	15,800	3.9%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Am	ount Spiked Sp	iked Sample %	Recovery	Accept Range
Benzene	2,310	500	2,800	100%	39 - 150
Toluene	14,200	500	14,700	100%	46 - 148
Ethylbenzene	5,280	500	5,800	100%	32 - 160
p,m-Xylene	82,100	1000	82,800	99.6%	46 - 148
o-Xylene	15,200	500	15,700	100%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 57116, 57120-57123

Analyst

### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project#:	96052-1706
Sample ID:	Back Ground	Date Reported:	01-31-11
Laboratory Number:	57120	Date Sampled:	01-28-11
Chain of Custody No:	9245	Date Received:	01-28-11
Sample Matrix:	Soil	Date Extracted:	01-31-11
Preservative:	Cool	Date Analyzed:	01-31-11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

37.2

8.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Atlantic A #7C

### EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	01-31-11
Laboratory Number:	57121	Date Sampled:	01-28-11
Chain of Custody No:	9245	Date Received:	01-28-11
Sample Matrix:	Soil	Date Extracted:	01-31-11
Preservative:	Cool	Date Analyzed:	01-31-11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

133

8.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Atlantic A #7C

Analyst



### **EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT**

Client: Sample ID: Laboratory Number: Sample Matrix: Preservative: Condition:		QA/QC QA/QC 01-31-TPH.QA/Q Freon-113 N/A N/A	C 57120	Project #: Date Reported: Date Sampled: Date Analyzed: Date Extracted: Analysis Neede	(	N/A 01-31-11 N/A 01-31-11 01-31-11 TPH
Calibration	l-Cal Date 12-27-10	C-Cal Date 01-31-11	I-Cal RF: 1,660	C-Cal RF: 1,670	% Difference 0.6%	Accept Range +/- 10%
Blank Conc. (me	g/Kg)		Concentration	ong mangagan a naman 2000	Detection Limit	
Duplicate Conc. TPH	(mg/Kg)		Sample 37.2	Duplicate 35.8	% Difference	Accept. Range
Spike Conc. (m TPH	g/Kg)	Sample 37.2	Spike Added 2,000	Spike Result 1,790	% Recovery 87.9%	Accept Range : 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**QA/QC** for Samples 57120-57121



### Chloride

Client: ConocoPhillips Project #: 96052-1706 Sample ID: **Back Ground** Date Reported: 01/31/11 Lab ID#: 57120 Date Sampled: 01/28/11 Sample Matrix: Soil Date Received: 01/28/11 Preservative: Cool Date Analyzed: 01/31/11 Condition: Chain of Custody: Intact 9245

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992

Comments:

Atlantic A #7C

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



### Chloride

Client:
Sample ID:
Lab ID#:
Sample Matrix:

ConocoPhillips Reserve Pit 57121 Soil Cool Project #:
Date Reported:
Date Sampled:
Date Received:

01/31/11 01/28/11 01/28/11 01/31/11

96052-1706

Preservative: Condition:

Intact

Date Analyzed: Chain of Custody:

9245

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

60

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992

Comments:

Atlantic A #7C

Analyst

Řeview

Submit To Appropriate District Office State of New M															rm C-105		
District i Energy, Minerals and Nat 1625 N French Dr., Hobbs, NM 88240								ural Re	sources		July 17.					uly 17, 2008	
District II 1301 W Grand Ave						<u> </u>	. ~	. ,	<b>.</b>	20 045 25101							
District III							Conservat					2 Type of Le	ase				
1000 Rio Brazos Rd , Aztec, NM 87410 District IV									r.		3 State Oil &		FEE		⊠ FED/INDI	AN	
1220 S St Francis Dr., Santa Fe, NM 87505 Santa Fe, NM								NIVI &	5/303	NM 0606							
WELL COMPLETION OR RECOMPLETION REPO								POR	T AND	LOG							
4 Reason for filing												5 Lease Name	e or t	Jnit Agre	emen	t Name	
☐ COMPLETI	ON REF	OR	T (Fill in b	oxes ‡	#1 throu	gh #31	for State and Fee	e wells	only)			6 Well Numb					
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or										/or	7C						
#33, attach this and the plat to the C-144 closure report in accordance with 19 15 17.13 K NMAC)																	
7 Type of Comp  ✓ NEW	oletion WELL [	٦w	ORKOVE	RП	DEEPE	ENING	□PLUGBAC	СПI	DIFFERE	NT RESERV	OIF	R OTHER					
8 Name of Opera	itor											9 OGRID					
Burlington R 10. Address of O		es O	Dil Gas	Com	pany,	LP						14538	or W	/Ildest			
PO Box 4298, Fa		, NM	1 87499									11 Footmanic	01 **	nucai			
12.Location	Unit Ltr	- 1	Section	П	Towns	hin	Range	Lot		Feet from t	he	N/S Line	Fee	t from the	T F/	/W Line	County
Surface:			500				- tunge	-		T COL HOILE		. W. Danie		- 110111 (111	+-		
BH:		$\dashv$												<del></del>	+		
13 Date Spudded	1 14 D	ate T	D Reach	ed e	15 I	Date Rig	Released	1	16	Date Compl	letec	d (Ready to Prod	uce)	1	7 El	levations (DF	and RKB,
10 77 . 114		CII	. 11		9/16		114 15		- 100	W B		10 10				iR, etc)	
18. Total Measur	ed Depth	of W	Vell		19 1	'lug Bac	k Measured Dep	oth	20	Was Direct	iona	al Survey Made?		21 Ty	pe El	lectric and Of	her Logs Run
22 Producing Int	erval(s),	of th	is complet	ion - T	Top, Bot	tom, Na	ıme					· · · ·		<del></del>			
						~ . ~						<u>_</u>	441				
CASING SI	7E		WEIGHT	ID/E		CAS	ING REC	ORI	<del></del>	ort all sti	rin	gs set in we		CORD		AMOUNIT	DULLED
CASING SI	ZC		WEIGHT	LB /I	1		DEFINSE		н	LE SIZE		CEMENTIN	G KE	CORD		AMOUNT	PULLED
	·						·			_							
												<del> </del>				<del></del>	·
24.		<u> </u>				LIN	ER RECORD				25	Т	UBI	NG REC	COR	D	
SIZE	TOP			ВОТ	ТОМ		SACKS CEM	ENT	SCREE					EPTH SE			ER SET
						<del> </del>	ļ				<u> </u>		+				
26 Perforation	record (1	nterv	/al, size, ai	i id nun	nber)		<u> </u>		27 AC	ID SHOT	FR	ACTURE, CE	MEI	NT SOL	JEE2	ZE ETC	
	,		, , , ,		,					INTERVAL		AMOUNT A					
																, , , , , , , -	
												<del> </del>					
28	· · · · · · · · · · · · · · · · · · ·							PRO	DDUC'	TION		. l					
Date First Produc	ction		Pr	oduct	ion Met	hod (Flo	owing, gas lift, p				)	Well Status	(Pro	od or Shu	t-ın)		
Date of Test	Hour	s Tes	sted	Cho	ke Size		Prod'n For Test Period		Oıl - Bb	1	Ga	as - MCF	W	/ater - Bb	l	Gas - C	Oil Ratio
Flow Tubing	Casır	ng Pr	essure	Cald	culated :	24-	Oıl - Bbl		Gas	- MCF		Water - Bbl		Oıl Gı	avity	/ - API - <i>(Cor</i>	r)
Press				Hou	ır Rate						ŀ						
29 Disposition o	f Gas (So	ld, u	sed for fue	l, vent	ted, etc )		<u> </u>						30	Test Witr	essec	d <b>B</b> y	
31 List Attachm	ents					-,		•									***************************************
32 If a temporar	y pit was	used	at the wel	l, attac	ch a plat	with th	e location of the	tempo	rary pit		-						
33 If an on-site b	ourial was	s used	d at the we	II, rep	ort the	exact loc	cation of the on-	site bu	rial·								
			Latitude	36.86	6431°N	Lon	gitude 107.9025	0°W	NAD 🔲	927 🖾 198	3		Ċ	-;		<del></del>	
I hereby certi	ty that t	the i	nformati	on si	hown (	on boti ' Prii	n sides of this nted	form	is true	and comp	lete	to the best o	f my	knowle	edge	and belie	•
Signature (	ar	νί		)OC		Nan	ne Jamie Go	odwi	in Tıti	le: Regul	ato	ry Tech	Dat	e. 6/3/2	011		
E-mail Addre	ss jami	ie.1.g	goodwin	@co	nocop	hillips	.com										

# ConocoPhillips

Pit Closure Form:
Date: 3/21/16
Well Name: Atlantic A7C
Footages: 781 F5 L 1811 FE C Unit Letter:
Section: 29, T-30-N, R-10-W, County: San Juan State: WM
Contractor Closing Pit: Ace Services
C/12 31 1
Construction Inspector: Date: 3/2 ////
nspector Signature: S.M. Chasian

Revised 11/4/10

Office Use Only: Subtask \_\_\_\_\_ DSM \_\_\_\_\_ Folder \_\_\_\_\_

### Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Tuesday, February 22, 2011 10:40 AM

To:

(Brandon.Powell@state nm.us); GRP.SJBU Regulatory; 'tevans48@msn.com';

(bko@digii.net); (davidblakley@alltel.blackberry.com); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F, Spearman, Bobby E; Steve McGlasson; Tally, Ethel, Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R., Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY, Work, Jim A; Corey Alfandre, 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair, Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (PAC); Greer, David A; Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F;

Stallsmith, Mark R

Cc:

'acedragline@yahoo.com'

Subject:

Reclamation Notice: Atlantic A 7C

Importance:

High

Attachments:

Atlantic A 7C.pdf

Ace Services will move a tractor to the **Atlantic A 7C** on Thursday, February 24,2011, to start the reclamation process. Please contact Steve McGlasson (716-3285) if you have any questions or need further assistance.



Atlantic A 7C.pdf (172 KB)

Burlington Resources Well - Network # 10284880 - Activity Code D250 (reclamation) & D260 (pit closure) San Juan County, NM

### Atlantic A 7C - BLM surface/BLM minerals

Onsited: Mike Flaniken 12-4-09 Twin: Atlantic A 12 (P&A) 781' FSL, 1811' FEL Sec 29, T31N, R10W Unit letter 'O' Lease # NM-0606

BH: SESE Sec.29, T31N, R10W Latitude: 36° 51' 52" N (NAD 83) Longitude: 107° 54' 09" W (NAD 83)

Elevation: 6085

Total Acres Disturbed: 1.67 acres

Access Road: 99' API # 30-045-35101


Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com


# ConocoPhillips

Reclamațion Form:
Date: 4/13/11
Well Name: At latic A7C
Footages: 78156 1811 FEL Unit Letter: O
Section: 29, T-31-N, R-10-W, County: San Juan State: 1
Reclamation Contractor: 1 ce Services
Reclamation Date: $\frac{3/18/11}{2}$
Road Completion Date: $\frac{3/18}{1/8}$
Seeding Date: $\frac{3/25/1}{}$
**PIT MARKER STATUS (When Required): Picture of Marker set needed
**PIT MARKER STATUS (When Required): Picture of Marker set needed  MARKER PLACED: 3/26/1/ (DATE)
MARKER PLACED: 3/26/11 (DATE)
MARKER PLACED: 3/26/1/ (DATE)  LATATUDE: 36° 51.858'
MARKER PLACED: 3/26/1/ (DATE)  LATATUDE: 36° 51.858'  LONGITUDE: 107° 54.146'
MARKER PLACED: $\frac{3/26}{1!}$ (DATE)  LATATUDE: $\frac{36^{\circ}51.858^{\circ}}{1.858^{\circ}}$ LONGITUDE: $\frac{107^{\circ}54.146^{\circ}}{1.96^{\circ}}$ Pit Manifold removed $\frac{96^{\circ}67}{1.96^{\circ}}$ (DATE)
MARKER PLACED: $3/26/11$ (DATE)  LATATUDE: $36^{\circ}$ 51.858'  LONGITUDE: $107^{\circ}$ 54.196'  Pit Manifold removed $96^{\circ}$ 60 $3/9/11$ (DATE)  Construction Inspector: $5.966/9500$ Date: $4/1>/1/1$

# ATLANTIC A #7C LATITUDE 36° 51 MIN. 52 SEC. N (NAD 83 LONGITUDE 107° 54 MIN. 09 SEC. W (NAD 83 UNIT O SEC 29 T31N R10W BH: SESE SEC 29 T31N R10W 781' FSL 1811' FEL / API# 30-045-3510' LEASE# NM-0606 ELEMANT MENUMENTO SENTENCE







l	WELL NAME:	ODENI D	IT INSPE	CTION			in '		ocoPh	:11:
	Atlantic A#7c	OPEN F	II IIIJFE			. *	*	Cond	ocopn	IIIIps
	INSPECTOR		Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz
ļ	*Please request for pit extention after 26 weeks	08/12/10 Week 1	08/23/10 Week 2	08/30/10 Week 3	09/07/10 Week 4	09/13/10 Week 5	09/27/10 Week 6	10/04/10 Week 7	10/11/10 Week 8	11/29/10 Week 9
	PIT STATUS	Drilled Completed Clean-Up	Dnlled Completed Clean-Up	☐ Dnlled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Dnlled☐ Completed☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☑ Dniled ☐ Completed ☐ Clean-Up
NOIL	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
LOCATION	Is the temporary well sign on location and visible from access road?	☐ Yes ☑ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes  No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
N CE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☐ Yes ☑ No	✓ Yes ☐ No	☑ Yes ☐ No	Yes No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
_	Lother materials? (cables, pine threads, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
l	Are there diversion ditches around the pits for natural drainage?	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is there a Manifold on location?	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	Yes No	Yes I No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS		Contact Flint to fix fence			aztec 711 on location drill ng				

	WELL NAME:										
	Atlantic A#7c	ę.	- P		•	<u> </u>					
	INSPECTOR	Fred Mtz	Fred Mtz	1/10/2011	Fred Mtz 01/17/11	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	
-	*Please request for pit extention after 26 weeks	12/06/10 Week 10	01/04/11 Week 11	Week 12	Week 13	01/24/11 Week 14	02/07/11 Week 15	02/14/11 Week 16	02/21/11 Week 17	02/28/11 Week 18	
	PIT STATUS	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Dnilled ☐ Completed ☐ Clean-Up	☑ Dniled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Dnlled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	
LOCA	is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	
MPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	
8	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	
AENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	
ENVIRONM	Is there any standing water on the blow pit?	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	
EN EN	Are the pits free of trash and oil?	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	
	Is there a Manifold on location?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	
၁၀ ၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	
	PICTURE TAKEN	Yes 🗹 No	Yes No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	
		No repairs contact Dawn to pull pit	Rig on location	Rig on location	No repairs road needs bladed location needs bladed tighten up fence	Location and road needs bladed				No repairs no mansfield	

	WELL NAME:	1	in the state of th			, e		1	· · · · · · ·	,
	Atlantic A#7c	;				-				
	INSPECTOR						-			
	*Please request for pit extention after 26 weeks	03/07/11 Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	☑ Dnlied ☑ Completed ☐ Clean-Up	Dnilled Completed Clean-Up	☐ Dniled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Dnilled☐ Completed☐ Clean-Up	☐ Dnilled☐ Completed☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Dniled ☐ Completed ☐ Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
LOCA	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	✓ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	✓ Yes □ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Is there a Manifold on location?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No
	Is the Manifold free of leaks? Are the hoses in good condition?	Yes ✓ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
ر ا	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	Yes No
	COMMENTS	No repairs no mansfield								

	WELL NAME: Atlantic A#7c	OPEN P	IT INSPE	NSPECTION FORM					ocoPh	coPhillips	
	INSPECTOR DATE	08/12/10	Fred Mtz 08/23/10	Fred Mtz 08/30/10	5 1						
:	*Please request for pit extention after 26 weeks  PIT STATUS	Week 1  Dulled Completed Clean-Up	Week 2  Dnilled Completed Clean-Up	Week 3  Dnilled Completed Clean-Up	Week 4  Drilled Completed Clean-Up	Week 5  Dnilled Completed Clean-Up	Week 6  Drilled Completed Clean-Up	Week 7  Drilled Completed Clean-Up	Week 8  Dnilled Completed Clean-Up	Week 9  Drilled Completed Clean-Up	
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	
/2 [0 [	Is the temporary well sign on location and visible from access road?	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No						
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	
	Are the culverts free from debris or any object preventing flow?	☑ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☐ No						
MPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	
MMENTAL COMPLIANCE	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	
AENTA	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No						
NO NO	Is there any standing water on the blow pit?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No						
N N	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No						
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	
	Is there a Manifold on location?	☐ Yes ☑ No	☑ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	
ა გ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	Yes No	
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No	Yes No	Yes No	Yes No	
	COMMENTS		Contact Flint to fix fence								