

District I  
1625 N French Dr, Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised October 10, 2003

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

Name of Company <b>Burlington Resources, a wholly owned subsidiary of ConocoPhillips Company</b>	Contact <b>Kelsi Harrington</b>
Address <b>3401 E. 30<sup>th</sup> St., Farmington, NM 87402</b>	Telephone No <b>505-599-3403</b>
Facility Name <b>Scott #4M</b>	Facility Type <b>Gas Well</b> <b>API # 300-45-34887</b>
Surface Owner <b>Private</b>	Mineral Owner <b>Private</b> Lease No.

**LOCATION OF RELEASE**

Unit Letter <b>P</b>	Section <b>17</b>	Township <b>T31N</b>	Range <b>R10W</b>	Feet from the <b>738'</b>	North/South Line <b>South</b>	Feet from the <b>710'</b>	East/West Line <b>East</b>	County <b>San Juan</b>
-------------------------	----------------------	-------------------------	----------------------	------------------------------	----------------------------------	------------------------------	-------------------------------	---------------------------

Latitude 36.893347° N Longitude 107.898549° W

**NATURE OF RELEASE**

Type of Release – <b>Drilling Mud</b>	Volume of Release – <b>150 BBL</b>	Volume Recovered – <b>150 BBL</b>
Source of Release <b>Pit Liner</b>	Date and Hour of Occurrence <b>8/22/09 – 4:30 a.m.</b>	Date and Hour of Discovery <b>8/22/09 – 4:30 a.m.</b>
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? <b>Brandon Powell via phone &amp; e-mail</b>	
By Whom? <b>Gwen Frost</b>	Date and Hour – <b>8-24-09, 4:00 p.m.</b>	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken \* **On August 14 2009, the pit liner was inadvertently torn from the weight of the drill cutting solids directly below the discharge from the "shakers" to the mud pit and drilling mud leaked under the pit liner. Upon discovery, circulation was stopped on the well to prevent any further release.**

Describe Area Affected and Cleanup Action Taken \* **A hole was cut in the upper portion of the pit liner above the water line to recover the drill mud fluid back to the pit. Flint construction came out later and repaired the liner. Confirmation sampling occurred and analytical results were below the regulatory standards set forth in the NMOCD Guidelines for Remediation of Leaks, Spills and Releases; therefore no further action is required.**

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations

Signature <i>Kelsi Harrington</i>	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: <b>Kelsi Harrington</b>	Approved by District Supervisor: <i>Bob Powell</i>	
Title: <b>Environmental Consultant</b>	Approval Date: <u>1/26/11</u>	Expiration Date
E-mail Address: <b>kelsi.g.harrington@conocophillips.com</b>	Conditions of Approval: <i>njk 1122 338812</i>	Attached <input type="checkbox"/>
Date: <b>1/25/11</b> Phone: <b>505-599-3403</b>		

\* Attach Additional Sheets If Necessary



17



**EPA METHOD 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**


Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	03-25-10
Laboratory Number:	53458	Date Sampled:	03-23-10
Chain of Custody No:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Extracted:	03-24-10
Preservative:	Cool	Date Analyzed:	03-25-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References. Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Scott #4M**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

**EPA METHOD 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	03-25-10
Laboratory Number:	53459	Date Sampled:	03-23-10
Chain of Custody No:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Extracted:	03-24-10
Preservative:	Cool	Date Analyzed:	03-25-10
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Scott #4M**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

**EPA METHOD 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**


Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Under Reserve Pit	Date Reported:	03-25-10
Laboratory Number:	53460	Date Sampled:	03-23-10
Chain of Custody No:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Extracted:	03-24-10
Preservative:	Cool	Date Analyzed:	03-25-10
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
<b>Gasoline Range (C5 - C10)</b>	ND	0.2
<b>Diesel Range (C10 - C28)</b>	ND	0.1
<b>Total Petroleum Hydrocarbons</b>	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Scott #4M**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

**EPA Method 8015 Modified  
Nonhalogenated Volatile Organics  
Total Petroleum Hydrocarbons**

**Quality Assurance Report**

Client:	QA/QC	Project #:	N/A
Sample ID:	03-25-10 QA/QC	Date Reported:	03-25-10
Laboratory Number:	53451	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-25-10
Condition:	N/A	Analysis Requested:	TPH

	Lab Date	Lab RF	C Lab RF	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	9.1112E+002	9.1149E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	8.9826E+002	8.9862E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	252	101%	75 - 125%
Diesel Range C10 - C28	ND	250	297	119%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 53451 - 53453, 53458 - 53460, and 53462 - 53463

Analyst 

Review 

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	03-25-10
Laboratory Number:	53458	Date Sampled:	03-23-10
Chain of Custody:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Analyzed:	03-25-10
Preservative:	Cool	Date Extracted:	03-24-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
<b>Total BTEX</b>	<b>ND</b>	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	94.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Scott #4M**

Analyst 

Review 

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	03-25-10
Laboratory Number:	53459	Date Sampled:	03-23-10
Chain of Custody:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Analyzed:	03-25-10
Preservative:	Cool	Date Extracted:	03-24-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
<b>Total BTEX</b>	<b>ND</b>	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	91.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	94.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Scott #4M**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Under Reserve Pit	Date Reported:	03-25-10
Laboratory Number:	53460	Date Sampled:	03-23-10
Chain of Custody:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Analyzed:	03-25-10
Preservative:	Cool	Date Extracted:	03-24-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
<b>Total BTEX</b>	<b>ND</b>	

ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.0 %
	1,4-difluorobenzene	99.5 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Scott #4M**

Analyst 

Review 

Client	N/A	Project #	N/A
Sample ID:	03-25-BT QA/QC	Date Reported:	03-25-10
Laboratory Number:	53451	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-25-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	1E CalRF	C CalRF	%Diff	Blank Conc	Detect Limit
		Accept Range 0 - 15%			
Benzene	1.2880E+006	1.2906E+006	0.2%	ND	0.1
Toluene	1.1888E+006	1.1912E+006	0.2%	ND	0.1
Ethylbenzene	1.0830E+006	1.0852E+006	0.2%	ND	0.1
p,m-Xylene	2.6931E+006	2.6985E+006	0.2%	ND	0.1
o-Xylene	1.0140E+006	1.0160E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	%Recovery	Accept Range
Benzene	ND	50.0	45.8	91.6%	39 - 150
Toluene	ND	50.0	48.6	97.2%	46 - 148
Ethylbenzene	ND	50.0	48.9	97.8%	32 - 160
p,m-Xylene	ND	100	93.8	93.8%	46 - 148
o-Xylene	ND	50.0	48.8	97.6%	46 - 148

ND - Parameter not detected at the stated detection limit.

References      Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996  
 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:      QA/QC for Samples 53451 - 53453, 53458 - 53460, and 53462 - 53465

  
 Analyst

  
 Review




Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	03-25-10
Laboratory Number:	53458	Date Sampled:	03-23-10
Chain of Custody No:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Extracted:	03-24-10
Preservative:	Cool	Date Analyzed:	03-24-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
<b>Total Petroleum Hydrocarbons</b>	<b>20.1</b>	<b>10.1</b>

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Scott #4M**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review



Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	03-25-10
Laboratory Number:	53459	Date Sampled:	03-23-10
Chain of Custody No:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Extracted:	03-24-10
Preservative:	Cool	Date Analyzed:	03-24-10
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Def. Limit (mg/kg)
Total Petroleum Hydrocarbons	81.9	10.1

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Scott #4M**

\_\_\_\_\_  
Analyst *Duff*

\_\_\_\_\_  
Review *Christine M. Webster*




Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Under Reserve Pit	Date Reported:	03-25-10
Laboratory Number:	53460	Date Sampled:	03-23-10
Chain of Custody No:	8884	Date Received:	03-23-10
Sample Matrix:	Soil	Date Extracted:	03-24-10
Preservative:	Cool	Date Analyzed:	03-24-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
<b>Total Petroleum Hydrocarbons</b>	<b>20.1</b>	<b>10.1</b>

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Scott #4M**

Analyst 

Review 



Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	03-25-10
Laboratory Number:	03-24-TPH.QA/QC 53456	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	03-24-10
Preservative:	N/A	Date Extracted:	03-24-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
	03-04-10	03-24-10	1,680	1,670	0.6%	+/- 10%

Blank Conc: (mg/Kg)	Concentration	Detection Limit
TPH	ND	10.1


Duplicate Conc: (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
TPH	19.5	14.8	24.1%	+/- 30%


Spike Conc: (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	19.5	2,000	1,740	86.2%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 53456 - 53460.

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review



Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	03-25-10
Lab ID#:	53458	Date Sampled:	03-23-10
Sample Matrix:	Soil	Date Received:	03-23-10
Preservative:	Cool	Date Analyzed:	03-25-10
Condition:	Intact	Chain of Custody:	8884

Parameter	Concentration (mg/Kg)
-----------	-----------------------


**Total Chloride**

**30**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.  
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Scott #4M**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review


Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	03-25-10
Lab ID#:	53459	Date Sampled:	03-23-10
Sample Matrix:	Soil	Date Received:	03-23-10
Preservative:	Cool	Date Analyzed:	03-25-10
Condition:	Intact	Chain of Custody:	8884


Parameter	Concentration (mg/Kg)
-----------	-----------------------

**Total Chloride****125**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.  
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Scott #4M**

Analyst 

  
Review



Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Under Reserve Pit	Date Reported:	03-25-10
Lab ID#:	53460	Date Sampled:	03-23-10
Sample Matrix:	Soil	Date Received:	03-23-10
Preservative:	Cool	Date Analyzed:	03-25-10
Condition:	Intact	Chain of Custody:	8884


Parameter	Concentration (mg/Kg)
-----------	-----------------------


**Total Chloride**

**20**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.  
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Scott #4M**

Analyst 

  
Review

# CHAIN OF CUSTODY RECORD

8981

Client: <b>C.O.P</b>		Project Name / Location: <b>Scott #4 M</b>				ANALYSIS / PARAMETERS																
Client Address:		Sampler Name: <i>Fred Marting</i>				TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	PCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE					Sample Cool	Sample Intact	
Client Phone No.: <i>Kendal Bassing 564-3465</i>		Client No.: <b>96052-00216</b>																				
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative																
						HgCl <sub>2</sub>	HCl															
<i>Back Ground</i>	<i>3-23-10</i>	<i>8:10</i>	<i>53458</i>	<i>Soil Solid</i> Sludge Aqueous	<i>1-402</i>															<i>X</i>	<i>X</i>	
<i>Reserve Pit</i>	<i>3-23-10</i>	<i>8:15</i>	<i>53459</i>	<i>Soil Solid</i> Sludge Aqueous	<i>1-402</i>																<i>X</i>	<i>X</i>
<i>Under Reserve Pit</i>	<i>3-23-10</i>	<i>8:40</i>	<i>53460</i>	<i>Soil Solid</i> Sludge Aqueous	<i>1-402</i>																<i>X</i>	<i>X</i>
				<i>Soil Solid</i> Sludge Aqueous																		
				<i>Soil Solid</i> Sludge Aqueous																		
				<i>Soil Solid</i> Sludge Aqueous																		
				<i>Soil Solid</i> Sludge Aqueous																		
				<i>Soil Solid</i> Sludge Aqueous																		
				<i>Soil Solid</i> Sludge Aqueous																		
				<i>Soil Solid</i> Sludge Aqueous																		

Relinquished by: (Signature) <i>Fred Marting</i>	Date <i>3-23-10</i>	Time <i>4:00</i>	Received by: (Signature) <i>Matthew</i>	Date <i>3/23/10</i>	Time <i>1600</i>
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		



5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com