. District I 1625 N French Dr., Hobbs, NM 88240

.

District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008
temporary pits, closed-loop sytems, and below-grade

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Proposed Alternative N	System, Below-Gra Method Permit or Cla		lication	
	ed-loop system, below-grad			
<b>\</b>	sed-loop system, below-gra			
Modification to an e				
<b>—</b>	ibmitted for an existing pen r proposed alternative meth	-	ed pit, closed-loop syste	em,
Instructions: Please submit one application (Form C-1	•	•	v-grade tank or alterna	tive
Please be advised that approval of this request does not relieve the environment. Nor does approval relieve the operator of its responsibility.		=	· =	
Operator: Burlington Resources Oil & Gas Company, LP		OGRID#: 1453	8	
Address: PO Box 4289, Farmington, NM 87499				
Facility or well name: San Juan 29-7 Unit 586				
API Number: 30-039-30194  U/L or Otr/Otr: H(SE/NE) Section: 27 Township:	OCD Permit Nur		Die Assile	
U/L or Qtr/Qtr: H(SE/NE) Section: 27 Township: Center of Proposed Design: Latitude: 36.70014	29N Range:  °N Longitude:	7W County:	Rio Arriba  °W NAD: ☐ 1927	7 X 1983
	vate Tribal Trust or Inc			
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type. Thickness  String-Reinforced  Liner Seams Welded Factory Other	mil LLDPE Volume	HDPE PVC bbl Dimensions	Otherx Wx	D
3  X Closed-loop System: Subsection H of 19 15 17 11 NMAG  Type of Operation P&A X Drilling a new well	C Workover or Drilling (Applie notice of intent)	s to activities which req	uire prior approval of a pe	ermit or
X       Drying Pad       X       Above Ground Steel Tanks       Haul-         X       Lined       Unlined       Liner type       Thickness       20         Liner Seams       X       Welded       X       Factory       Other	off Bins Other X LLDPE	HDPE PVD	PECE	VED 7526
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume bbl Type of fluid.			JAN 3	DIV. DIST. 3
Tank Construction material.  Secondary containment with leak detection Visible sidewalls and liner Visible sidewalls on Liner Type Thicknessmil HDPE	idewalls, liner, 6-inch lift and ally Other PVC Other	automatic overflow shu	68/0	21-1800
Submittal of an exception request is required Exceptions must be	submitted to the Santa Fe Env	ıronmental Bureau offic	e for consideration of app	roval.

Page 1 of 5

' Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate Please specify						
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)						
8						
Signs: Subsection C of 19 15 17 11 NMAC						
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19 15 3 103 NMAC						
9  Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)						
Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval						
Siting Criteria (regarding permitting). 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria						
does not apply to drying pads or above grade-tanks associated with a closed-loop system.  Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells		No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site		□No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA					
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No				
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No				
Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No				
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society, Topographic map	Yes	No				
Within a 100-year floodplain	Yes	No				

4

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19 15 17 9 NMAC and 19 15 17.13 NMAC
Previously Approved Design (attach copy of design)  API or Permit Number
Closed-loop Systems Permit Application Attachment Checklist:  Subsection B of 19 15.17.9 NMAC  Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC   Climatological Factors Assessmeni   Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17.11 NMAC   Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17 11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC   Quality Control/Quality Assurance Construction and Installation Plar.   Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC   Nuisance or Hazardous Odors, including H2S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
14 Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings  Soil Book fill and Cover Decign Specifications, based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste	el Tanks or Haul-off Rins Only/(1915 1713 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling are required	fluids and drill cuttings Use attachment if more than two	facilities			
Disposal Facility Name.	Disposal Facility Permit #				
Disposal Facility Name	Disposal Facility Permit #.				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropria  Re-vegetation Plan - based upon the appropriate requirements of Subsection  Site Reclamation Plan - based upon the appropriate requirements of Subsection	etion I of 19 15.17.13 NMAC	С			
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan R siting criteria may require administrative approval from the appropriate district office or may be consideration of approval Justifications and/or demonstrations of equivalency are required P	ecommendations of acceptable source material are provided below e considered an exception which must be submitted to the Santa Fe				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obt	ained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		N/A			
Ground water is more than 100 feet below the bottom of the buried waste					
- NM Office of the State Engineer - IWATERS database search; USGS, Data obta	ained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)		Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite imag		Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database; Visual inspection (certif	tence at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water v pursuant to NMSA 1978, Section 3-27-3, as amended	vell field covered under a municipal ordinance adopted	Yes No			
Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland     US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine		Yes No			
		Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division				
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & N	nin an unstable area  Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society;				
Topographic map  Within a 100-year floodplain  - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each check mark in the box, that the documents are attached.	of the following items must bee attached to the closur	e plan. Please indicate, by a			
Siting Criteria Compliance Demonstrations - based upon the appropriat	e requirements of 19 15.17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirement	·				
Construction/Design Plan of Burial Trench (if applicable) based upon the	ne appropriate requirements of 19 15.17 11 NMAC	,			
Construction/Design Plan of Temporary Pit (for in place burial of a dry	ing pad) - based upon the appropriate requirements of	9.15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriat	e requirements of Subsection F of 19.15.17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirement	its of Subsection F of 19 15,17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids	-	nnot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsec					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Title
Signature Date
e-mail address: Telephone
OCD Approval: Permit Application (including closule plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature:  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 1915 1713 NMAC  Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  [X] Closure Completion Date: 7/8/2009
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name.
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Applytrad Pagelita (if applyable)
Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude Longitude NAD 1927 1983
On-site Closure Location: Latitude Longitude NAD 1927 1983
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the hest of my knowledge and helief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Crystal Tafoya Title Regulatory Technician
Signature: Date. 1/19/2010
e-mail address crystal tafoya@conocphillips com Telephone: 505-326-9837