<u>District I</u> 1625 N French Dr , Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

<u>District IV</u> 1220 S St Francis Dr , Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008
For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

4	85	4
- 1	. 00	- 1

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

Operator: Burlington Resources Oil & Gas Company, LP Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Scott Gas Com 100 API Number: 30-045-34762 OCD Permit Number U/L or Qtr/Qtr: A(NE/NE) Section: 1 Township: 30N Range: 12W County Center of Proposed Design: Latitude: 36.845726 °N Longitude: 108.043947 Surface Owner: Federal State X Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which in notice of intent)	: San Juan •W NAD: 1927 X 1983 Other
API Number: 30-045-34762 OCD Permit Number U/L or Qtr/Qtr: A(NE/NE) Section: 1 Township: 30N Range: 12W County Center of Proposed Design: Latitude: 36.845726 °N Longitude: 108.043947 Surface Owner: Federal State X Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which response t	•W NAD: ☐ 1927 X 1983 Other
API Number: 30-045-34762 OCD Permit Number I/L or Qtr/Qtr: A(NE/NE) Section: 1 Township: 30N Range: 12W County Center of Proposed Design: Latitude: 36.845726 °N Longitude: 108.043947 urface Owner: Federal State X Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which response to the section of the secti	•W NAD: ☐ 1927 X 1983 Other
Center of Proposed Design: Latitude: 36.845726 °N Longitude: 108.043947 Surface Owner: Federal State X Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimensions X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which response to the control of	•W NAD: ☐ 1927 X 1983 Other
Center of Proposed Design: Latitude: 36.845726 °N Longitude: 108.043947 Surface Owner: Federal State X Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which researched)	•W NAD: ☐ 1927 X 1983 Other
Surface Owner: Federal State X Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which research to the control of the control o	Other
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover . Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which response to the control of the contr	
Pit: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover . Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which response to the control of the contr	
Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which respectively).	
Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which response)	
Lined Unlined Liner type Thickness mil LLDPE HDPE PVC String-Reinforced Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which respectively).	
String-Reinforced Liner Seams	
Liner Seams Welded Factory Other Volume bbl Dimension X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which respectively).	ns Lx Wx D
3 X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which r	ns L x W x D
X Closed-loop System: Subsection H of 19.15.17 11 NMAC Type of Operation P&A X Drilling a new well Workover or Drilling (Applies to activities which r	
X Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	Other RFCFIVED
X Lined Unlined Liner type Thickness 20 mil X LLDPE HDPE PVD	Other A61
Liner Seams X Welded X Factory Other	A RECEIVED
4 Below-grade tank: Subsection I of 19 15 17 11 NMAC Volume bbl Type of fluid	nut-off Septezi-
Volumebbl Type of fluid Tank Construction material.	156
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflows	nut-off
Visible sidewalls and liner Visible sidewalls only Other	12306
Liner Type: Thickness mil HDPE PVC Other	
Alternative Method:	
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau of	

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consisting (Fencing/BGT Liner) Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	deration of app	proval	
Siting Criteria (regarding permitting) 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - tWATERS database search, USGS; Data obtained from nearby wells		No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes ☐ NA	No	
- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No	
 Visual inspection (certification) of the proposed site, Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	□No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit Number		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached		
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19 15 17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plar		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15.17 13 NMAC		
14 Proposed Closure: 19 15 17 13 NMAC		
Instructions. Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench Burial		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings Seel Real-fill and Cover Device Specifications, based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC		
one recommend that the appropriate requirements of Subsection of 17 15 17 15 17 15 17 16		

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T Instructions Please identify the facility or facilities for the disposal of liquids, drilling flui		ultues		
are required				
	hisposal Facility Permit #			
	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information No	ccur on or in areas that will not be used for future serv	ice and operations?		
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specification - based upon the appropriate t	recoverements of Subsection H of 10 15 17 12 NIMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection	•			
Site Reclamation Plan - based upon the appropriate requirements of Subsec				
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17.10 NMAC for guidance				
Ground water is less than 50 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS Data obtained	d from nearby wells	∐N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtaine	d from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste		∏Yes ∏No		
- NM Office of the State Engineer - (WATERS database search; USGS; Data obtaine	d from nearby wells	□ _{N/A} □		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significan	t watercourse or lakehed sunkhole or plays lake	☐Yes ☐No		
(measured from the ordinary high-water mark)	watercourse of taxebed, sinkinge, or playa taxe			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in exis	stence at the time of initial application	Yes No		
- Visual inspection (certification) of the proposed site, Aerial photo; satellite image				
		YesNo		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well pursuant to NMSA 1978, Section 3-27-3, as amended	field covered under a municipal ordinance adopted	Yes No		
- Written confirmation or verification from the municipality; Written approval obtain	ed from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspect	uon (certification) of the proposed site	YesNo		
Within the area overlying a subsurface mine.	ion (certification) of the proposed site	□Yes □No		
Written confirantion or verification or map from the NM EMNRD-Mining and Min	eral Division			
Within an unstable area		Yes No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mine	ral Resources, USGS, NM Geological Society,			
Topographic map		∏Yes ∏No		
Within a 100-year floodplain - FEMA map		∐Yes ∐No		
- FEMA map 18 On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a				
check mark in the box, that the documents are attached.	ne jouerning nems must bee unicided to the closure p	z souse mineme, by n		
Siting Criteria Compliance Demonstrations - based upon the appropriate re	quirements of 19 15 17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conscivation Division Page 4 of 5

19 Operator Application Ce	rtification:	,	
I hereby certify that the inform	nation submitted with this application is true, accurate	and complete to the best	of my knowledge and belief
Name (Print)		Title	· · · · · · · · · · · · · · · · · · ·
Signature e-mail address		Date: Telephone.	
e masi address			
OCD Representative Sign	mit Application (including closure plan)	Closure Plan (only) OCD Permit	OCD Conditions (see attachment) Approval Date: Number:
Instructions. Operators are research to be submitted to		nplementing any closure a osure activities. Please de	ctivities and submitting the closure report. The closure report o not complete this section of the form until an approved Completion Date: 4/6/2009
22			
Closure Method: Waste Excavation and If different from appr	d Removal On-site Closure Method oved plan, please explain.	Alternative Closure Me	ethod X Waste Removal (Closed-loop systems only)
Instructions: Please identify utilized. Disposal Facility Name: Disposal Facility Name: Were the closed-loop syst Yes (If yes, please de Required for impacted are Site Reclamation (Ph. Soil Backfilling and C. Re-vegetation Applic	Envirotech / JFJ Landfarm % IEI Basin Disposal Facility em operations and associated activities performed on monstrate compliane to the items below) East which will not be used for future service and operation Documentation) Cover Installatior Eation Rates and Seeding Technique	Pluids and drill cuttings of Disposal Facility Pe Disposal Facility Pe or in areas that will not be No (Original Approutions	rmit Number. NM-01-0011 / NM-01-0010B rmit Number. NM-01-005
Proof of Deed Noti	ce (required for on-site closure)		
=	te closures and temporary pits)		
	oling Analytical Results (if applicable) npling Analytical Results (if applicable)		
=	ame and Permit Number		
=	d Cover Installatior lication Rates and Seeding Technique		
_	Photo Documentation)		
On-site Closure Lo	cation Latitude	Longitude	NAD 1927 1983
	mation and attachments submitted with this closure re		complete to the best of my knowledge and belief. I also certify that
-	applicable closure requirements and conditions speci		
Name (Print)	Crystal Tafoya	Title	Regulatory Technician
Signature.	constat lajoya	Date	
e-mail address:	crystal tafoya@conocphillips com	Telephone	505-326-9837