District 1

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. To For downstream facilities, submit to Santa Fe office

MAR 2005

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No ... Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank A CO MEN. e-mail address: LHasely@br-\n Telephone: (505) 326-9841 Operator: Burlington Resources Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Huerfanito Unit Well No. 87 API #: 30045060230000 U/L or Qtr/Qtr K Sec 1 Longitude -107.7443 NAD: 1927 X 1983 X Latitude 36.51388 County: San Juan Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐ Pit Below-grade tank Type: Drilling Production Disposal Volume: 95 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness ____mil Clay No. Tank in place prior to Rule 50. Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) 20 (20 points) Wellhead protection area: (Less than 200 feet from a private domestic (0 points) 20 No water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 50 Ranking Score (Total Points) If this is a pit closure; (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility ** . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth below ground surface _______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: * No soil removed from site. All OVM and TPH readings below standard of 100 ppm. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\square\), a general permit \(\square\), or an (attached) alternative OCD-approved plan \(\square\). ____ Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. CEPUTY OIL & GAS INSPECTOR, DIST. 438 Approval: emy tem Printed Name/Title_

CLIENT: Burlington	En	VIROTECH INC.		LOCATION NO: 87		
Resouras	ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615			C.D.C. ND:		
FIELD REPOF	RT: CLOSU	URE VERIFI	CATION	PAGE No: of		
LOCATION: NAME HUGH	DATE STARTED: 2/4/05 DATE FINISHED: 2/4/05 ENVIRONMENTAL MPM SPECIALIST: MPM					
QTR/FOOTAGE:						
EXCAVATION APPROX. 16 FT. x 16 FT. x 8 FT. DEEP. CUBIC YARDAGE: OBSPOSAL FACILITY: REMEDIATION METHOD: LEASE: SF 078135 FORMATION:						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 109 FT. 270° FROM WELLHEAD. DEPTH TO GROUNDWATER: 20 NEAREST WATER SOURCE: 20 NEAREST SURFACE WATER: 10 NMOCD RANKING SCORE: 50 NMOCD TPH CLOSURE STD: 100 PPM CHECK ONE:						
SOIL AND EXCAVATION DESCRIPTION: STEEL TANK INSTALLED						
Soil very clear in color the obor. Les Hoper en-site gene resulte. No soil removed from site. The point composite sample from floor and 4 walls@depth 8. FIELD 418.1 CALCULATIONS						
5 point out	mposite samp	ple from Yloor FIELD 418.1 CA				
5 point our	nposite samp TIME SAMPLE 1.0	D. LAB NO: WEIGHT (9) mL. FREON D	DILUTION READING CALC. ppm		
5 print out	mposite samp	D. LAB NO: WEIGHT (9) mL. FREON D			
SCALE O FT	nposite samp Time Sample 1.0 1230 S PHE	FIELD 418.1 CA D. LAB NO: WEIGHT (g OVM) mL. FREON D	O.O. O.		
5 print out	TIME SAMPLE I.E 1230 S PHE ETER SAI 13	OVM RESULTS PIC (ppm) OVM RESULTS PIC (ppm) PIC (ppm) A Comp 1	PIT	O.O. O.		



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-007

Sample No.:

Date Reported:

2/11/2005

Sample ID: Sample Matrix: 5 Point Composite @ Depth 8' Date Sampled: Soil

Date Analyzed:

2/10/2005 2/10/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

78.4

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Huerfanito Unit Well No. 87