<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action. Registration of a pit o	r below-grade tank L Closure of a pit of below-grad	". 5 og			
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: <u>LH</u>	lasely@br-inc.com			
Address: 3401 East 30 <sup>th</sup> Street, Farmington, New Mexico, 87402					
Facility or well name: <u>Huerfano Unit Well No. 213E</u> API #: 3004	5248470000 U/L or Qtr/Qtr _A	Sec <u>36 T 27N</u> R <u>10W</u>			
•		927 ☑ 1983 □			
Surface Owner: Federal State Private Indian					
Pit /	Below-grade tank				
Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil					
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.				
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	( 0 points) 0			
	Too leet of more	( ) Para (			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points) 10			
	<u> </u>	10			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if			
your are burying in place) onsite 🖾 offsite 🔲 If offsite, name of facility <u>E</u>	nvirotech LF 2. (3) Attach a general description of re	emedial action taken including remediation start			
date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, she	ow depth below ground surfaceft. and	attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.				
Additional Comments:					
Per Burlington request, required under 100 ppm TPH.					
10. Summission requires whiter 100 ppm 1111.					
Executive data	ils attached				
LXEAUCTUA ALETA	ils affected.				
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🔲, or an (attached) alterna	tive OCD-approved plan .			
Date: 3/3/65					
Printed Name/Title Ed Hasely / Ens. Advisus	Simon 5/1/forte 1				
		Cd			
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	he operator of its responsibility for compliance with a	ny other federal, state, or local laws and/or			
ACCOUNTY ON A		MAR - 9 2005			
Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 32	Remin J-	0 2000			
Printed Name/Title					
	<b>(</b> /				

CLIENT: Bulington	L'NVIROTEC	CH INC.		LOCATION N	10:23E
Resouras	ENVIRONMENTAL SCIENTIS 5796 U.S. HIGHWA FARMINGTON, NEW M PHONE: (505) 63	Y 64-3014 MEXICO 87401		C.O.C. N	VO:
FIELD REPOR	CT: CLOSURE V	ERIFIC	CATION	`	
	10 Unit WELL #: 213E			DATE EINIGHED.	15:36 1/18/05
	36 TWP: 27N RNG: 10W PM		Y: <b>ST</b> ST: <b>N</b> M	ENVIRONMENTAL SPECIALIST:	
QTR/FOOTAGE:	CONTRACTOR:			<del></del>	
EXCAVATION APPROX. 15 FT. x 15 FT. x 7 FT. DEEP. CUBIC YARDAGE: 40					
	virotech LF #2				1
	LEASE:				
FIELD NOTES & REMAR	KS: PIT LOCATED APPROX	IMATELY	39 FT.	355° FROM	1 WELLHEAD.
DEPTH TO GROUNDWATER:	NEAREST WATER SOURCE:	<u>0</u> N	EAREST SURFAC	CE WATER:	<u> </u>
NMOCD RANKING SCORE: 10	NMOCD TPH CLOSURE STD:	DOO PPM		CHECK ON	NE :
SDIL AND EXCAVATIO	N DESCRIPTION:	÷	- <u>v</u>	PIT ABANDOI	
			<u> </u>		
On arrival pit still being cleaned. Started excavating at 1200 hrs. Final 5 pt Coup was completed at 15 x 15 x 7.  per Burlinston require 100 ppm for closure FIELD 418.1 CALCULATIONS					
•	TIME SAMPLE I.D. LAB No:			ILUTION READING	CALC. ppm
SCALE	1410 3ft below	5	20	1 0.24	
					1178.98
		5	20	1 0.038	186.456
0 FT	1430 5ft below 2 1450 7ft below 3		2 V 2 0	1 0.038	186.456
O FT PERIME	1430 5 st below 2 1450 7 st below 3 ETER FOR RESULT	5 5 5	20	1 0.038	186.456
	1430 5 st below 2 1450 7 st below 3 ETER FOR RESULT	S S S HEADSPACE D (ppm) PAM PAM PAM	20 20 20 PIT	1 0.038	186.456



## **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:

**Burlington Resources** 

92115-021-010

Sample No.:

Project #: Date Reported:

Sample ID:

H213E @ 3' below pit

1/21/2005

Sample Matrix:

Soil

Date Sampled: 1/18/2005

Preservative:

**Parameter** 

Cool

Date Analyzed: 1/18/2005 TPH-418.1 Analysis Needed:

Condition:

Cool and Intact

	Det.
Concentration	Limit
(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

1,180

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Unit No 213E** 



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-010

Sample No.:

3

Date Reported:

1/21/2005

Sample ID:

H213E @ 7' below pit

Date Sampled:

1/18/2005

Sample Matrix:

Soil

Date Analyzed:

1/18/2005

Preservative: Condition:

Cool and Intact

Analysis Needed:

TPH-418.1

----

Parameter

Concentration (mg/kg)

Det. Limit (mg/kg)

**Total Petroleum Hydrocarbons** 

15.7

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Unit No 213E** 

Analyst (

Audly Rosapal Parky



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-010

Sample No.:

4

Date Reported:

1/21/2005

Sample ID:

5 Point Composite

Date Sampled:

1/18/2005

Sample Matrix:

Soil

Date Analyzed:

1/18/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

84.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**Huerfano Unit No 213E** 

Analyst 4

Review